BZA-199523

BZA APPLICATION FORM

GENERAL INFORMATION

		<u> </u>	21422	<u> </u>	2022 11012 - 011
The undersia	ned here	by petitions	the Board	d of Zoning Appe	2022 NOV -7 PH 3: 11 eal for the following:
		Var			ppeal: Lands Actions 173
PETITIONER:	Cellco F	artnership d/b/a	Verizon Wi	ireless	3,012
,	ADDRESS	: 20 Alexander	Drive. Wa	llingford, CT 06492	
				enue, Cambridge, I	
					r: Multi-Use Residence C-2
REASON FOR P			-		***************************************
	Additio	ons		* 	New Structure
		in Use/Occupa	ncy		Parking
	Convers	ion to Addi'l	Dwelling	g Unit's _	Sign
	Dormer			_	Subdivision
		Replace existir	ng wireless	communication ed	quipment
		'IONER'S PROPO	See narra	tive.	
			See narra	tive.	
<u> </u>					4
SECTIONS OF	ZONING C	RDINANCE CITE	D:		
Article 4.00	00_ Secti	on 4.32.G.1 and	Footnote 49	(4.40.49)	
Article 10.00	00 Secti	on 10.40 - 10.40	6	7	
Article 640	79 Secti	on Federal	Midd	le class for	x Peliet Act
Applicants f Applicants	or a Spe for an Service	Appeal to	ust compl the BZA	lete Pages 1-4 of a Zoning	and 6 determination by the concerning the reasons
	0:	riginal Signat	cure(s):	(Patrick)	oner(s)/Owner)
					en W. Freyman
			J		rint Name) eet, Suite 1100
		Add	iress:		
				Springfield, M	
			L. No.:	(413) 737-113	1000
		E-1	Mail Addr	ess: efreyman	@ssfpc.com

(ATTACHMENT B - PAGE 2)

Date: November 2, 2022

Verizon Wireless 60-Day Eligible Facility Request Modification of Existing Wireless Base Station

Request Date: September 15, 2022

Jurisdiction: City of Cambridge, Massachusetts

Department: Planning Board

Site Address: 1654 Massachusetts Avenue, Cambridge, Massachusetts 02138

Verizon Wireless Contact: Rebecca Rafferty, SAI, (603) 475-0347

This document serves as Verizon Wireless's eligible facilities request to modify an existing wireless rooftop facility at the above-referenced site address. This eligible facilities request must be approved administratively under Section 6409 of the Federal Spectrum Act and Federal Communications Commission ("FCC") rules (the "Spectrum Act"). Review by the City of Cambridge is limited to determining whether the proposed modification qualifies as an eligible facilities request that does not substantially change the physical dimensions of the wireless facility. All permits necessary to commence construction must be approved within 60 days of the request date set forth above, subject to tolling for incompleteness.

For this request, Verizon Wireless attaches the following documents for the permit required by the City of Cambridge to commence construction of the modification:

- 1. Special Permit Application;
- 2. Plans prepared by Dewberry Engineers Inc. dated August 11, 2022 (the "Plans");
- 3. Letter of Authorization from property owner;
- 4. Certified List of Abutters within 300 feet
- 5. GIS Block Map
- 6. FCC Licenses
- 7. Power Density Calculation
- 8. Antenna Specifications
- 9. Engineering Necessity Case
- 10. Photo Simulations of proposed modifications

Project Description

To accommodate new wireless technologies, Verizon Wireless proposes to remove (2) existing Beta and Gamma CDMA Antennas from existing mast pipes and install (3) new MT6407-77A Antennas on existing mounting pipes, (1) new combiner, as well as additional hardware for RFDS located inside of existing equipment room. All new equipment will be wrapped or painted to match all existing equipment. No additional changes are proposed for the modification.

FCC Rules for Eligible Facilities Requests

The Spectrum Act states that "a State or local government may not deny, and shall approve, any eligible facilities request for a modification of an existing wireless tower or base station that does not substantially change the physical dimensions of such tower or base station." An "eligible facilities request" is defined to include any collocation, removal, or replacement of existing equipment.²

The FCC adopted rules providing legally binding guidance on key terms of the Spectrum Act, notably defining "substantial change" with the six thresholds described below.³ The FCC requires that qualifying eligible facilities requests be approved within 60 days, subject to tolling for incompleteness.⁴ The 60-day period begins when an applicant takes the first procedural step required by a local government, and submits written documentation.⁵ The only submittal documents a local government can require are those relevant to determining if a proposed modification qualifies as an eligible facilities request.⁶ If a local government does not render a decision within the 60-day period, an eligible facilities request can be deemed granted by operation of law.⁷

The Proposed Modification Does Not Constitute a "Substantial Change"

Below are the FCC's six "substantial change" thresholds for a wireless base station, each followed by an explanation why the proposed modification does not exceed that threshold.

1) It increases the height of the structure by more than 10% or more than ten feet, whichever is greater.

As shown on the Plans, there are no proposed height increases beyond any of the existing structures on the rooftop.

¹ 47 U.S.C. § 1455(a)(1).

² 47 U.S.C. § 1455(a)(2).

³ See Report and Order FCC 14-153, 29 FCC Rcd. 12865 (FCC October 17, 2014); see also Report and Order FCC 20-153, 2020 WL 6501650 (FCC October 27, 2020).

⁴ See 47 C.F.R. § 1.6100(c)(2),(3).

⁵ Declaratory Ruling 20-75, 35 FCC Rcd 5977, ¶ 16 (FCC June 9, 2020).

⁶ See 47 C.F.R. § 1.6100(c)(1).

⁷ See 47 C.F.R. § 1.6100(c)(4).

⁸ See 47 C.F.R. § 1.6100(b)(7).

2) It involves adding an appurtenance to the body of the structure that would protrude from the edge of the structure by more than six feet.

As shown on the Plans, none of the proposed equipment protrudes from the edge of the building by more than six feet.

3) For any eligible support structure, it involves the installation of more than the standard number of new equipment cabinets for the technology involved, but not to exceed four; or, for base stations, it involves installation of any new equipment cabinets on the ground if there are no pre-existing ground cabinets associated with the structure, or else involves installation of ground cabinets that are more than 10% larger in height or overall volume than any other ground cabinets associated with the structure.

As shown on the Plans, no new cabinets are proposed.

4) Entails any excavation or deployment outside the current site (as defined at 47 C.F.R. § 1.6100(b)(6)).

As shown on the Plans, none of the modifications entail excavation or deployment outside the current site.

5) Would defeat any concealment elements of the existing facility.

As shown on the Plans, the existing concealment elements of the base station will not change as the new equipment will all be wrapped or painted to match all existing concealment elements of existing equipment. Therefore, the modification does not defeat any concealment elements of the existing facility.

6) Does not comply with conditions associated with the prior approval of the existing facility, unless the non-compliance is due only to a change in height, width, etc., that does not exceed the first four thresholds.

There are no prior conditions of approval that would render the modification to be non-compliant, aside from any conditions that would be preempted by the first four "substantial change" thresholds.

In sum, the modification clearly qualifies as an "eligible facilities request" under the Spectrum Act and FCC rules, because it does not exceed any of the thresholds such that it would "substantially change" the physical dimensions of the existing base station.

Failure to process this eligible facilities request and approve all necessary permits within 60 days may result in the request being deemed granted by operation of law.

Please execubes and delucin

BZA APPLICATION FORM - OWNERSHIP INFORMATION

To be completed by OWNER, signed before a notary and returned to The Secretary of the Board of Zoning Appeals.

I/We John Kurt Miller, Trustee
(OWNER)
Address: 1396 Beacon Street, Brookline, MA
State that I/We own the property located at 1654 Massachusetts Avenue
which is the subject of this zoning application.
The record title of this property is in the name of Clifford V. Miller Trust
*Pursuant to a deed of duly recorded in the date $12/29/1972$, Middlesex South
County Registry of Deeds at Book 12356 , Page 367 ; or
Middlesex Registry District of Land Court, Certificate No.
Book Page
SIGNATURE BY LAND OWNER OR AUTHORISED TRUSTEE, OFFICER OR AGENT* *Written evidence of Agent's standing to represent petitioner may be requested.
Commonwealth of Massachusetts, County of
The above-name Uohn Kurt Miller personally appeared before me,
this of Solembr, 2077, and made oath that the above statement is true.
Notary
My commission expires ORCHES (Notary Seal). ALEXANDER LIANG Notary Public COMMONWEALTH OF MASSACHUSETTS
My Commission Expires On February 24, 2023

 If ownership is not shown in recorded deed, e.g. if by court order, recent deed, or inheritance, please include documentation.

BZA Application Form

SUPPORTING STATEMENT FOR A SPECIAL PERMIT

Please describe in complete detail how you meet each of the following criteria referring to the property and proposed changes or uses which are requested in your application. Attach sheets with additional information for special permits which have additional criteria, e.g.; fast food permits, comprehensive permits, etc., which must be met.

Granting the Special Permit requested for <u>1654 Massachusetts Ave</u>, <u>Cambridge</u>, <u>MA</u> (location) would not be a detriment to the public interest because:

A) Requirements of the Ordinance can or will be met for the following reasons:

As required by Verizon Wireless's license from the Federal Communications Commission ("FCC"), the upgraded facility will conform with requirements of the FCC. The tower has been designed in a manner which will minimize any visual impacts to the surrounding properties and community, and the proposed modification to the existing facility is not inconsistent with the character that prevails in the surrounding neighborhood.

B) Traffic generated or patterns of access or egress would not cause congestion hazard, or substantial change in established neighborhood character for the following reasons:

The upgraded facility will have no effect on existing traffic or patterns of ingress or egress. The facility only generates about one or two vehicle trips per month by a standard passenger vehicle during normal business hours for routine maintenance, which will remain the case after the modification is complete.

The continued operation of or the development of adjacent uses as permitted in the Zoning

Ordinance would not be adversely affected by the nature of the proposed use for the following reasons:

The upgraded facility will not adversely effect any operations of adjacent uses. There will be no emission of light, odor, dust or glare and it will not generate any unusual noise or other adverse impacts. Instead, the facility will benefit the adjacent uses by enhancing wireless coverage in the area around the tower.

Nuisance or hazard would not be created to the detriment of the health, safety, and/or welfare of the occupant of the proposed use or the citizens of the City for the following reasons:

The upgraded facility will create no nuisance, hazard, or any other negative impacts on the people or properties within the City of Cambridge. There will be no traffic, noise, light, odor or any other potentially negative impact generated from the upgraded facility. The upgraded facility will only provide the community with increased wireless service and enhance the health, safety, and welfare of the residents of Cambridge.

For other reasons, the proposed use would not impair the integrity of the district or adjoining district or otherwise derogate from the intent or purpose of this ordinance for the following reasons:

The upgraded facility is designed to minimize any potential visual impact to the surrounding properties and in no way impairs, but rather aligns with the purpose and intent of the Zoning Ordinance as well as the previously issued Special Permit for this use.

*If you have any questions as to whether you can establish all of the applicable legal requirements, you should consult with an attorney.

Date:	

BZA Application Form

DIMENSIONAL INFORMATION

Applicant: John Kurt Miller, Trustee

Present Use/Occupancy: Multiuse Residence

Location: 16

1654 Massachusetts Ave, Cambridge, MA

Zone: Residence C-2 Zone

Phone:


Requested Use/Occupancy: Multiuse Residence

		Existing Conditions	Requested Conditions		Ordinance Requirements	
TOTAL GROSS FLOOR AREA:		N/A	N/A		N/A	(max.)
LOT AREA:		N/A	N/A		N/A	(min.)
RATIO OF GROSS FLOOR AREA TO LOT AREA: ²		N/A	N/A		N/A	
LOT AREA OF EACH DWELLING UNIT		N/A	N/A		N/A	
SIZE OF LOT:	WIDTH	N/A	N/A		N/A	
	DEPTH	N/A	N/A		N/A	
SETBACKS IN FEET:	FRONT	N/A	N/A		N/A	
	REAR	N/A	N/A		N/A	
	LEFT SIDE	N/A	N/A		N/A	
	RIGHT SIDE	N/A	N/A		N/A	
SIZE OF BUILDING:	HEIGHT	71' - 0"	No Change		N/A	
	WIDTH	N/A	N/A		N/A	
	LENGTH	N/A	N/A		N/A	
RATIO OF USABLE OPEN SPACE TO LOT AREA:		N/A	N/A	,	N/A	
NO. OF DWELLING UNITS:		N/A	N/A		N/A	
NO. OF PARKING SPACES:		N/A	N/A		N/A	
NO. OF LOADING AREAS:		N/A	N/A		N/A	
DISTANCE TO NEAREST BLDG. ON SAME LOT		N/A	N/A		N/A	

Describe where applicable, other occupancies on the same lot, the size of adjacent buildings on same lot, and type of construction proposed, e.g; wood frame, concrete, brick, steel, etc.:

N/A

- 1. SEE CAMBRIDGE ZONING ORDINANCE ARTICLE 5.000, SECTION 5.30 (DISTRICT OF DIMENSIONAL REGULATIONS).
- 2. TOTAL GROSS FLOOR AREA (INCLUDING BASEMENT 7'-0" IN HEIGHT AND ATTIC AREAS GREATER THAN 5') DIVIDED BY LOT AREA.
- 3. OPEN SPACE SHALL NOT INCLUDE PARKING AREAS, WALKWAYS OR DRIVEWAYS AND SHALL HAVE A MINIMUM DIMENSION OF 15'.



156-24 LESLEY COLLEGE 29 EVERETT STREET CAMBRIDGE, MA 02138

173-29 WHELAN, PATRICIA MARIE 6 SHEPARD ST #2 CAMBRIDGE, MA 02138-1712

173-29 WATKINS, JUSTIN J. & ANNE WATKINS 8 SHEPARD ST, #3 CAMBRIDGE, MA 02138

173-48
MILLER, TUCKER REED JOHN KURT MILLER
C/O CLIFFORD V MILLER INC
1396 BEACON ST
BROOKLINE, MA 02446

174-70 METTLER, BERNARD 2120 KEYWOOD PARKWAY MINNEAPOLIS, MN 55405

173-29 MOULTON, MARGARET M. & PETER F. MOULTON 6-8 SHEPARD ST #6 CAMBRIDGE, MA 02138

174-70 ZUCKER, DEBORAH 3 SHEPARD ST #3 CAMBRIDGE, MA 02138

173-38 FEDAK, SCOTT M. & LAUREN ELIZABETH 5-7 RUTLAND ST UNIT #7/2 CAMBRIDGE, MA 02138

174-70 RAGER, CLARE SELDEN & KYLE M. RAGER 3 SHEPARD ST #4 CAMBRIDGE, MA 02138 1654 mass Are

156-26
PRESIDENT & FELLOWS OF HARVARD COLLEGE
C/O HARVARD REAL ESTATE, INC.
HOLYOKE CENTER, ROOM 1017
1350 MASS. AVE.
CAMBRIDGE, MA 02138

173-30 OTIS, MELISSA W. & SAMUEL A. OTIS, JR. TRUSTEES 4 SHEPARD ST CAMBRIDGE, MA 02138

173-67 JOHN HARVARD LLC, C/O CHESTNUT HILL REALTY CORP P.O BX 396 CHESTNUT HILL, MA 02467

174-37 STONE INVESTMENT HOLDING LLC, 9 SHEPARD ST. CAMBRIDGE, MA 02138

174-70 KAUPPILA, ANDREA M. TRUSTEE OF ST. GEORGE FAMILY TRUST 3 SHEPARD ST. UNIT 2 CAMBRIDGE, MA 02138-1501

173-37 MOORE, GORDON T., CHARLOTTE B. MOORE 9 RUTLAND ST CAMBRIDGE, MA 02138

174-78 KANTOR, DAVID, TR. THE KANTOR SHEPARD STREET NOMINEE TR. 7 SHEPARD STREET CAMBRIDGE, MA 02138-1711

173-38 RUTTER, JOHN A. & KATHLEEN HUNTER RUTTER 5-7 RUTLAND ST. UNIT#5/1 CAMBRIDGE, MA 02139

173-29 BASS, STEEDMAN L., TRUSTEE STEEDMAN L. BASS 2008 TRUST 6-8 SHEPARD ST #5 CAMBRIDGE, MA 02138 SHATZ. SCHWARTZ AND FENTIN, P.C. C/O ELLEN W. FREYMAN 1441 MAIN STREET – SUITE 1100 SPRINGFIELD, MA 01103

173-65 TABIT, SALIM, NANCY C TABIT& EDDY TABIT TRUSTEES THE TABIT FAMILY 2010 IRREV TRU 1804 DOGWOOD CIRCLE NORTH ANDOVER, MA 01845

173-36 WESTHEIMER, ELLEN 19 RUTLAND ST CAMBRIDGE, MA 02138

174-70 LEE, SHIRLEY Y. & FRANK S. LEE., TRUSTES FRANK S. LEE & SHIRLEY Y. LEE FAMILY TR. 3 SHEPARD ST., UNIT #1 CAMBRIDGE, MA 02139

173-29 BASS, STEEDMAN 6 SHEPARD ST., UNIT #4 CAMBRIDGE, MA 02139

173-75 HORST, ARCH WILLIAM, JR. 55 BREWSTER STREET CAMBRIDGE, MA 02138

173-29 SIMPSON, ANITA RAE 8 SHEPARD ST. UNIT #1 CAMBRIDGE, MA 02138

173-38 PUTRIH, TOBIAS & MOJCA SKOBERNE 5-7 RUTLAND ST. UNIT#7/1 CAMBRIDGE, MA 02139




HARVARD SQ 2 MA

1654 MASSACHUSETTS AVE. CAMBRIDGE, MA 02138

FUZE PROJECT ID: 16271978

PSLC: 137823



DEWBERRY ENGINEERS INC. 99 SUMMER ST. SUITE 700 BOSTON, MA 02110 PHONE # (617) 531-0800 CONTACT: BENJAMIN REVETTE, PE CONSTRUCTION VERIZON WIRELESS 900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851 COORDINATES*: LATITUDE: 42' 22' 53.7" N LONGITUDE: 71' 07' 12.2" W *PER RFDS GROUND ELEVATION*: 25'± *PER GOOGLE EARTH

ENGINEER

N/A
22673
137823
16271978
YES
10
REQUIREMENTS

FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION

Т	STREET, AND A STREET, STREET, STREET, STREET, STREET, STREET, STREET, AND STRE
۰	MODIFY EXISTING BETA SECTOR CHIMNEY MOUNT.
•	REMOVE (2) EXISTING BETA & GAMMA CDMA ANTENNAS FROM EXISTING MAST PIPES.
•	INSTALL (3) NEW MT6407—77A ANTENNA ON EXISTING MOUNTING PIPES.
•	INSTALL (1) NEW COMBINER.
•	INSTALL ADDITIONAL HARDWARE PER RFDS INSIDE EXISTING EQUIPMENT ROOM.
٠	3M WRAP TO MATCH PROPOSED MT6407-77A ANTENNA & PAINT TO MATCH ALL OTHER EQUIPMENT, HARDWARE & JUMPERS.
NO	TE:
1.	SCOPE OF WORK BASED ON ANTENNA REC FOR HARVARD SQ 2 MA DATED 08/10/22. VERIFY SCOPE (

SCOPE OF WORK

SHT. NO.	DESCRIPTION
T-1	TITLE SHEET
GN-1	GENERAL NOTES
C-1	ROOF PLAN
C-2	EXISTING & PROPOSED ANTENNA CONFIGURATIONS
C-3	EAST ELEVATION
C-4	CONSTRUCTION DETAILS—I
C-5	CONSTRUCTION DETAILS-II
C-6	FINAL EQUIPMENT CONFIGURATION
	SHEET INDEX



VERIZON WIRELESS
900 CHELMSFORD STREET
TOWER 2 FLOOR 5
LOWELL, MA 01851

HARVARD SQ 2 MA

l ii			
	С	ONSTRUC	TION DRAWINGS
ŀ			
	3	08/11/22	FOR SUBMITTAL
ı	2		FOR SUBMITTAL
I	1	05/10/22	FOR SUBMITTAL
1	0	04/08/22	FOR SUBMITTAL



Dewberry Engineers Inc. 99 SUMMER STREET SUITE 700 BOSTON, MA 02110 PHONE: 617.695.3400 FAX: 617.695.3310



DRAWN BY: JG

REVIEWED BY: CDH

CHECKED BY: BBR

PROJECT NUMBER: 50121487

JOB NUMBER: 50143931

SITE NUMBER

137823

SITE ADDRESS

1654 MASSACHUSETTS AVE CAMBRIDGE, MA 02138

SHEET TITLE

TITLE SHEET

SHEET NUMBER

T - 1

GENERAL CONSTRUCTION NOTES:

- ALL WORK SHALL CONFORM TO ALL CURRENT APPLICABLE FEDERAL, STATE, AND LOCAL CODES, AND COMPLY WITH
- CONTRACTOR SHALL CONTACT "DIG SAFE" (888-344-7233) FOR IDENTIFICATION OF UNDERGROUND UTILITIES PRIOR TO START OF CONSTRUCTION.
- 3. CONTRACTOR IS RESPONSIBLE FOR COORDINATING ALL REQUIRED INSPECTIONS.
- ALL DIMENSIONS TO, OF, AND ON EXISTING BUILDINGS, DRAINAGE STRUCTURES, AND SITE IMPROVEMENTS SHALL BE VERIFIED IN FIELD BY CONTRACTOR WITH ALL DISCREPANCIES REPORTED TO THE ENGINEER.
- 5. DO NOT CHANGE SIZE OR SPACING OF STRUCTURAL ELEMENTS.
- 6. DETAILS SHOWN ARE TYPICAL: SIMILAR DETAILS APPLY TO SIMILAR CONDITIONS UNLESS OTHERWISE NOTED.
- THESE DRAWINGS DO NOT INCLUDE NECESSARY COMPONENTS FOR CONSTRUCTION SAFETY WHICH IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR
- CONTRACTOR SHALL BRACE STRUCTURES UNTIL ALL STRUCTURAL ELEMENTS NEEDED FOR STABILITY ARE INSTALLED. THESE ELEMENTS ARE AS FOLLOWS: LATERAL BRACING, ANCHOR BOLTS, ETC.
- CONTRACTOR SHALL DETERMINE EXACT LOCATION OF EXISTING UTILITIES, DRAIN PIPES, VENTS, ETC. BEFORE COMMENCING
- 10. INCORRECTLY FABRICATED, DAMAGED, OR OTHERWISE MISFITTING OR NONCONFORMING MATERIALS OR CONDITIONS SHALL BE REPORTED TO THE OWNER PRIOR TO REMEDIAL OR CORRECTIVE ACTION. ANY SUCH REMEDIAL ACTION SHALL REQUIRE WRITTEN APPROVAL BY THE OWNER'S REPRESENTATIVE PRIOR TO PROCEEDING.
- 11. EACH CONTRACTOR SHALL COOPERATE WITH THE OWNER'S REPRESENTATIVE, AND COORDINATE HIS WORK WITH THE WORK OF OTHERS.
- 12. CONTRACTOR SHALL REPAIR ANY DAMAGE CAUSED BY CONSTRUCTION OF THIS PROJECT TO MATCH EXISTING PRE-CONSTRUCTION CONDITIONS TO THE SATISFACTION OF THE VERIZON WIRELESS CONSTRUCTION MANAGER.
- 13. ALL CABLE/CONDUIT ENTRY/EXIT PORTS SHALL BE WEATHERPROOFED DURING INSTALLATION USING A SILICONE SEALANT.
- 14. WHERE EXISTING CONDITIONS DO NOT MATCH THOSE SHOWN IN THIS PLAN SET, CONTRACTOR WILL NOTIFY ENGINEER, VERIZON WIRELESS PROJECT CONSTRUCTION MANAGER, AND LANDLORD IMMEDIATELY
- CONTRACTOR SHALL ENSURE ALL SUBCONTRACTORS ARE PROVIDED WITH A CURRENT SET OF DRAWINGS AND SPECIFICATIONS FOR THIS PROJECT.
- ALL ROOF WORK SHALL BE DONE BY A QUALIFIED AND EXPERIENCED ROOFING CONTRACTOR IN COORDINATION WITH ANY CONTRACTOR WARRANTING THE ROOF TO ENSURE THAT THE WARRANTY IS MAINTAINED.
- 17. CONTRACTOR SHALL REMOVE ALL RUBBISH AND DEBRIS FROM THE SITE AT THE END OF EACH DAY.
- 18. CONTRACTOR SHALL COORDINATE WORK SCHEDULE WITH LANDLORD AND TAKE PRECAUTIONS TO MINIMIZE IMPACT AND DISRUPTION OF OTHER OCCUPANTS OF THE FACILITY.
- 19. CONTRACTOR SHALL FURNISH VERIZON WIRELESS WITH THREE AS-BUILT SETS OF DRAWINGS UPON COMPLETION OF WORK.
- 20. ANTENNAS AND CABLES ARE TYPICALLY PROVIDED BY VERIZON WIRELESS. PRIOR TO SUBMISSION OF BID, CONTRACTOR SHALL COORDINATE WITH PROJECT MANAGER TO DETERMINE WHAT, IF ANY, ITEMS WILL BE PROVIDED BY VERIZON WIRELESS, ALL ITEMS NOT PROVIDED BY VERIZON WIRELESS SHALL BE PROVIDED AND INSTALLED BY THE CONTRACTOR. CONTRACTOR WILL INSTALL ALL ITEMS PROVIDED BY VERIZON WIRELESS.
- PRIOR TO SUBMISSION OF BID, CONTRACTOR WILL COORDINATE WITH VERIZON WIRELESS PROJECT MANAGER TO DETERMINE IF ANY PERMITS WILL BE OBTAINED BY VERIZON WIRELESS. ALL REQUIRED PERMITS NOT OBTAINED BY VERIZON WIRELESS MUST BE OBTAINED, AND PAID FOR, BY THE CONTRACTOR.
- GENERAL CONTRACTOR SHALL HAVE A LICENSED HVAC CONTRACTOR START THE HVAC UNITS, SYNCHRONIZE THE THERMOSTATS, ADJUST ALL SETTINGS ON EACH UNIT ACCORDING TO VERIZON WIRELESS CONSTRUCTION MANAGER'S SPECIFICATIONS, AND THOROUGHLY TEST AND BALANCE EACH UNIT TO ENSURE PROPER OPERATION PRIOR TO TURNING THE SITE OVER TO OWNER.
- 23. CONTRACTOR SHALL INSTALL ALL SITE SIGNAGE IN ACCORDANCE WITH VERIZON WIRELESS SPECIFICATIONS AND
- 24. CONTRACTOR SHALL SUBMIT ALL SHOP DRAWINGS TO ENGINEER FOR REVIEW AND APPROVAL PRIOR TO FABRICATION.
- UNLESS OTHERWISE NOTED VERIZON WIRELESS SHALL PROVIDE ALL REQUIRED RF MATERIAL FOR CONTRACTOR TO INSTALL, INCLUDING ANTENNAS, TMA'S, BIAS-T'S, COMBINERS, PDU, DC BLOCKS, SURGE ARRESTORS, GPS ANTENNA, GPS SURGE
- 26. PRIOR TO SUBMISSION OF BID, CONTRACTOR SHALL VERIFY ALL EQUIPMENT TO BE PROVIDED BY VERIZON WIRELESS FOR
- 27. ALL EQUIPMENT SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S SPECIFICATIONS AND LOCATED ACCORDING TO VERIZON WIRELESS SPECIFICATIONS, AND AS SHOWN IN THESE PLANS.
- 28. DETAILS SHOWN ARE TYPICAL; SIMILAR DETAILS APPLY TO SIMILAR CONDITIONS UNLESS OTHERWISE NOTED.
- THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE PROJECT DESCRIBED HEREIN. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER THE CONTRACT. 29.
- 30. CONTRACTOR SHALL NOTIFY THE ENGINEER A MINIMUM OF 48 HOURS IN ADVANCE PRIOR TO CONSTRUCTION START, MORE SPECIFICALLY BEFORE; SEALING ANY FLOOR, WALL OR ROOF PENETRATION, FINAL UTILITY CONNECTIONS, POURING CONCRETE, BACKFILLING UTILITY TRENCHES AND STRUCTURAL POST OR MOUNTING CONNECTIONS, FOR ENGINEERING REVIEW AND INTERPRETABLE PROSPECTION.
- 31. SEAL PENETRATIONS THROUGH FIRE RATED AREAS WITH UL LISTED D FIRE CODE APPROVED MATERIALS.
- 32. REPAIR ANY DAMAGE DURING CONSTRUCTION TO MATCH EXISTING PRE-CONSTRUCTION CONDITIONS TO THE SATISFACTION OF THE CONSTRUCTION MANAGER AND LANDLORD.
- 33. ALL DISRUPTIVE WORK AND WORK WITHIN TENANT SPACES TO BE COORDINATED WITH BUILDING REPRESENTATIVE

CODE SPECIFICATIONS:

1. ALL WORK SHALL COMPLY WITH THE FOLLOWING APPLICABLE CODES:

MASSACHUSETTS STATE BUILDING CODE, 9TH EDITION, CONSISTENT WITH THE FOLLOWING CODES: 2015 INTERNATIONAL RESIDENTIAL CODE (IRC)

2015 INTERNATIONAL BUILDING CODE (IBC)

2015 INTERNATIONAL EXISTING BUILDING CODE (IEBC)

2020 NATIONAL ELECTRICAL CODE (NEC)

IN THE EVENT OF CONFLICT, THE MOST RESTRICTIVE CODE SHALL PREVAIL.

- ALL STRUCTURAL WORK TO BE DONE IN ACCORDANCE WITH THE AMERICAN INSTITUTE OF STEEL CONSTRUCTION MANUAL, 13TH EDITION (AISC 13TH ED.)
- ALL CONCRETE WORK TO BE DONE IN ACCORDANCE WITH THE AMERICAN CONCRETE INSTITUTE (ACI 301) SPECIFICATIONS FOR STRUCTURAL CONCRETE FOR BUILDINGS (ACI 318) AND BUILDING CODE REQUIREMENTS FOR REINFÓRCED CONCRETE.
- ALL REINFORCING STEEL WORK TO BE DONE IN ACCORDANCE WITH THE (ACI 315) MANUAL OF STANDARD PRACTICE FOR DETAILING REINFORCED CONCRETE STRUCTURES.

GROUNDING NOTES:

- 1. GROUNDING SHALL COMPLY WITH NEC ART, 250.
- GROUNDING CONDUCTORS SHALL BE #6 COPPER STRANDED WIRE WITH GREEN COLOR INSULATION
- ALL GROUND CONNECTIONS TO BE BURNDY HYGROUND COMPRESSION TYPE CONNECTORS OR CADWELD EXOTHERMIC WELD DO NOT ALLOW BARE COPPER WIRE TO BE IN CONTACT WITH GALVANIZED STEEL.
- 4. ROUTE GROUNDING CONNECTORS ALONG THE SHORTEST AND STRAIGHTEST PATH POSSIBLE, EXCEPT AS OTHERWISE INDICATED. GROUNDING LEADS SHOULD NOT BE BENT AT RIGHT ANGLE. ALWAYS MAKE 12" RADIUS BENDS. #6 WIRE CAN BE BENT AT 6" RADIUS WHEN NECESSARY.
- CONNECTIONS TO GROUNDING BAR SHALL BE MADE WITH TWO HOLE COMPRESSION TYPE COPPER LUGS. APPLY OXIDE INHIBITING COMPOUND TO ALL LOCATIONS.
- TEST COMPLETED GROUNDING SYSTEM AND RECORD RESISTANCE VALUES FOR PROJECT CLOSE-OUT DOCUMENTATION. GROUND RESISTANCE SHALL NOT EXCEED 5 OHMS.
- GROUNDING CONDUCTORS BETWEEN MGB AND WATERMAIN SHALL BE #2/0. BONDING JUMPERS FROM GROUNDING CONDUCTORS BETWEEN MOB AND WATERMANN SHALL BE #Z/D. BORDING JUMPERS FROM METALLIC SURFACES SHALL BE #Z MINIMUM. ALL GROUND CONDUCTORS AND BONDING JUMPERS SHALL BE SOFT DRAWN ANNEALED, TINNED, BARE STRANDED COPPER WIRE. COAXIAL CABLES SHALL BE GROUNDED AT A MINIMUM OF TWO LOCATIONS USING VERIZON PROVIDED GROUNDING KITS. EXACT LOCATIONS SHALL BE FINALIZED IN THE FIELD BY THE CONSTRUCTION MAMAGER.

STRUCTURAL STEEL NOTES:

- STRUCTURAL STEEL SHALL CONFORM TO THE LATEST EDITION OF THE AISC "SPECIFICATION FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS".
- ASTM A-992, GRADE 50 ASTM A-36 ASIM A-30 ASIM A-500, GRADE B ASIM A-325, TYPE SC OR N F1554, GRADE 36 ASIM A-53, GRADE B

STRUCTURAL STEEL ROLLED SHAPES, PLATES, AND BARS SHALL CONFORM TO THE FOLLOWING ASTM ALL W SHAPES, UNLESS NOTED OR A992 OTHERWISE.
ALL OTHER ROLLED SHAPES, PLATES AND BARS UNLESS NOTED OTHERWISE.
HSS SECTION (SQUARE, RECTANGULAR, ROUND)
ALL BOLTS FOR CONNECTING STRUCTURAL MEMBERS.
ALL ANCHORS BOLTS, UNLESS NOTED OTHERWISE.
STEEL PIPE

- ALL WELDING SHALL BE DONE USING E70XX ELECTRODES AND WELDING SHALL CONFORM TO AISC AND AWS D1.1 WHERE FILLET WELD SIZES ARE NOT SHOWN, PROVIDE THE MINIMUM SIZE PER TABLE J.2.4 IN THE AISC "MANUAL OF STEEL CONSTRUCTION". 147H EDITION. WHERE WELD LENGTH IS NOT INDICATED, USE FULL LENGTH WELD. AT THE COMPLETION OF ALL WELDING, ALL DAMAGE TO GALVANIZED COATING SHALL BE REPAIRED.
- BOLTED CONNECTIONS SHALL USE BEARING TYPE GALVANIZED ASTM A325 BOLTS (3/4" DIA.) SUPPLIED WITH A NUT AND WASHER UNDER TURNED END AND SHALL HAVE MINIMUM OF TWO BOLTS UNLESS NOTED OTHERWISE.
- DO NOT DRILL HOLES THROUGH STRUCTURAL STEEL MEMBERS EXCEPT AS SHOWN AND DETAILED ON STRUCTURAL DRAWINGS.
- NON-STRUCTURAL CONNECTIONS FOR STEEL GRATING MAY USE 5/8" DIA. GALVANIZED ASTM A 307 BOLTS UNLESS NOTED OTHERWISE.
- 7. USE PRECAUTIONS & PROCEDURES PER AWS D1.1 WHEN WELDING GALVANIZED METALS.
- ALL EXISTING BEAM AND COLUMN DIMENSIONS SHALL BE FIELD VERIFY BY CONTRACTOR PRIOR TO FABRICATION. ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND THOSE SHOWN SHALL BE REPORTED TO DEWBERRY ENGINEER IMMEDIATELY.
- 9. CONNECTION DESIGN BY FABRICATOR WILL BE SUBJECT TO REVIEW AND APPROVAL BY ENGINEER
- 10. ALL EXTERIOR STEEL WORK SHALL BE GALVANIZED IN ACCORDANCE WITH SPECIFICATION ASTM A123/A123M-00 HOT-DIP CALVANIZED FINISH UNLESS OTHERWISE NOTED, CALVANIZING SHALL BE PERFORMED AFTER SHOP FABRICATION TO THE GREATEST EXTENT POSSIBLE, ALL DINGS, SCRAPES, MARS, AND WELDS IN THE GALVANIZED AREAS SHALL BE REPAIRED, REPAIR DAMAGED GALVANIZED COATINGS ON GALVANIZED ITEMS WITH GALVANIZED REPAIR PAINT ACCORDING TO ASTM A780 AND MANUFACTURER'S WRITTEN INSTRUCTIONS, PRIOR TO COMPLETION OF WORK. TOUCHUP ALL DAMAGED GALVANIZED STEEL WITH APPROVED COLD ZINC, "GALVANOX", "DRY GALV", "ZINC-IT", OR APPROVED EQUIVALENT, IN ACCORDANCE WITH MANUFACTURERS GUIDELINES. TOUCHUP DAMAGED NON GALVANIZED STEEL WITH SAME PAINT APPLIED IN SHOP OR FIELD.
- ALL WELDED COMPONENTS TO BE SHOP WELDED PRIOR TO INSTALLATION. NO WELDING ACTIVITIES IS PERMITTED DURING INSTALLATION OF PROPOSED EQUIPMENTS AND/OR HARDWARE ON SITE.




VERIZON WIRELESS 900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851

HARVARD SQ 2 MA

С	ONSTRUC	TION DRAWINGS
3	08/11/22	FOR SUBMITTAL
2	08/05/22	FOR SUBMITTAL
1	05/10/22	FOR SUBMITTAL
0	04/08/22	FOR SUBMITTAL



Dewberry Engineers Inc. 99 SUMMER STREET SUITE 700 BOSTON, MA 02110 PHONE: 617.695.3400 FAX: 617.695.3310



DRAWN BY	Y:	JC

REVIEWED BY: CDH

BBR

50121487

50143931 JOB NUMBER:

137823

CHECKED BY:

SITE NUMBER

PROJECT NUMBER:


SITE ADDRESS

1654 MASSACHUSETTS AVE CAMBRIDGE, MA 02138

SHEET TITLE

GENERAL NOTES

APPROXIMATE TRUE NORTH





SITE NOTES:

- 1. NORTH ARROW SHOWN AS APPROXIMATE.
- INSTALL ALL EQUIPMENT PER STRUCTURAL ASSESSMENT LETTER BY DEWBERRY ENGINEERS INC. DATED 08/04/22 & PER MANUFACTURER'S RECOMMENDATIONS.
- 3. CONTRACTOR TO INSPECT CONDITIONS OF ALL EXISTING ANCHORS/THREADED RODS FOR SIGNS OF RUST. WHERE RUST IS FOUND REMOVE WITH A WIRE BRUSH, APPLY COLD GALVANIZING COMPOUND TO PROTECT ANCHORS/THREADED RODS FROM CORROSION.



VERIZON WIRELESS 900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851

HARVARD SQ 2 MA

CONSTRUCTION DRAWINGS

3 08/11/22 FOR SUBMITTAL

2 08/05/22 FOR SUBMITTAL 1 05/10/22 FOR SUBMITTAL

0 04/08/22 FOR SUBMITTAL



Dewberry Engineers Inc.
99 SUMMER STREET
SUITE 700
BOSTON, MA 02110
PHONE: 617.695,3400
FAX: 617.695,3310

BENJAMIN B.
REVETTE
CIVIL
No. 49220

DRAWN BY: JG

REVIEWED BY: CDH

50121487

REVIEWED BY:

PROJECT NUMBER:

CHECKED BY: BBR

JOB NUMBER: 50143931

SITE NUMBER

137823

SITE ADDRESS


1654 MASSACHUSETTS AVE CAMBRIDGE, MA 02138

SHEET TITLE

ROOF PLAN

SHEET NUMBER

C - 1





CHECKED BY:

SITE NUMBER

137823

SITE ADDRESS

1654 MASSACHUSETTS AVE CAMBRIDGE, MA 02138

EAST ELEVATION

SHEET NUMBER


1. ELEVATION SHOWN AS APPROXIMATE.

 INSTALL ALL EQUIPMENT PER STRUCTURAL ASSESSMENT LETTER BY DEWBERRY ENGINEERS INC. DATED 08/04/22 & PER MANUFACTURER'S RECOMMENDATIONS.

SITE NOTES:

 CONTRACTOR TO INSPECT CONDITIONS OF ALL EXISTING ANCHORS/THREADED RODS FOR SIGNS OF RUST. WHERE RUST IS FOUND REMOVE WITH A WIRE BRUSH, APPLY COLD GALVANIZING COMPOUND TO PROTECT ANCHORS/THREADED RODS FROM CORROSION.





Panel Elev. = 67'-0" A.G.L. Existing Roof Level

verizon^v VERIZON WIRELESS

900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851

HARVARD SQ 2 MA

CONSTRUCTION DRAWINGS

3 08/11/22 FOR SUBMITTAL 2 08/05/22 FOR SUBMITTAL 1 05/10/22 FOR SUBMITTAL 0 04/08/22 FOR SUBMITTAL



Dewberry Engineers Inc.
99 SUMMER STREET
SUITE 700
BOSTON, MA 02110 PHONE: 617.695,3400 FAX: 617.695,3310



DRAWN BY:	JG
REVIEWED BY:	CDH


REVIEWED BY: BBR

PROJECT NUMBER: 50121487


50143931 JOB NUMBER:

SHEET TITLE

C-3









BETA SECTOR PLAN DETAIL

SCALE: 3/4"=1' FOR 11"x17" 1 1/2"=1' FOR 22"x34"



1' 1 1/2'




NORTH ARROW SHOWN AS APPROXIMATE.

SITE NOTES:

2. INSTALL ALL EQUIPMENT PER STRUCTURAL ASSESSMENT LETTER BY DEWBERRY ENGINEERS INC. DATED 08/04/22 & PER

CONTRACTOR TO INSPECT CONDITIONS OF ALL EXISTING ANCHORS/THREADED RODS FOR SIGNS OF RUST. WHERE RUST IS FOUND REMOVE WITH A WIRE BRUSH, APPLY COLD GALVANIZING COMPOUND TO PROTECT ANCHORS/THREADED RODS FROM CORROSION.







VERIZON WIRELESS 900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851

HARVARD SQ 2 MA

CONSTRUCTION DRAWINGS 3 08/11/22 FOR SUBMITTAL 2 08/05/22 FOR SUBMITTAL 1 05/10/22 FOR SUBMITTAL 0 04/08/22 FOR SUBMITTAL



Dewberry Engineers Inc. 99 SUMMER STREET SUITE 700 BOSTON, MA 02110 PHONE: 617,695,3400 FAX: 617,695,3310



JG DRAWN BY: CDH REVIEWED BY: CHECKED BY: BBR

50121487 PROJECT NUMBER:

JOB NUMBER: 50143931

137823


SITE ADDRESS

SITE NUMBER

1654 MASSACHUSETTS AVE CAMBRIDGE, MA 02138

SHEET TITLE


CONSTRUCTION DETAILS - I




NOTES:

- INSTALL ALL EQUIPMENT PER MANUFACTURER'S RECOMMENDATIONS. USE APPROPRIATE MOUNTING HARDWARE FOR CONSTRUCTION TYPE.
- CONTRACTOR TO UTILIZE 3M WRAP FOR ALL ANTENNAS TO MATCH SURROUNDING AREAS. INSTALL 3M WRAP ON ANTENNAS PER MANUFACTURER'S SPECIFICATION & RECOMMENDATIONS.











NOTES:

- DO NOT INSTALL CABLE GROUND KIT AT A BEND. ALWAYS DIRECT GROUND WIRE DOWN TO GROUND BAR.
- GROUNDING KIT SHALL BE TIN PLATED COPPER WITH TWO-HOLE LUG, SIZE PER COAX DIAMETER.
- WEATHER SEAL GROUND KIT PER CARRIER REQUIREMENTS.
- COAX CABLE GROUND KIT LOCATION & QUANTITY SHALL BE PER CARRIER SPECIFICATIONS & STANDARDS.

COAX/HYBRID GROUNDING DETAIL






NOTES:

- 1. AS VIEWED BEHIND THE ANTENNAS.
- 2. TYPICAL FOR ALL (3) SECTORS.

ANTENNA CONFIGURATION



NOTES:

- VERIFY EXISTING GROUNDING SYSTEM IS INSTALLED PER VERIZON WIRELESS STANDARDS.
- BOND NEW EQUIPMENT INTO EXISTING GROUND SYSTEM IN ACCORDANCE WITH VERIZON WIRELESS STANDARDS AND MANUFACTURER'S RECOMMENDATIONS.

TYPICAL ANTENNA **GROUNDING DETAIL**



VERIZON WIRELESS 900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851

HARVARD SQ 2 MA

С	ONSTRUC	TION DRAWINGS
3	08/11/22	FOR SUBMITTAL
2	08/05/22	FOR SUBMITTAL
1	05/10/22	FOR SUBMITTAL
0	04/08/22	FOR SUBMITTAL



Dewberry Engineers Inc. 99 SUMMER STREET SUITE 700 BOSTON, MA 02110 PHONE: 617.695.3400 FAX: 617.695.3310



DRAWN BY:	JG
REVIEWED BY:	CDH
CHECKED BY:	BBR
PROJECT NUMBER:	50121487
JOB NUMBER:	50143931
SITE NUMBER	

SITE ADDRESS 1654 MASSACHUSETTS AVE

CAMBRIDGE, MA 02138

SHEET TITLE

CONSTRUCTION DETAILS - II

SECTOR	POSITION	TECHNOLOGY	ANTENNA MODEL	VENDOR	RRH (QTY./MODEL)	COMBINER (QTY./MODEL)	CENTERLINE	AZIMUTH	OVP	HYBRID CABLE TYPE	FEED LINE LENGTH	
	A1	5G	(E) VZ-AT1K01	SAMSUNG	-	- 1	68'-7"±	5*		(1) (E) 6X12 HYBRID CABLE TO REMAIN	225'±	
	A2	5G	(P) MT6407-77A	SAMSUNG	-	=	67'-10"±	5'	(1) (E) OVP BOX TO			
ALPHA	А3	LTE 700/850	(E) NHH-65A-R2B	COMMSCOPE	(1) (E) B5/B13 RFV01U-D2A	(1) (P) TD-850B-LTE78-43	67'-0"±	5*	REMAIN			
	A4	LTE 1900/AWS	(E) NHH-65A-R2B	COMMSCOPE	(1) (E) B2/B66A RFV01U-D1A	-	67'-0"±	5*				
вета —	В1	5G	(P) MT6407-77A	SAMSUNG	-	-	67'-9"±	110	(1) (E) OVP BOX TO REMAIN	(1) (E) 6X12 HYBRID CABLE TO REMAIN	295'±	
	B2	5G	(E) VZ-AT1K01	SAMSUNG		-	68'-7"±	110				
	В3	LTE 700/850	(E) NHH-65A-R2B	COMMSCOPE	(1) (E) B5/B13 RFV01U-D2A	-/	67'-0"±	110				
	B4	LTE 1900/AWS	(E) NHH-65A-R2B	COMMSCOPE	(1) (E) B2/B66A RFV01U-D1A	-	67'-0"±	110°				
GAMMA —	G1	5G	(E) VZ-AT1K01	SAMSUNG	-	-	68'-7 " ±	250°	(1) (E) OVP BOX TO REMAIN	D (1) (E) 6X12 HYBRID CABLE TO REMAIN 3		
	G2	LTE 700/850	(E) NHH-65A-R2B	COMMSCOPE	(1) (E) B5/B13 RFV01U-D2A	-	67'-0"±	250°			340'±	
	G3	LTE 1900/AWS	(E) NHH-65A-R2B	COMMSCOPE	(1) (E) B2/B66A RFV01U-D1A	-	67'-0"±	250				
	G4	5G	(P) MT6407-77A	SAMSUNG	_	-	67'-9"±	250				

*CONTRACTOR TO FIELD VERIFY HYBRID CABLE LENGTHS PRIOR TO CONSTRUCTION. LENGTH IS ESTIMATED FROM THE BASE EQUIPMENT OVP TO SECTOR OVP WITH 15% BUFFER. THERE ARE NO PROPOSED HYBRID CABLES AS PART OF THIS SCOPE OF WORK.

FINAL EQUIPMENT CONFIGURATION 1 SCALE: N.T.S.




VERIZON WIRELESS 900 CHELMSFORD STREET TOWER 2 FLOOR 5 LOWELL, MA 01851

HARVARD SQ 2 MA

	С	ONSTRUC	TION DRAWINGS
	3	08/11/22	FOR SUBMITTAL
н	2	08/05/22	FOR SUBMITTAL
П	1	05/10/22	FOR SUBMITTAL
Н	0	04/08/22	FOR SUBMITTAL



Dewberry Engineers Inc.
99 SUMMER STREET
SUITE 700
BOSTON, MA 02110
PHONE: 617.695.3400
FAX: 617.695.3310



DRAWN BY:	JG
REVIEWED BY:	CDH
CHECKED BY:	BBR
PROJECT NUMBER:	50121487
JOB NUMBER:	50143931
SITE NUMBER	

137823

SITE ADDRESS

1654 MASSACHUSETTS AVE CAMBRIDGE, MA 02138

SHEET TITLE

FINAL EQUIPMENT CONFIGURATION

⁽E) = Existing (P) = PROPOSED

















Photo 1A View Facing Northwest From Massachusets Avenue (Page 3 of 10)










Photo 1B View Facing Northwest From Massachusets Avenue (Page 4 of 10)










Photo 2A View Facing Southwest From Massachusets Avenue (Page 5 of 10)









Photo 2B View Facing Southwest From Massachusets Avenue (Page 6 of 10)









Photo 3A
View Facing South From Bowdoin Street
(Page 7 of 10)











Photo 3B View Facing South From Bowdoin Street (Page 8 of 10)










Photo 4A View Facing Northeast From Rutland Street (Page 9 of 10)









Photo 4B View Facing Northeast From Rutland Street (Page 10 of 10)





NUS:mem 10/16/72



¥ 19-

KNOW ALL MEN BY THESE PRESENTS

That CHARLES JACKSON, JR., EARLE W. CARR and TUCKER REED MILLER, as Executors of the will of Clifford V. Miller, late of Newton in the County of Middlesex and Commonwealth of Massachusetts (Middlesex Probate No. 438335), for a nominal consideration paid, grant to EARLE W. CARR, TUCKER REED MILLER and JOHN KURT MILLER, of Clifford V. Miller, Inc., 1394 Beacon Street, Brookline, Massachusetts, as they are Trustees under Article 5, Paragraph B of the will of Clifford V. Miller, a one-half undivided interest in a certain parcel of land with the buildings thereon situated in Cambridge, Middlesex County, Massachusetts, now known as and numbered 1648 and 1654 Massachusetts Avenue, comprising Lots A and B on W. A. Mason & Son's Plan dated July, 1920, recorded with Middlesex South District Deeds in Plan Book 286, Plan 40, bounded and described as follows:

NORTHERLY by Shepard Street, ninety-nine and 52/100 (99.52) feet;

NORTHEASTERLY by the curved corner of Shepard Street and Massachusetts Avenue thirtythree and 32/100 (33.32) feet;

EASTERLY by Massachusetts Avenue, one hundred fifty-eight and 10/100 (158.10) feet;

SOUTHERLY by land now or late of Elizabeth P.
Huntington by two lines measuring sixtyfive and 33/100 (65.33) feet and fortysix (46) feet respectively;

WESTERLY by land now or late of Caroline E.
Wyeth and now or late of Alexander F.
Lalond fifty-six and 47/100 (56.47) feet;

NORTHERLY by land now or late of Alta M. Erickson fifty and 57/100 (50.57) feet; and

WESTERLY again by the same by a slightly broken line, in all ninety-one and 14/100 (91.14) feet.

Containing 17,579 square feet, all as shown on said plan, be all

or any of said measurements more or less or however otherwise said premises may be bounded, measured or described, and being the same premises conveyed to the grantors by deed of Dunvegan Corporation dated August 28, 1970 and recorded with said Deeds, Book 11883, Page 26.

The consideration for this conveyance being less than One Hundred Dollars (\$100.00), no revenue stamps are required by law to be affixed hereto.

Executed under seal this

ig h day of Dealer 1972

Executors as Aforesaid (Charles Jackson, Jr.)
(Earle W. Carr
(Tucker Reed Miller

COMMONWEALTH OF MASSACHUSETTS

Suffolk, ss.

Dec. 29 , 1972

Then personally appeared the above-named Charles Jackson, Jr., and acknowledged the foregoing instrument to be his free act and deed as Executor as aforesaid, before me

Notary Public

My Commission expires

NICHULAS U. JUMINIERCELD

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE ENGINEERING ALPHARETTA, GA 30022

Call Sign WRBA936	File Number				
Radio Service					
UU - Upper Microwave Flexible Use					
Service					

FCC Registration Number (FRN): 0003290673

,							
Grant Date 09-11-2018	Effective Date 02-27-2019	Expiration Date 10-06-2028	Print Date				
Market Number BTA051		nel Block	Sub-Market Designator				
Market Name Boston, MA							
1st Build-out Date 06-01-2024	2nd Build-out Date	3rd Build-out Date	4th Build-out Date				

Waivers/Conditions:

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: CELLCO PARTNERSHIP

Call Sign: WRBA936 File Number: Print Date:

700 MHz Relicensed Area Information:

Market Name Buildout Deadline Buildout Notification Status

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE ENGINEERING ALPHARETTA, GA 30022

Call Sign WRBA937	File Number				
Radio Service					
UU - Upper Microwave Flexible Use					
Service					

FCC Registration Number (FRN): 0003290673

,							
Grant Date 09-11-2018	Effective Date 02-27-2019	Expiration Date 10-06-2028	Print Date				
Market Number BTA051		nel Block	Sub-Market Designator				
Market Name Boston, MA							
1st Build-out Date 06-01-2024	2nd Build-out Date	3rd Build-out Date	4th Build-out Date				

Waivers/Conditions:

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: CELLCO PARTNERSHIP

Call Sign: WRBA937 File Number: Print Date:

700 MHz Relicensed Area Information:

Market Name Buildout Deadline Buildout Notification Status

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign WQJQ689	File Number
Radio	Service
WU - 700 MHz Up	per Band (Block C)

FCC Registration Number (FRN): 0003290673

,							
Grant Date 09-11-2019	Effective Date 07-15-2020	Expiration Date 06-13-2029	Print Date				
Market Number REA001		el Block	Sub-Market Designator				
Market Name Northeast							
1st Build-out Date 06-13-2013	2nd Build-out Date 06-13-2019	3rd Build-out Date	4th Build-out Date				

Waivers/Conditions:

If the facilities authorized herein are used to provide broadcast operations, whether exclusively or in combination with other services, the licensee must seek renewal of the license either within eight years from the commencement of the broadcast service or within the term of the license had the broadcast service not been provided, whichever period is shorter in length. See 47 CFR §27.13(b).

This authorization is conditioned upon compliance with section 27.16 of the Commission's rules

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Call Sign: WQJQ689 File Number: Print Date:

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP

5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING

ALPHARETTA, GA 30022

Call Sign File Number KNKA201							
Radio Service CL - Cellular							
Market Numer	Channel Block						
CMA006	В						
Sub-Market	Sub-Market Designator						

FCC Registration Number (FRN): 0003290673

Market Name

Boston-Lowell-Brockton-Lawrenc

1 10-20-2014 1 11-01-2010 1 10-01-2024 1	ſ	Grant Date 08-26-2014	Effective Date 11-01-2016	Expiration Date 10-01-2024	Five Yr Build-Out Date	Print Date
--	---	------------------------------	----------------------------------	-------------------------------	------------------------	------------

Site Information:

Location LatitudeLongitudeGround Elevation (meters)Structure Hgt to Tip (meters)Antenna Structure Registration No.142-38-26.3 N070-36-25.2 W36.335.7

Address: (Rockport) Thatcher Road

City: Rockport County: ESSEX State: MA Construction Deadline:

					~			
Antenna: 5								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	70.400	34.100	34.100	34.100	70.400	67.800	55.200	61.300
Transmitting ERP (watts) Antenna: 6	246.920	325.500	33.310	0.940	0.820	0.820	1.210	20.070
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	70.400	34.100	34.100	34.100	70.400	67.800	55.200	61.300
Transmitting ERP (watts) Antenna: 7	0.820	3.330	54.020	373.730	191.670	10.780	0.820	0.820
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	70.400	34.100	34.100	34.100	70.400	67.800	55.200	61.300
Transmitting ERP (watts)	3.330	0.820	0.820	0.820	7.810	126.630	409.780	89.650

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Location Latitude	Longitude		round Ele neters)		Structure Hg (meters)	t to Tip	Antenna St Registratio	
4 42-08-56.4 N	071-24-55.2 V	<i>7</i> :	5.6		44.2			
Address: 113 Main Street								
City: Medway County: NO	ORFOLK State	e: MA Co	nstruction	Deadlin	e:			
Antenna: 4 Maximum Transmitting ERP i	n Watts: 140 820							
Azimuth(from true north) Antenna Height AAT (meters)		45 66.700	90 61.200	135 46.900	180 23.900	225 39,300	270 13.900	315 12.300
Transmitting ERP (watts) Antenna: 5	81.280	89.130	24.550	1.120	0.200	0.200	0.420	16.600
Maximum Transmitting ERP i				4 2.	100			
Azimuth(from true north) Antenna Height AAT (meters)	0 59.500	45 66.700	90 61.200	135 46.900	180 23.900	225 39.300	270 13.900	315 12.300
Transmitting ERP (watts) Antenna: 6	0.200	2.000	33.800	95.500	67.610	10.700	0.200	0.200
Maximum Transmitting ERP i								
Azimuth(from true north) Antenna Height AAT (meters)	0 59.500	45 66.700	90 61.200	135 46.900	180 23.900	225 39.300	270 13.900	315 12.300
Transmitting ERP (watts)	3.890	0.200	0.200	0.200	6.760	57.540	100.000	44.670
Location Latitude	Longitude		round Eleneters)		Structure Hg (meters)	t to Tip	Antenna St Registratio	
Location Latitude 9 42-11-42.4 N	Longitude 070-49-10.2 V	(n			_	t to Tip		
9 42-11-42.4 N Address: (Scituate) OFF CL	070-49-10.2 V APP RD	(n	neters) 7.9		(meters) 56.1	t to Tip		
9 42-11-42.4 N Address: (Scituate) OFF CL	070-49-10.2 V	(n	neters) 7.9		(meters) 56.1	t to Tip		
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County:	070-49-10.2 V APP RD	(n V 5	neters) 7.9		(meters) 56.1	t to Tip		
9 42-11-42.4 N Address: (Scituate) OFF CL	070-49-10.2 V APP RD PLYMOUTH	(n V 5	neters) 7.9		(meters) 56.1	t to Tip		
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north)	070-49-10.2 V APP RD PLYMOUTH in Watts: 140.820	(n State: MA	Constru	action De	(meters) 56.1 adline:	225	Registratio	315
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i	070-49-10.2 V APP RD PLYMOUTH	State: MA 45 0 106.100	neters) 7.9 Constru	ection De	(meters) 56.1 adline:		Registratio	n No.
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP i	070-49-10.2 V APP RD PLYMOUTH in Watts: 140.820 0 105.300 172.40 in Watts: 140.820	State: MA 45 0 106.100 0 167.230	90 93.800 26.990	135 85.900 1.190	(meters) 56.1 adline: 180 95.600 0.960	225 76.500 0.960	270 81.800 1.720	315 104.300 28.870
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8	070-49-10.2 V APP RD PLYMOUTH in Watts: 140.820 0 105.300 172.40 in Watts: 140.820	State: MA 45 0 106.100 0 167.230	90 93.800 26.990	135 85.900 1.190	(meters) 56.1 adline: 180 95.600 0.960	225 76.500 0.960 225	270 81.800 1.720	315 104.300 28.870
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP i Azimuth(from true north)	070-49-10.2 V APP RD PLYMOUTH in Watts: 140.820 0 105.300 172.40 in Watts: 140.820 0	State: MA 45 0 106.100 0 167.230	90 93.800 26.990	135 85.900 1.190	(meters) 56.1 adline: 180 95.600 0.960 180 95.600	225 76.500 0.960	270 81.800 1.720	315 104.300 28.870
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 9 Maximum Transmitting ERP i	070-49-10.2 V APP RD PLYMOUTH in Watts: 140.820 0 105.300 172.40 in Watts: 140.820 0 0.980 in Watts: 140.820	State: MA 45 0 106.100 0 167.230 45 0 106.100 3.910	90 93.800 26.990 93.800 54.020	135 85,900 1,190 135 85,900 409,780	(meters) 56.1 adline: 180 95.600 0.960 180 95.600 0.200.700	225 76.500 0.960 225 76.500 15.220	270 81.800 1.720 270 81.800 0.980	315 104.300 28.870 315 104.300 0.980
9 42-11-42.4 N Address: (Scituate) OFF CL City: SCITUATE County: Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 9	070-49-10.2 V APP RD PLYMOUTH In Watts: 140.820 0 105.300 172.40 in Watts: 140.820 0 105.300 0.980 in Watts: 140.820	State: MA 45 0 106.100 0 167.230 45 0 106.100 3.910 45	90 93.800 26.990 93.800	135 85.900 1.190 135 85.900	(meters) 56.1 adline: 180 95.600 0.960 180 95.600	225 76.500 0.960 225 76.500	270 81.800 1.720 270 81.800	315 104.300 28.870 315 104.300

Transmitting ERP (watts)

Call Sign: KNKA201 **Print Date:** File Number:

Cuit Signi III (III 1201	THE	The I (dilliper)								
Location Latitude	Longitude		round Eleva neters)	tion	Structure Hgt (meters)	to Tip	Antenna S Registratio			
10 42-52-57.3 N	071-16-28.2 W	16	63.0		58.2		Ü			
Address: (Derry) 46 FLOY	'D ROAD									
City: DERRY County: I	ROCKINGHAM S	tate: NH	Construction	on Dea	adline:					
Antenna: 4										
Maximum Transmitting ERI	P in Watts: 140.820									
Azimuth(from true nort	h) 0	45	90	135	180	225	270	315		
Antenna Height AAT (meter Transmitting ERP (watts)		129.400		155.10		127.900	126.200	118.100		
Antenna: 5	31.810	146.820	102.310	15.410	1.000	1.000	1.000	1.130		
Maximum Transmitting ERI	P in Watts: 140.820									
Azimuth(from true nort	h) 0	45		135	180	225	270	315		
Antenna Height AAT (meter Transmitting ERP (watts)	. 02.200	129.400		155.10		127.900	126.200	118.100		
Antenna: 6	1.000	1.000	4.660	82.110	250.350	80.300	3.790	1.000		
Maximum Transmitting ERI										
Azimuth(from true nort		45		135	180	225	270	315		
Antenna Height AAT (meter Transmitting ERP (watts)	, 00.200	129.400		155.10		127.900	126.200	118.100		
	32.480	1.680	1.000	1.000	1.000	13.740	107.220	143.470		
Location Latitude	Longitude	G	round Eleva	tion	Structure Hgt	to Tip	Antenna S	tructure		
Location Latitude	Dongitude		neters)	••••	(meters)	-	Registratio			
12 41-52-08.3 N	070-52-56.1 W	`	9.6		58.2		itegisti uti	1110		
Address: (Middleboro) E. (7.0		36.2					
,		II C4a4a	· MA Com	.44:	an Daadlina.					
City: MIDDLESBORO	County: PLYMOUT	H State:	: MA Cons	strucu	on Deadline:					
Antenna: 7	D: 117 44 140 000									
Maximum Transmitting ERI Azimuth(from true nort	h) (140.820	45	90	135	180	225	270	315		
Antenna Height AAT (meter		32.400		47.600	7	41.300	50.300	52.600		
Transmitting ERP (watts)	277.330	364.730		2.250	0.960	0.960	2.410	20.640		
Antenna: 8		2020	.0.070		3.7 00	0.700	2	20.0.0		
Maximum Transmitting ERI Azimuth(from true nort		45	00	125	100	225	270	215		
Azimum(from true nort Antenna Height AAT (meter		45 32.400	90 40.200	135 47.600	180 44.900	225 41.300	270 50.300	315 52.600		
Transmitting ERP (watts)	0.960	3.730		418.28		13.090	1.700	0.960		
Antenna: 9		220		23.20				2.700		
Maximum Transmitting ERI Azimuth(from true nort		45	00	125	100	225	270	215		
Antenna Height AAT (meter		45 32.400	90 40.200	135 47.600	180 44.900	225 41.300	270 50.300	315 52.600		
Transmitting FDD (watte)	57.000	1.120	40.200	47.000	44.900	41.500	30.300	52.000		

52.600 66.210

1.130

5.070

0.610

47.600 1.600

5.050

89.040

278.490

Location Latitude 14 42-28-06.3 N				(Structure Hgt (meters) 54.0	to Tip	Antenna Structure Registration No.					
Address: Main Street												
City: South Acton County	: MIDDLESEX	State: MA	Constru	ction De	eadline:							
Antenna: 4												
Maximum Transmitting ERP in Watts: 140.820 Azimuth(from true north) 0 45 90 135 180 225 270 315												
Azimuth(from true north) Antenna Height AAT (meters)		45 79.000	90	135	180	225	270	315				
Transmitting ERP (watts) Antenna: 5	65.200	77.960	105.500 20.970	96.200 2.400	72.600 0.200	76.300 0.200	47.400 2.000	58.700 13.720				
Maximum Transmitting ERP i	in Watts: 140.820											
Azimuth(from true north)	0	45	90	135	180	225	270	315				
Antenna Height AAT (meters) Transmitting ERP (watts)	4.11	79.900	105.500	96.200	72.600	76.300	47.400	58.700				
Antenna: 6	0.200	3.880	23.800	59.780	43.360	10.290	0.830	0.200				
Maximum Transmitting ERP i	in Watts: 140.820											
Azimuth(from true north) Antenna Height AAT (meters)	0 76.400	45 65.500	90	135	180	225	270	315				
Transmitting ERP (watts)	5.010	0.420	105.500 0.200	96.200 0.740	72.600 6.570	76.300 43.660	47.400 91.210	58.700 34.920				
	3.010	0.120	0.200	0.7 10	0.570	15.000	71.210	31.720				
Location Latitude Longitude Ground Elevation Structure Hgt to Tip Antenna Structure												
Location Latitude	Longitude	Gr	ound Eleva	ation S	Structure Hgt	to Tip	Antenna S	tructure				
	Longitude		ound Eleva eters)		Structure Hgt (meters)	to Tip	Antenna S Registratio					
Location Latitude 15 42-30-08.4 N	Longitude 070-55-02.2 W		eters)	(U	to Tip						
1.5	O	(m	eters)	((meters)	to Tip						
15 42-30-08.4 N	070-55-02.2 W	(m 39	eters)	2	(meters)	to Tip						
15 42-30-08.4 N Address: 12 First Street	070-55-02.2 W	(m 39	eters) .6	2	(meters)	to Tip						
15 42-30-08.4 N Address: 12 First Street	070-55-02.2 W	(m 39	eters) .6	2	(meters)	to Tip						
15 42-30-08.4 N Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP in	070-55-02.2 W EX State: MA in Watts: 140.820	(m 39 Construct	eters) .6 ion Deadlin	ne:	(meters) 46.3		Registratio	on No.				
15 42-30-08.4 N Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north)	070-55-02.2 W EX State: MA in Watts: 140.820	(m 39 Construct	eters) .6 ion Deadlin	ne:	(meters) 46.3	225	Registration 270	315				
15 42-30-08.4 N Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP in	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400	(m 39 Construct	eters) .6 ion Deadlin 90 62.800	135 77.900	(meters) 46.3 180 77.500	225 70.500	270 40.900	315 50.900				
15 42-30-08.4 N Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150	(m 39 Construct	eters) .6 ion Deadlin	ne:	(meters) 46.3	225	Registration 270	315				
15 42-30-08.4 N Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP ii	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150 in Watts: 140.820	(m 39 Construct 45 62.100 56.730	eters) .6 ion Deadlin 90 62.800 19.190	135 77.900 2.360	(meters) 46.3 180 77.500 0.200	225 70.500 0.200	270 40.900 1.930	315 50.900 12.920				
15 42-30-08.4 N Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150 in Watts: 140.820 0	(m 39 Construct 45 62.100 56.730	90 62.800 19.190	135 77.900 2.360	180 77,500 0.200	225 70.500 0.200	270 40.900 1.930 270	315 50.900 12.920				
Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts)	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150 in Watts: 140.820 0	(m 39 Construct 45 62.100 56.730	eters) .6 ion Deadlin 90 62.800 19.190	135 77.900 2.360	(meters) 46.3 180 77.500 0.200	225 70.500 0.200	270 40.900 1.930	315 50.900 12.920				
Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Artenna: 9	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150 in Watts: 140.820 0 63.400 0.100	(m 39 Construct 45 62.100 56.730 45 62.100	90 62.800 19.190	135 77.900 2.360 135 77.900	180 77,500 0.200 180 77.500	225 70.500 0.200 225 70.500	270 40.900 1.930 270 40.900	315 50.900 12.920 315 50.900				
Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Artenna: 9 Maximum Transmitting ERP i Azimuth(from true north)	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150 in Watts: 140.820 0 63.400 0.100 in Watts: 140.820 0	(m 39 Construct 45 62.100 56.730 45 62.100	90 62.800 19.190	135 77.900 2.360 135 77.900	180 77,500 0.200 180 77.500	225 70.500 0.200 225 70.500	270 40.900 1.930 270 40.900	315 50.900 12.920 315 50.900				
Address: 12 First Street City: Salem County: ESSI Antenna: 7 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 8 Maximum Transmitting ERP i Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 9 Maximum Transmitting ERP i	070-55-02.2 W EX State: MA in Watts: 140.820 0 63.400 49.150 in Watts: 140.820 0 63.400 0.100 in Watts: 140.820 0	(m 39 Construct 45 62.100 56.730 45 62.100 1.550	90 62.800 19.190 90 62.800 90 62.800 9.520	135 77,900 2,360 135 77,900 23,920	180 77,500 0.200 180 77.500 17.350	225 70.500 0.200 225 70.500 4.120	270 40.900 1.930 270 40.900 0.330	315 50.900 12.920 315 50.900 0.100				

Location Latitude	16 42-16-51.4 N 071-02-04.2 W				Structure Hg meters) 53.0	t to Tip	Antenna Structure Registration No.	
Address: 100 HANCOCK ST	***************************************	3	5.2	J	53.0			
City: QUINCY County: NO		ма с	Construction	Deadlin	۵۰			
etty: Quiter County: 10	ORI OLIX State.	WIA C	onsti uction	Deaum				
Antenna: 5								
Maximum Transmitting ERP in	Watts: 140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters) Transmitting ERP (watts)	43.000	44.100	42.200	29.000	8.300	14.800	12.100	31.500
Antenna: 6	7.170	6.480	6.790	0.320	0.100	0.100	0.160	5.630
Maximum Transmitting ERP in								
Azimuth(from true north) Antenna Height AAT (meters)	0 40.900	45	90	135	180	225	270	315
Transmitting ERP (watts)	0.100	41.900 0.340	40.000 3.140	26.800 2.480	6.200 2.970	12.600 1.500	9.900 0.100	29.300 0.100
Antenna: 7		0.540	3.140	2.400	2.570	1.500	0.100	0.100
Maximum Transmitting ERP in Azimuth(from true north)		45	90	125	100	225	270	315
Azinium from true norm) Antenna Height AAT (meters)	0 43.000	45 44.100	42.200	135 29.000	180 8.300	225 14.800	270 12,100	31.500
Transmitting ERP (watts)	0.100	0.100	0.100	0.120	2.640	2.770	2.720	2.360
Location Latitude	Longitude		Fround Elev		Structure Hg	t to Tip	Antenna S	
21	C	(r	meters)	(meters)	t to Tip	Antenna S Registratio	
21 42-30-36.4 N	Longitude 070-51-21.2 W	(r	· .	(U	t to Tip		
21 42-30-36.4 N Address: Tioga Way	070-51-21.2 W	(r 2	meters)	4	meters) 17.2	t to Tip		
21 42-30-36.4 N	070-51-21.2 W	(r 2	meters)	4	meters) 17.2	t to Tip		
21 42-30-36.4 N Address: Tioga Way	070-51-21.2 W	(r 2	meters)	4	meters) 17.2	t to Tip		
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2	070-51-21.2 W ESSEX State: N	(r 2	meters)	4	meters) 17.2	t to Tip		
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in	070-51-21.2 W ESSEX State: N	(1 2 AA Con	meters) 3.2 nstruction I	(c) 4	meters) 17.2		Registratio	on No.
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2	070-51-21.2 W ESSEX State: N	(r 2	meters) (3.2 nstruction I 90	Qeadline:	meters) 17.2	225	Registratio	on No.
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts)	070-51-21.2 W ESSEX State: N 1 Watts: 140.820	(r 2 MA Con 45	meters) 3.2 nstruction I	(c) 4	meters) 17.2		Registratio	on No.
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0 44.200 0.100	1A Con 45 46.700	meters) (3.2 nstruction I 90 37.200	135 60.400	180 60,400	225 54.600	270 28.000	315 43.700
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3 Maximum Transmitting ERP in Azimuth(from true north)	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0 44.200 0.100	1A Con 45 46.700	meters) (3.2 nstruction I 90 37.200	135 60.400	180 60,400	225 54.600	270 28.000	315 43.700
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters)	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0.100 1 Watts: 140.820 0 44.200 44.200	45 46.700 0.130 45 46.700	90 37.200 3.130 90 37.200 3.130	135 60.400 7.860	180 60,400 6.600 180 60.400	225 54.600 1.220 225 54.600	270 28.000 0.100 270 28.000	315 43.700 0.100 315 43.700
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3 Maximum Transmitting ERP in Azimuth(from true north)	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0.100 1 Watts: 140.820 0	45 46.700 0.130	90 37.200 3.130	135 60.400 7.860	180 60,400 6.600	225 54.600 1.220 225	270 28.000 0.100	315 43.700 0.100
Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 4 Maximum Transmitting ERP in	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0 44.200 0.100 1 Watts: 140.820 0 44.200 0.410	45 46.700 0.130 45 46.700	90 37.200 3.130 90 37.200 3.130	135 60.400 7.860	180 60,400 6.600 180 60.400	225 54.600 1.220 225 54.600	270 28.000 0.100 270 28.000	315 43.700 0.100 315 43.700
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 4 Maximum Transmitting ERP in Azimuth(from true north)	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0 44.200 0.100 1 Watts: 140.820 0 44.200 0.410 1 Watts: 140.820 0 0.410	45 46.700 0.130 45 46.700 0.100	90 37.200 3.130 90 37.200 0.100	135 60,400 7,860 135 60,400 0,100	180 60,400 6.600 180 60,400 0.530	225 54.600 1.220 225 54.600 5.070	270 28.000 0.100 270 28.000 8.210	315 43.700 0.100 315 43.700 4.870
21 42-30-36.4 N Address: Tioga Way City: Marblehead County: Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 3 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 4 Maximum Transmitting ERP in	070-51-21.2 W ESSEX State: N 1 Watts: 140.820 0 44.200 0.100 1 Watts: 140.820 0 44.200 0.410 1 Watts: 140.820	45 46.700 0.130 45 46.700 0.100	90 37.200 3.130 90 37.200 0.100	135 60,400 7,860 135 60,400 0,100	180 60,400 6.600 180 60,400 0.530	225 54.600 1.220 225 54.600 5.070	270 28.000 0.100 270 28.000 8.210	315 43.700 0.100 315 43.700 4.870

Call Sign: KNKA201 File Number: Print Date:

Location	Latitude	Longitue	le	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	42-51-55.4	N 070-56-1	3.2 W	94.5	50.9	
Address: (Amesbury)	10 DENNET WA	Y			
City: AME	ESBURY	County: ESSEX	State: MA	Construction Dead	line:	
-						

Antenna: 4								
Maximum Transmitting ERP in Watts:	140.820	1						
Azimuth(from true north) Antenna Height AAT (meters)	0 117.000	45 123.800	90 125.500	135 137.800	180 126,100	225 109.800	270 94.200	315 100.300
Transmitting ERP (watts) Antenna: 5	178.880	225.190	34.880	0.860	0.860	0.860	0.860	10.780
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	117.000	123.800	125.500	137.800	126.100	109.800	94.200	100.300
Transmitting ERP (watts)	0.860	1.240	35.690	258.560	148.780	12.380	0.860	0.860
Antenna: 6								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	117.000	123.800	125.500	137.800	126.100	109.800	94.200	100.300
Transmitting ERP (watts)	3.110	0.830	0.860	0.860	3.110	89.650	270.740	81.760

Location	1 Latitude	Longitude	Ground Elevation (meters)		Antenna Structure Registration No.
24	42-03-31.4 N	071-17-29.2 W	105.5	59.1	Registi ation No.

Address: (Wrentham) 415 Washington St. - Route 1

City: WRENTHAM County: NORFOLK State: MA Construction Deadline:

Antenna: 4								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	99.900	78.700	94.600	120,300	114.800	77.800	71.700	95.700
Transmitting ERP (watts) Antenna: 5	2.580	85.500	401.990	363.280	54.920	1.060	0.850	0.850
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	99.900	78.700	94.600	120.300	114.800	77.800	71.700	95.700
Transmitting ERP (watts)	0.850	0.850	0.850	8.930	146.240	311.250	197.740	18.980
Antenna: 6								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	99.900	78.700	94.600	120.300	114.800	77.800	71.700	95.700
Transmitting ERP (watts)	352.500	136.390	5.560	0.980	0.980	0.980	39.210	263.760

Call Sign: KNK A 201 Drint Date

Call Sign:	: KNKA201	File 1	Number:			Pı	rint Date	:						
Location	Latitude	Longitude		ound Eleva eters)	ation	Structure Hgt (meters)	to Tip	Antenna St Registration						
25	43-10-34.3 N	071-12-24.2 W	335	5.3		31.4		Ü						
Address:	Address: (Northwood) SADDLEBACK MOUNTAIN													
City: NOI	City: NORTHWOOD County: ROCKINGHAM State: NH Construction Deadline:													
	nuth(from true north) leight AAT (meters)	0 152.900	45 213.700											
	ing ERP (watts)	45.240	219.790	260.100 199.540	268.50 31.860		215.400 1.000	150.700 1.000	173.600 2.360					
Azir Antenna H	Transmitting ERP in muth(from true north) leight AAT (meters) ing ERP (watts)	Watts: 140.820 0 152.900 1.000	45 213.700 1.000	90 260.100 6.160	135 268.50 105.33		225 215.400 142.220	270 150.700 7.190	315 173.600 1.780					
Maximum Azir Antenna H	Transmitting ERP in nuth(from true north) leight AAT (meters) ing ERP (watts)	Watts: 140.820 0 152.900 55.630	45 213.700 1.980	90 260.100 1.000	135 268.50 1.000	180 00 234.000 2.260	225 215.400 8.170	270 150.700 110.540	315 173.600 141.320					
	Latitude	Longitude		ound Eleva	ation	Structure Hgt (meters)	to Tip	Antenna St Registration						
27	41-41-13.4 N	070-48-25.1 W	22.	9		59.4								
Address:	(Mattapoisett) Indust	trial Drive												
City: Mat	tapoisett County:	PLYMOUTH St	tate: MA	Construc	tion D	eadline:								
	4 Transmitting ERP in		45	00	125	190	225	270	215					

Antenna: 4 Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north) Antenna Height AAT (meters)	0 61.700	45 76.400	90	135	180	225	270	315
Transmitting ERP (watts) Antenna: 5	217.540	281.390	79.200 29.930	79.900 2.050	80.600 0.980	75.400 0.980	56.100 2.340	60.600 21.270
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north) Antenna Height AAT (meters)	0 61.700	45 76.400	90 79.300	135 79.900	180 80.600	225 75,400	270 56.100	315 60.600
Transmitting ERP (watts) Antenna: 6	0.980	10.610	118.800	349.190	74.510	4.550	0.980	0.980
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north) Antenna Height AAT (meters)	0 61.700	45 76.400	90 79.200	135 79.900	180 80.600	225 75.400	270 56.100	315 60.600
Transmitting ERP (watts)	2.220	0.980	0.980	2.540	27.640	252.570	253.110	22.510

Location Latitude 29 41-55-21.0 N		(n	round Elev neters) 9.6	(r	tructure Hgt neters) 7.4	to Tip	Antenna St Registratio 1021869	
Address: (Plymouth) C.			~					
City: Plymouth Cour	ty: PLYMOUTH Stat	te: MA	Constructi	on Deadli	ne:			
Antenna: 4 Maximum Transmitting Azimuth(from true) Antenna Height AAT (me Transmitting ERP (watts	north) 0 94.600	45 84.200 246.240	90 79.500 37.800	135 67.900 1.470	180 61.400 0.940	225 63.600 0.940	270 52.500 2.080	315 63.200 39.370
Antenna: 5 Maximum Transmitting Azimuth(from true i Antenna Height AAT (me Transmitting ERP (watts Antenna: 6	north) 0 94.600	45 84.200 3.000	90 79.500 53.330	135 67.900 346.500	180 61.400 184.150	225 63.600 15.870	270 52.500 1.000	315 63.200 1.000
Maximum Transmitting Azimuth(from true transmitting Height AAT (maximum Transmitting ERP (watts)	north) 0 94.600	45 84.200 1.000	90 79.500 1.000	135 67.900 1.000	180 61.400 5.610	225 63.600 128.480	270 52.500 425.450	315 63.200 99.740
Location Latitude	Longitude	(n	round Elev neters)	(r	tructure Hgt neters)	to Tip	Antenna St Registratio	
31 42-14-40.0 N	071-30-38.0 W	14	42.6	10	02.0		1009024	
Address: 1.25 MI NNE City: HOPKINTON	County: MIDDLESEX	State: M	IA Const	ruction D	eadline:			
Antenna: 4 Maximum Transmitting Azimuth(from true) Antenna Height AAT (m) Transmitting ERP (watts Antenna: 5	north) 0 teters) 107.800	45 138.000 21.890	90 130.800 16.370	135 126.800 2.550	180 101.200 0.130	225 85.900 0.100	270 73.000 1.640	315 97.500 13.250
Maximum Transmitting Azimuth(from true Antenna Height AAT (m Transmitting ERP (watts Antenna: 6 Maximum Transmitting	north) 0 eters) 107.800 0) 0.940	45 138.000 9.100	90 130.800 53.990	135 126.800 96.320	180 101.200 78.580	225 85.900 26.320	270 73.000 3.730	315 97.500 0.460
Azimuth from true : Antenna Height AAT (me Transmitting ERP (watts	north) 0 teters) 107.800	45 138.000 1.700	90 130.800 0.620	135 126.800 2.340	180 101.200 18.300	225 85.900 72.460	270 73.000 95.170	315 97.500 63.740

cui signi in (in izor	THE	ramber.			-		.•	
Location Latitude	Longitude		round Elev eters)	ation	Structure Hg (meters)	t to Tip	Antenna St Registratio	
34 42-23-29.5 N	071-07-22.9 W	7.9	9		26.8			
Address: 2067 MASSACHUS	SETTS AVENUE							
City: CAMBRIDGE Count	ty: SUFFOLK S	tate: MA	Constru	ction De	eadline:			
Antenna: 4	- 740							
Maximum Transmitting ERP in								
Azimuth(from true north) Antenna Height AAT (meters)	0 -3.400	45 5.800	90	135	180	225	270	315
Transmitting ERP (watts)	6.780	7.760	21.700 2.800	28.600 0.100	13.000 0.100	-2.600 0.100	-14.400 0.100	-21.300 1.540
Antenna: 5		7.700	2.000	0.100	0.100	0.100	0.100	1.540
Maximum Transmitting ERP in Azimuth(from true north)	140.820 0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	-3.400	5.800	21.700	28.600		-2.600	-14.400	-21.300
Transmitting ERP (watts) Antenna: 6	0.100	0.130	3.130	7.860	6.600	1.220	0.100	0.100
Maximum Transmitting ERP in	watts: 140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters) Transmitting ERP (watts)	-3.400	5.800	21.700	28.300		-2.600	-14.400	-21.300
Transmitting EXT (watts)	0.410	0.100	0.100	0.100	0.530	5.070	8.210	4.870
Location Latitude	Longitude		round Elev leters)	ation	Structure Hg (meters)	t to Tip	Antenna St Registratio	
35 42-39-16.7 N	071-44-12.3 W	19	2.6		51.2		O	
Address: 84 Bayberry Hill Ro	oad							
• •		ate: MA	Construct	tion Dea	adline:			
Antenna: 2								
Maximum Transmitting ERP in		4-	00	405	100	225	2=0	24.5
Azimuth(from true north) Antenna Height AAT (meters)	0 57.900	45 139.500	90 149.200	135 136.10	180 102.200	225 42.700	270 -79.000	315 -25.700
Transmitting ERP (watts)	0.580	7.080	42.660	95.500		22.390	2.820	0.460
Antenna: 4	. W. 44. 140 920							
Maximum Transmitting ERP in Azimuth(from true north)	1 watts: 140.820	45	90	135	180	225	270	315
Antenna Height AAT (meters)	51.300	146.600	148.900	136.60		25.000	-79.700	-22.300
Transmitting ERP (watts) Antenna: 5	35.060	35.620	17.670	2.660	0.200	0.150	1.860	13.500
Antenna: 5 Maximum Transmitting ERP ir	Watts: 140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	51.300	146.600	148.900	136.60		25.000	-79.700	-22.300
Transmitting ERP (watts)	5.360	0.690	0.250	0.930	7.320	28.980	38.070	25.500

Location Latitude 38 42-38-45.8 N	Longitude 071-05-37.7 W	(Ground Elev (meters) 117.3	(Structure Hgt (meters) 52.4	to Tip	Antenna St Registratio	
Address: 5 Boston Hill Road								
City: North Andover Count	tv: ESSEX State	e: MA	Constructio	n Deadli	ine:			
Antenna: 4 Maximum Transmitting ERP in Azimuth(from true north)	Watts: 140.820	45	90	135	180	225	270	315
Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 5	96.900 83.180	98.200 87.100	110.000 23.990	111.300 2.290	110.000 0.200	101.700 0.200	90.300 1.820	106.200 20.420
Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 6	Watts: 140.820 0 96.900 0.240	45 98.100 4.170	90 110.000 38.020	135 111.300 97.720	180 110.000 66.070	225 101.700 11.750	270 90.200 1.050	315 106.200 0.200
Maximum Transmitting ERP in		4.5	0.0	105	100	227	2=0	215
Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts)	96.900 5.250	45 98.200 0.340	90 110.000 0.200	135 111.300 0.830	180 110.000 9.770	225 101.700 60.262	270 90.200 100.000	315 106.200 42.660
					~			
Location Latitude	Longitude		Ground Elev (meters)		Structure Hgt (meters)	to Tip	Antenna St Registratio	
39 42-18-13.0 N	Longitude 071-13-05.0 W	((to Tip		
20	S	((meters)	((meters)	to Tip	Registratio	
39 42-18-13.0 N Address: 140 CABOT ST	071-13-05.0 W	((meters)	9	(meters) 96.0	to Tip	Registratio	
39 42-18-13.0 N Address: 140 CABOT ST City: NEEDHAM County:	071-13-05.0 W	((meters) 44.8	9	(meters) 96.0	to Tip	Registratio	
39 42-18-13.0 N Address: 140 CABOT ST	071-13-05.0 W NORFOLK Sta	((meters) 44.8	9	(meters) 96.0	to Tip	Registratio	
39 42-18-13.0 N Address: 140 CABOT ST City: NEEDHAM County: Antenna: 1 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts)	071-13-05.0 W NORFOLK Sta	((meters) 44.8	9	(meters) 96.0	225 40.300 0.100	Registratio	
39 42-18-13.0 N Address: 140 CABOT ST City: NEEDHAM County: Antenna: 1 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters)	071-13-05.0 W NORFOLK Sta Watts: 140.820 0 44.200 30.340	te: MA 45 68.400	(meters) 44.8 Constructi 90 58.900	135 48.800	(meters) 96.0 Illine:	225 40.300	Registratio 1018331 270 44.100	315 41.600
39 42-18-13.0 N Address: 140 CABOT ST City: NEEDHAM County: Antenna: 1 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts)	071-13-05.0 W NORFOLK Sta Watts: 140.820 0 44.200 30.340 a Watts: 140.820 0	45 68.400 35.650	90 58.900 9.380	135 48.800 0.920	(meters) 96.0 Illine: 180 36.300 0.100	225 40.300 0.100	270 44.100 0.610	315 41.600 6.050
39 42-18-13.0 N Address: 140 CABOT ST City: NEEDHAM County: Antenna: 1 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters) Transmitting ERP (watts) Antenna: 2 Maximum Transmitting ERP in Azimuth(from true north) Antenna Height AAT (meters)	071-13-05.0 W NORFOLK Sta Watts: 140.820 44.200 30.340 Watts: 140.820 0 44.200 0.100	45 68.400 35.650 45 68.400	90 58.900 90 58.900	135 48,800 0.920 135 48.800	(meters) 96.0 Illine: 180 36.300 0.100 180 36.300	225 40.300 0.100 225 40.300	270 44.100 0.610 270 44.100	315 41.600 6.050 315 41.600

Call Sign: KNKA201 File Number: Print Date:

Location LatitudeLongitudeGround Elevation (meters)Structure Hgt to Tip (meters)Antenna Structure Registration No.4142-22-16.6 N071-05-49.6 W6.318.6

Address: (Cambridge Donnelly Field site) 284 Norfolk Street

City: Cambridge County: MIDDLESEX State: MA Construction Deadline: 07-03-2014

Antenna: 1								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north) Antenna Height AAT (meters)	0 -11.600	45 16.500	90 20.700	135 21.000	180 2.200	225 -20.400	270 2.300	315 -16.900
Transmitting ERP (watts) Antenna: 2	48.150	197.980	63.920	1.080	0.680	0.680	0.680	0.850
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	-11.600	16.500	20.700	21.000	2.200	-20.400	2.300	-16.900
Transmitting ERP (watts) Antenna: 3	0.670	0.670	18.990	128.120	74.750	3.300	0.670	0.670
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	-10.600	17.600	21.700	22.000	3.200	-19.400	3.400	-15.900
Transmitting ERP (watts)	28.690	0.650	0.650	0.650	0.650	5.700	114.450	208.740

Control Points:

Control Pt. No. 3

Address: 500 W. Dove Rd.

City: Southlake County: TARRANT State: TX Telephone Number: (800)264-6620

Waivers/Conditions:

THE FOLLOWING CELLULAR GEOGRAPHIC SERVICE AREAS HAVE BEEN COMBINED (LISTED BY CALL SIGN, MARKET NUMBER AND BLOCK, AND MARKET NAME): KNKA201 6B BOSTON, MASSACHUSETTS KNKA251 76B

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign WQGB266	File Number 0009783855			
Radio Service				
AW - AWS (1710-1755 MHz and				
2110-2155 MHz)				

FCC Registration Number (FRN): 0003290673

Grant Date 02-10-2022	Effective Date 02-10-2022	Expiration Date 11-29-2036	Print Date 02-11-2022			
Market Number CMA006		el Block	Sub-Market Designator 0			
	Market Name Boston-Lowell-Brockton-Lawrenc					
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date			

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTB Docket No. 02-353, rel. April 20, 2006.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

The license is subject to compliance with the provisions of the January 12, 2001 Agreement between Deutsche Telekom AG, VoiceStream Wireless Corporation, VoiceStream Wireless Holding Corporation and the Department of Justice (DOJ) and the Federal Bureau of Investigation (FBI), which addresses national security, law enforcement, and public safety issues of the FBI and the DOJ regarding the authority granted by this license. Nothing in the Agreement is intended to limit any obligation imposed by Federal lawor regulation including, but not limited to, 47 U.S.C. Section 222(a) and (c)(1) and the FCC's implementing regulations. The Agreement is published at VoiceStream-DT Order, IB Docket No. 00-187, FCC 01-142, 16 FCC Rcd 9779, 9853 (2001).

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign WQGA900	File Number 0009773233			
Radio Service				
AW - AWS (1710-1755 MHz and				
2110-2155 MHz)				

FCC Registration Number (FRN): 0003290673

Grant Date 01-11-2022	Effective Date 01-11-2022	Expiration Date 11-29-2036	Print Date 01-12-2022		
Market Number BEA003	Similar 2100m				
Market Name Boston-Worcester-Lawrence-Lowe					
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date		

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTB Docket No. 02-353, rel. April 20, 2006.

AWS operations must not cause harmful interference across the Canadian or Mexican Border. The authority granted herein is subject to future international agreements with Canada or Mexico, as applicable.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign WRNE629	File Number			
Radio Service PM - 3.7 GHz Service				

FCC Registration Number (FRN): 0003290673

0					
Grant Date 07-23-2021	Effective Date 07-23-2021	Expiration Date 07-23-2036	Print Date		
Market Number PEA007 Channel Block A3 Sub-Market Desir					
Market Name Boston, MA					
1st Build-out Date 07-23-2029	2nd Build-out Date 07-23-2033	3rd Build-out Date	4th Build-out Date		

Waivers/Conditions:

Operation for this combination license grants both interim and final rights for this PEA and is not impacted by the relocation process pursuant to 47 CFR ? 27.1412(g).

License is conditioned on compliance with all applicable FCC rules and regulations, including licensee making payments required by 47 C.F.R. §§ 27.1401- 27.1424 as described in FCC 20-22. See FCC 20-22, paras. 178-331.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Call Sign: WRNE629 File Number: Print Date:

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign WRNE628	File Number	
Radio Service PM - 3.7 GHz Service		

FCC Registration Number (FRN): 0003290673

8			
Grant Date 07-23-2021	Effective Date 07-23-2021	Expiration Date 07-23-2036	Print Date
Market Number PEA007		el Block	Sub-Market Designator
Market Name Boston, MA			
1st Build-out Date 07-23-2029	2nd Build-out Date 07-23-2033	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

Operation for this combination license grants both interim and final rights for this PEA and is not impacted by the relocation process pursuant to 47 CFR ? 27.1412(g).

License is conditioned on compliance with all applicable FCC rules and regulations, including licensee making payments required by 47 C.F.R. §§ 27.1401- 27.1424 as described in FCC 20-22. See FCC 20-22, paras. 178-331.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Call Sign: WRNE628 File Number: Print Date:

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign WRNE627	File Number
Radio	Service
PM - 3.7 G	Hz Service

FCC Registration Number (FRN): 0003290673

•			
Grant Date 07-23-2021	Effective Date 07-23-2021	Expiration Date 07-23-2036	Print Date
Market Number PEA007		el Block	Sub-Market Designator
Market Name Boston, MA			
1st Build-out Date 07-23-2029	2nd Build-out Date 07-23-2033	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

Operation for this combination license grants both interim and final rights for this PEA and is not impacted by the relocation process pursuant to 47 CFR ? 27.1412(g).

License is conditioned on compliance with all applicable FCC rules and regulations, including licensee making payments required by 47 C.F.R. §§ 27.1401- 27.1424 as described in FCC 20-22. See FCC 20-22, paras. 178-331.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Call Sign: WRNE627 File Number: Print Date:

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: AIRTOUCH CELLULAR

ATTN: REGULATORY AIRTOUCH CELLULAR 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign KNLF646	File Number
Radio	Service
CW - PCS	Broadband

FCC Registration Number (FRN): 0006146468

,			
Grant Date 12-02-2016	Effective Date 11-30-2017	Expiration Date 01-03-2027	Print Date
Market Number BTA051		nel Block	Sub-Market Designator 3
	Market Boston		
1st Build-out Date 12-07-2003	2nd Build-out Date 01-03-2007	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: AIRTOUCH CELLULAR

Call Sign: KNLF646 File Number: Print Date:

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: AIRTOUCH CELLULAR

ATTN: REGULATORY AIRTOUCH CELLULAR 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign KNLH310	File Number
Radio	Service
CW - PCS	Broadband

FCC Registration Number (FRN): 0006146468

Grant Date 06-08-2017	Effective Date 11-30-2017	Expiration Date 06-27-2027	Print Date
Market Number BTA051		nel Block	Sub-Market Designator
	Market Boston		
1st Build-out Date 06-27-2002	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

NONE

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: AIRTOUCH CELLULAR

Call Sign: KNLH310 File Number: Print Date:

700 MHz Relicensed Area Information:

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: CELLCO PARTNERSHIP

ATTN: REGULATORY CELLCO PARTNERSHIP 5055 NORTH POINT PKWY, NP2NE NETWORK ENGINEERING ALPHARETTA, GA 30022

Call Sign KNLH242	File Number 0007716969
Radio	Service
CW - PCS	Broadband

FCC Registration Number (FRN): 0003290673

` `			
Grant Date 06-02-2017	Effective Date 06-02-2017	Expiration Date 06-27-2027	Print Date 06-06-2017
Market Number BTA051		el Block	Sub-Market Designator
	Market Bostor		
1st Build-out Date 06-27-2002	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

This authorization is conditioned upon the full and timely payment of all monies due pursuant to Sections 1.2110 and 24.716 of the Commission's Rules and the terms of the Commission's installment plan as set forth in the Note and Security Agreement executed by the licensee. Failure to comply with this condition will result in the automatic cancellation of this authorization.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at http://wireless.fcc.gov/uls/index.htm?job=home and select "License Search". Follow the instructions on how to search for license information.

Call Sign: KNLH242 **File Number:** 0007716969 **Print Date:** 06-06-2017


700 MHz Relicensed Area Information:

SAMSUNG

SAMSUNG C-Band 64T64R Massive MIMO

C-Band 64T64R Massive MIMO Radio for High Capacity and Wide Coverage

Samsung C-Band 64T64R Massive MIMO Radio enables mobile operators to increase coverage range, boost data speeds and ultimately offer enriched 5G experiences to users in the U.S..






Points of Differentiation

Wide Bandwidth

Being able to support up to 2 CC carrier configuration, Samsung C-Band massive MIMO Radio support s200 MHz bandwidth in the C-Band spectrum.

Samsung C-Band massive MIMO Radio uses C-Band 280 MHz spectrum at the same time, so it can cover all the bands the operator can be auctioned.



Enhanced Performance

C-Band massive MIMO Radio creates sharp beams and extends networks' coverage on the critical mid-band spectrum using a large number of antenna elements and high output power to boost data speeds.

This helps operators reduce their CAPEX as they now need less products to cover the same area than before.

Furthermore, as C-Band massive MIMO Radio supports MU-MIMO (Multi-user MIMO), it enables increased user throughput by minimizing interference.



Future Proof Product

Samsung C-Band Massive MIMO radio supports eCPRI interface, thus, it can be used as O-RAN Massive MIMO Radio in the future. To provide O-RAN service, operators only need to update software since the hardware is already ready.

With the support of O-RAN, operators can reduce OPEX/CAPEX by increasing compatibility between equipment and get opportunity to design and develop their network with best -inclass solution that interoperate.



Well Matched Design

Samsung's C-Band Massive MIMO radio utilizes 64 antennas, supports up to 280MHz bandwidth, and delivers a 200W output power, despite the above advanced performance, the Radio has a compact size of 48L and 87.1 lbs. This makes it easy to install the Radio.

It is designed to look solid and small, and in particular, the design with wrap around has a thinly looking effect so that it can be harmonized with the surrounding environment when installed.











Technical Specifications

Item	Specification
Tech	NR
Brand	n77
Frequency Band	3700 - 3980 MHz
EIRP	78.5dBm (53.0 dBm+25.5 dBi)
IBW/OBW	280 MHz / 200 MHz
Installation	Pole/Wall
Size/ Weight	16.06 x 35.12 x 5.51 inch (50.95L)/ 87.1 lbs

SAMSUNG

About Samuny Heckronics Co., Ltd.

Some proper to world and shope to filter with transformation than and bechanging. The company is residintly the worlds of Phy, constplants, was this distance with a global application, retreats options and recovery option LE facety and LE facety.

Il bernger, bengang pa kanad kemajah kem

@ 2030 Sammy Bodrocks Ca., Idd.

All rights reserved information to this health to proprietary to Samusay Contraction Co., that would be subject to change softwar subject to information contacted here may be supplied translated, translated or displaced by any form softwar the prior softwar content of Samusay Charleston.



EAST > North East > New England > New England East > HARVARD_SQ_2_MA

RF Submit by: Flanagan, Jason - jason.flanagan@verizonwireless.com - 8/10/2022, 6:08:36 AM EE Submit by: Diiorio, Gerardo - gerardo.diiorio@verizonwireless.com - 6/24/2022, 3:36:13 AM

Project Details
FUZE Project ID: 16271978
Project Name: 5G L-Sub6 - Carrier Add
Project Alt Name: HARVARD_SQ_2_MA - 850NR, LSub6 add
Project Type: Modification
Modification Type: RF
Designed Sector Carrier 4G: 15
Designed Sector Carrier 5G: 21
Additional Sector Carrier 4G: N/A
Additional Sector Carrier 5G: N/A
FP Solution Type & Tech Type: MODIFICATION;5G_850,5G_L-Sub6,5G_Radio Swap
Carrier Aggregation: false
MPT Id:
eCIP-0: false
Suffix: Rev0:09.22.2021

Location Info	rmation
	Site ID: 674519
	E-NodeB ID: 0569029,0560074,0569001,056029
	PSLC: 137823
	Switch Name: W Roxbury 1
	Tower Owner:
	Tower Type: Building Side-Mounted
	Site Type: MACRO
	Site Sub Type: CRAN
	Street Address: 1654 Mass Ave
	City: Cambridge
	State: MA
	Zip Code: 02138
	County: Middlesex
	Latitude: 42.381597 / 42° 22' 53.7492" N
	Longitude: -71.12005 / 71° 7' 12.18" W

RFDS Project Scope:

Rev0:09.22.2021

850NR, LSub6 add

- 1. Retain (3) Samsung B5/B13 RRH-BR04C (RFV01U-D2A) and (3) Samsung B2/B66A RRH-BR049 (RFV01U-D1A) on Rooftop
- 2. Install L-Sub6 antennas in Alpha/Beta & Gamma at POS4 (Empty Position). Match the tip to that of the LTE Antennas.
- 3. Install (1) Commscope TD-850B-LTE78-43 combiner in Alpha for CDMA & LTE.
- 4. Daisy chain AISG cables between RET capable antennas and connect via RRH
- 5. Cap and weatherproof unused ports/connectors

Antenna Summary

Added															
700	850	1900	AWS	28 GHz	L-Sub6	Make	Model	Centerline	Tip Height	Azimuth	RET	4xRx	Inst. Type	Quantity	Item ID
					5G	Samsung	MT6407-77A	67.8	69.3	5(0115) 110(0116) 250(0117)	false	false	PHYSICAL	3	
Remove	ed														
700	850	1900	AWS	28 GHz	L-Sub6	Make	Model	Centerline	Tip Height	Azimuth	RET	4xRx	Inst. Type	Quantity	Item ID
	CDMA						BXA-80063-4CF	67		110 250	false	false	PHYSICAL	2	
Retaine	d														
700	850	1900	AWS	28 GHz	L-Sub6	Make	Model	Centerline	Tip Height	Azimuth	RET	4xRx	Inst. Type	Quantity	Item ID
LTE	LTE 5G	LTE	LTE			COMMSCOPE	NHH-65A-R2B	67	69.3	5(01) 110(02) 250(03) 5(0115) 110(0116) 250(0117)	false	false	PHYSICAL	6	NHH-65A-R2B
				5G		SAMSUNG	VZ-AT1K01	67	67.6	5(0175) 110(0176)	false	false	PHYSICAL	3	

Added: 3 Removed: 2 Retained: 9

Equipment Summary

Added														
	Location	700	850	1900	AWS	28 CH-	L-Sub6	Mako	Model	Cable Length	Cabla Siza	Install Type	Quantity	Item ID
Equipment Type	Location	700		1900	AWS	20 GHZ	L-Subo	wake	Wodel	Cable Length	Cable Size	ilistali Type	Qualitity	Itemio
Combiner	Tower	LTE	CDMA LTE					Commscope	TD-850B-LTE78-43			PHYSICAL	1	
RRU	Tower						5G	Samsung	MT6407-77A			PHYSICAL	3	
Upconverter	Shelter							COMMSCOPE	RS485-CARD			PHYSICAL	1	RS485-CARD
Upconverter	Shelter							COMMSCOPE	PS-1600-73-VZ			PHYSICAL	6	PS-1600-73-VZ
Upconverter	Shelter							COMMSCOPE	PS-BYPASS-1-VZ			PHYSICAL	6	PS-BYPASS-1-VZ
Upconverter	Shelter							COMMSCOPE	PS-R-1600-VZ			PHYSICAL	1	PS-R-1600-VZ
Upconverter	Shelter							COMMSCOPE	PULSAR-EDGE-CNTRL			PHYSICAL	1	PULSAR-EDGE- CNTRL
Power Plants	Shelter							GEMINIPOWE- 001	109163473			PHYSICAL	3	109163473
OVP Box	Shelter							RAYCAPINC-001	2260-ALM-RS485			PHYSICAL	3	2260-ALM-RS485
LCC4	Shelter							SAMSUNGELE- 001	SLS-BB1150EDEX			PHYSICAL	2	SLS-BB1150EDEX
Removed														
Equipment Type	Location	700	850	1900	AWS	28 GHz	L-Sub6	Make	Model	Cable Length	Cable Size	Install Type	Quantity	Item ID
									No data ava	ailable.				
Retained														
Equipment Type	Location	700	850	1900	AWS	28 GHz	L-Sub6	Make	Model	Cable Length	Cable Size	Install Type	Quantity	Item ID
Coaxial Cables	Tower							N/A	1-5/8" Coax			PHYSICAL	12	
Hybrid Cable	Tower							N/A	1x1 Hybrid Jumper			PHYSICAL	9	
Hybrid Cable	Tower							N/A	6x12 Hybriflex			PHYSICAL	3	
OVP Box	Tower							N/A	Lg Junction Box			PHYSICAL	3	
RRU	Tower					5G		Samsung	AT1K01 DC			PHYSICAL	3	
									B2/B66A RRH-BR049			DUVEICAL	2	
RRU	Tower			LTE	LTE			Samsung	(RFV01U-D1A)			PHYSICAL	3	
RRU	Tower	LTE	LTE	LTE	LTE			Samsung	(RFV01U-D1A) B5/B13 RRH-BR04C (RFV01U-D2A)			PHYSICAL		

Service Info

28 GHz 5GNR			0000			5GLS	
	Sector	0175	0176	0177	0175	0176	0177
	Azimuth	5	110	250	5	110	250
	Cell / ENode B ID	0560074	0560074	0560074	0560074	0560074	0560074
	Antenna Model	VZ-AT1K01	VZ-AT1K01	VZ-AT1K01	VZ-AT1K01	VZ-AT1K01	VZ-AT1K01
	Antenna Make	SAMSUNG	SAMSUNG	SAMSUNG	SAMSUNG	SAMSUNG	SAMSUNG
	Antenna Centerline(Ft)	67	67	67	67	67	67
	Mechanical Down-Tilt(Deg.)	0	0	0	0	0	0
	Electrical Down-Tilt	0	0	0	0	0	0
	Tip Height	67.6	67.6	67.6	67.6	67.6	67.6
	Regulatory Power DLEARFCN	1.86	1.86	1.86	1.86	1.86	1.86
	DLEARFON	2074999, 2080833, 2073333, 2076665, 2082499, 2084165	2082499, 2084165, 2080833, 2074999, 2073333, 2076665	2084165, 2080833, 2076665, 2074999	, 2082499, 2076665, 2073333, 2084165, 2080833, 2074999	,2073333, 2080833, 2084165, 2074999, 2076665, 2082499	2074999, 2076665
	Channel Bandwidth(MHz)	100	100	100	100	100	100
	Total ERP (W)	153.04	153.04	153.04	153.04	153.04	153.04
	TMA Make						
	TMA Model						
	RRU Make	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung
	RRU Model	AT1K01 DC	AT1K01 DC	AT1K01 DC	AT1K01 DC	AT1K01 DC	AT1K01 DC
	Number of Tx, Rx Lines	4,4	4,4	4,4	4,4	4,4	4,4
	Position	•	ŕ	•		,	•
	Transmitter Id	4640177	4640178	4640179	9031120	9031122	9031125
	Source	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API
700 MHz LTE			0000			5GLS	
	Sector	01	02	03	01	02	03
	Azimuth	5	110	250	5	110	250
	Cell / ENode B ID	056029	056029	056029	056029	056029	056029
	Antenna Model	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B
	Antenna Make	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE
	Antenna Centerline(Ft)	67	67	67	67	67	67
	Mechanical Down-Tilt(Deg.)	0	0	0	0	0	0
	Electrical Down-Tilt	12	12	12	12	12	12
	Tip Height	69.3	69.3	69.3	69.3	69.3	69.3
	Regulatory Power	56.29	47.22	44.17	61.98	54.11	50.61
	DLEARFCN	5230	5230	5230	5230	5230	5230
	Channel Bandwidth(MHz)	10	10	10	10	10	10
	Total ERP (W)	506.59	424.95	397.5	557.83	486.97	455.51
	TMA Make						
	TMA Model						
	TMA Model RRU Make	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung
	TMA Model RRU Make RRU Model	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)
	TMA Model RRU Make RRU Model Number of Tx, Rx Lines		3	•	9		3
	TMA Model RRU Make RRU Model Number of Tx, Rx Lines Position	B5/B13 RRH-BR04C (RFV01U-D2A) 2,4	B5/B13 RRH-BR04C (RFV01U-D2A) 2,4	B5/B13 RRH-BR04C (RFV01U-D2A) 2,4	B5/B13 RRH-BR04C (RFV01U-D2A) 4,4	B5/B13 RRH-BR04C (RFV01U-D2A) 4,4	B5/B13 RRH-BR04C (RFV01U-D2A) 4,4
	TMA Model RRU Make RRU Model Number of Tx, Rx Lines	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)

Sector		5GLS			0000		IHz LTE
Admitty 5 110 250 5 110 250 5 110 250 250 250629	03		01	03		01	Sector
Call ENode BID 056029	250						
Antenna Mode	056029						
Mechanical Down-Tilt (Des)	NHH-65A-R2B						
Machanical Contorline(F)	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	Antenna Make
Mechanical Down-Till (Deg.)	67						
Electrical Down-Tilk	0						
Part	12						
Regulatory Power 100.29	69.3			69.3			
Dicarrecompanies	139.9						
Total ERP (W)	2560						
TMA Make	10						
RRU Mode RRU Mode Samsung	314.77	336.51	385.48	352.85	377.22	451.28	
Samsung Sams							
RRU Mode Si/Bi3 RRH-BR04C (ŘFV01U-D2A) B5/Bi3 RRH-BR04C							
Number of Tx, Rx Lines	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	RRU Make
Number of Tx, Rx Lines	RRH-BR04C (RFV01U-D2)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)	B5/B13 RRH-BR04C (RFV01U-D2A)		B13 RRH-BR04C (RFV01U-D2A)	RRU Model E
Transmitter Id 4640255 4640256 4640257 9031111 9031114	4,4					2,4	Number of Tx, Rx Lines
Source ATOLL_API ATOLL_A							Position
Sector Sector Azimuth Sector	9031117	9031114	9031111	4640257	4640256	4640255	Transmitter Id
Sector O115 O116 Azimuth 5 110 Cell / ENode B ID 0569029 0569029 Antenna Model NHH-65A-R2B NHH-65A-R2B Antenna Make COMMSCOPE COMMSCOPE Antenna Centerline(Ft) 67 67 Mechanical Down-Tilt(Deg.) 0 0 Electrical Down-Tilt 69,3 69,3 Tip Height 69,3 69,3 Regulatory Power 171.32 149,56 DLEARFCN 2560 2560 Channel Bandwidth(MHz) 10 10 Total ERP (W) 385,48 336,51 TMA Make 1MA Make 1MA Make	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	Source
Azimuth Cell / ENode B ID 0569029 0569							
Cell / ENode B ID Antenna Model 0569029 0569029 Antenna Model NHH-65A-R2B NHH-65A-R2B Antenna Make COMMSCOPE COMMSCOPE Antenna Centerline(Ft) 67 67 Mechanical Down-Tillt 0 0 Electrical Down-Tilt 69.3 69.3 Tip Height 69.3 69.3 Regulatory Power 171.32 149.56 DLEARFCN 2560 2560 Channel Bandwidth(MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make TMA Make 385.48 336.51	0117		0115				
Antenna Model NHH-65A-R2B NHH-65A-R2B Antenna Make COMMSCOPE COMMSCOPE Antenna Centerline(Ft) 67 67 Mechanical Down-Tilt(Deg.) 0 0 Electrical Down-Tilt 12 12 Tip Height 69.3 69.3 Regulatory Power 171.32 149.56 DLEARFCN 2560 2560 Channel Bandwidth(MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make TMA Make	250		5				
Antenna Make Antenna Centerline(Ft) Antenna Centerline(Ft) Mechanical Down-Tilt(Deg.) Electrical Down-Tilt Tip Height Regulatory Power DLEARFCN DLEARFCN Channel Bandwidth(MHz) Total ERP (W) TMA Make	0569029	0569029	0569029				
Antenna Centerline(Ft) Mechanical Down-Tilt(Deg.) Electrical Down-Tilt Tip Height Regulatory Power DLEARFCN Channel Bandwidth(MHz) Total ERP (W) TMA Make	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B				Antenna Model
Antenna Centerline(Ft) Mechanical Down-Tilt(Deg.) Electrical Down-Tilt Tip Height Regulatory Power DLEARFCN Channel Bandwidth(MHz) Total ERP (W) TMA Make	COMMSCOPE	COMMSCOPE	COMMSCOPE				Antenna Make
Mechanical Down-Tilt(Deg.) 0 0 Electrical Down-Tilt 12 12 Tip Height 69.3 69.3 Regulatory Power 171.32 149.56 DLEARFCN 2560 2560 Channel Bandwidth(MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make 10 385.48 336.51	67						Antenna Centerline(Ft)
Electrical Down-Tilt 12 12 Tip Height 69.3 69.3 Regulatory Power 171.32 149.56 DLEARFCN 2560 2560 Channel Bandwidth(MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make 385.48 336.51	0						
Tip Height 69.3 69.3 Regulatory Power 171.32 149.56 DLEARFCN 2560 2560 Channel Bandwidth (MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make 385.48 385.48	12						
Regulatory Power 171.32 149.56 DLEARFCN 2560 2560 Channel Bandwidth (MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make 385.48 385.48	69.3						Tip Height
DLEARFCN 2560 2560 Channel Bandwidth(MHz) 10 10 Total ERP (W) 385.48 336.51 TMA Make	139.9						
Total ERP (W) 385.48 336.51 TMA Make	2560						
TMA Make	10		10				
	314.77	336.51	385.48				Total ERP (W)
TMA Model							TMA Make
							TMA Model
RRU Make Samsung Samsung	Samsung	Samsung	Samsung				
B5/B13 RRH-BR04C (RFV01U-D2A) B5/B13 RRH-BR04C (RFV01U-D2A) B5/B13	RRH-BR04C (RFV01U-D2)	B5/B13 RRH-BR04C (RFV01U-D2A)					
Number of Tx, Rx Lines 4,4	4,4						
Position							
7 Transmitter Id 9031111 9031114	9031117	9031114	9031111				
Source ATOLL_API ATOLL_API	ATOLL API						Source

900 MHz LTE		0000			5GLS	
Sec	tor 01	02	03	01	02	03
Azimu	uth 5	110	250	5	110	250
Cell / ENode B	ID 056029	056029	056029	056029	056029	056029
Antenna Mod	del NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B
Antenna Ma	ke COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE
Antenna Centerline(Ft) 67	67	67	67	67	67
Mechanical Down-Tilt(De	g.) 0	0	0	0	0	0
Electrical Down-	-	5	5	5	5	5
Tip Heig		69.3	69.3	69.3	69.3	69.3
Regulatory Pow		0.01	0.01	120.97	126.38	123.22
DLEARFO		1025	1025	1025	1025	1025
Channel Bandwidth(MI		15	15	15	15	15
Total ERP (0.07	0.07	995.41	1039.92	1013.91
TMA Ma						
TMA Mod						
RRU Ma	5411.54119	Samsung	Samsung	Samsung	Samsung	Samsung
	del B2/B66A RRH-BR049 (RFV01U-D1A)		B2/B66A RRH-BR049 (RFV01U-D1A)		B2/B66A RRH-BR049 (RFV01U-D1A)	
Number of Tx, Rx Lin	•	2,4	2,4	4,4	4,4	4,4
Positi		4640130	4640133	9031108	9031133	9031144
Transmitter						
Sour	ce ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API	ATOLL_API
00 MHz LTE		0000			5GLS	
Sec		02	03	01	02	03
Azimu		110	250	5	110	250
Cell / ENode B		056029	056029	056029	056029	056029
Antenna Mod	del NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B	NHH-65A-R2B
Antenna Ma		COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE	COMMSCOPE
Antenna Centerline	Ft) 67	67	67	67	67	67
Mechanical Down-Tilt(De		0	0	0	0	0
Electrical Down-		5	5	5	5	5
Tip Heig		69.3	69.3	69.3	69.3	69.3
Regulatory Pow		87.74	93.31	100.17	97.89	104.17
DLEARFO		2050	2050	2050	2050	2050
Channel Bandwidth(MI		20	20	20	20	20
Total ERP (962.7	1023.74	1099.01	1073.99	1142.88
TMA Ma						
TMA Mod						
RRU Ma		Samsung	Samsung	Samsung	Samsung	Samsung
RRU Moo	del B2/B66A RRH-BR049 (RFV01U-D1A)	· · · · · · · · · · · · · · · · · · ·				
Number of Tx, Rx Lin		2,4	2,4	4,4	4,4	4,4
Positi					000555	0053333
Transmittor	r ld 4640128	4640131	4640134	9031127	9031136	9031146
Transmitter Sour		ATOLL API				

		5GLS	
Sector	0115	0116	0117
Azimuth	5	110	250
Cell / ENode B ID	0569001	0569001	0569001
Antenna Model	MT6407-77A	MT6407-77A	MT6407-77
Antenna Make	Samsung	Samsung	Samsung
tenna Centerline(Ft)	67.8	67.8	67.8
n-Tilt(Deg.)	0	0	0
ïlt	6	6	6
	69.3	69.3	69.3
	767.64	767.64	767.64
	648672	648672	648672
	60	60	60
	13335.21	13335.21	13335.21
ake del			
	Samsung	Samsung	Samsung
	MT6407-77A	MT6407-77A	MT6407-77
ines	2,2	2,2	2,2
on			
	9031161	9031162	9031163
Source	ATOLL_API	ATOLL_API	ATOLL_AP

Service Comments

Callsigns Per Antenna

_				_					_								
Sector	Antenna Make	Antenna Model	Ant CL Height AGL	Tip Height	Azimuth (TN)	Elec Tilt	Mech Tilt	Gain	Beam Width	Regulatory Power	Callsigns						
				3	(,						700	850	1900	2100	28 GHz	31 GHz	39 GHz
0116	COMMSCOPE	NHH-65A-R2B	67	69.3	110	12	0	10.56	60.75	149.56		KNKA201					
02	COMMSCOPE	NHH-65A-R2B	67	69.3	110	12	0	10.56	60.75	149.56		KNKA201					
03	COMMSCOPE	NHH-65A-R2B	67	69.3	250	5	0	14.51	66	123.22			KNLF646 KNLH242 KNLH310				
03	COMMSCOPE	NHH-65A-R2B	67	69.3	250	12	0	11.051	67.75	50.61	WQJQ689						
0116	Samsung	MT6407-77A	67.8	69.3	110	6	0	23.35	100	767.64							
02	COMMSCOPE	NHH-65A-R2B	67	69.3	110	5	0	14.51	66	126.38			KNLF646 KNLH242 KNLH310				
01	COMMSCOPE	NHH-65A-R2B	67	69.3	5	5	0	14.51	66	120.97			KNLF646 KNLH242 KNLH310				
01	COMMSCOPE	NHH-65A-R2B	67	69.3	5	5	0	15	57.75	100.17				WQGA900 WQGB266			
02	COMMSCOPE	NHH-65A-R2B	67	69.3	110	5	0	15	57.75	97.89				WQGA900 WQGB266			
01	COMMSCOPE	NHH-65A-R2B	67	69.3	5	12	0	11.051	67.75	61.98	WQJQ689						
02	COMMSCOPE	NHH-65A-R2B	67	69.3	110	12	0	11.051	67.75	54.11	WQJQ689						
0175	SAMSUNG	VZ-AT1K01	67	67.6	5	0	0	25.848	52	1.86					WRBA936 WRBA937		
0176	SAMSUNG	VZ-AT1K01	67	67.6	110	0	0	25.848	52	1.86					WRBA936 WRBA937		
0115	Samsung	MT6407-77A	67.8	69.3	5	6	0	23.35	100	767.64							
0177	SAMSUNG	VZ-AT1K01	67	67.6	250	0	0	25.848	52	1.86					WRBA936 WRBA937		
01	COMMSCOPE	NHH-65A-R2B	67	69.3	5	12	0	10.56	60.75	171.32		KNKA201					
0117	COMMSCOPE	NHH-65A-R2B	67	69.3	250	12	0	10.56	60.75	139.9		KNKA201					
03	COMMSCOPE	NHH-65A-R2B	67	69.3	250	12	0	10.56	60.75	139.9		KNKA201					
0117	Samsung	MT6407-77A	67.8	69.3	250	6	0	23.35	100	767.64							
0115	COMMSCOPE	NHH-65A-R2B	67	69.3	5	12	0	10.56	60.75	171.32		KNKA201					
03	COMMSCOPE	NHH-65A-R2B	67	69.3	250	5	0	15	57.75	104.17				WQGA900 WQGB266			

Callsigns

Callsign	Market	Radio Code	Market Number	Block	State	County	Licensee Name	Wholly Owned		Freq Range 1	Freq Range 2	Freq Range 3	Freq Range 4	Regulatory Power	Threshold (W)	POPs /Sq Mi	Status	Action	Approved for Insvc
WQJQ689	Northeast	wu	REA001	С	МА	Middlese	Cellco Partnership	Yes	22.000	746.000- 757.000	776.000- 787.000	.000000	.000000	61.98	1000	1995.55	Active	added	Yes
KNKA201	Boston-Lowell- Brockton- Lawrence-Haverhill, MA-NH	CL	CMA006	В	МА	Middlese	Cellco Partnership	Yes	25.000	835.000- 845.000	880.000- 890.000	846.500- 849.000	891.500- 894.000	171.32	400	1995.55	Active	added	Yes
KNLF646	Boston, MA	cw	BTA051	с	MA	Middlese	AirTouch Cellular	Yes	10.000	1895.000- 1900.000	1975.000- 1980.000	.000000	.000000	126.38	1640	1995.55	Active	added	Yes
KNLH310	Boston, MA	CW	BTA051	E	MA	Middlese	AirTouch Cellular	Yes	10.000	1885.000- 1890.000	1965.000- 1970.000	.000000	.000000	126.38	1640	1995.55	Active	added	Yes
KNLH242	Boston, MA	CW	BTA051	F	МА	Middlese	Cellco Partnership	Yes	10.000	1890.000- 1895.000	1970.000- 1975.000	.000000	.000000	126.38	1640	1995.55	Active	added	Yes
WRBA936	Boston, MA	υυ	BTA051	L1	МА	Middlese	Cellco Partnership	Yes	325.000	27600.000- 27925.000	.000000	.000000	.000000	1.86		1995.55	Active	retained	Yes
WRBA937	Boston, MA	υυ	BTA051	L2	MA	Middlese	Cellco Partnership	Yes	325.000	27925.000- 27950.000	28050.000- 28350.000	.000000	.000000	1.86		1995.55	Active	retained	Yes
WQGB266	Boston-Lowell- Brockton- Lawrence-Haverhill, MA-NH	AW	CMA006	A	МА	Middlese	Cellco Partnership	Yes	20.000	1710.000- 1720.000	2110.000- 2120.000	.000000	.000000	104.17	1640	1995.55	Active	added	Yes
WRNE627	Boston, MA	PM	PEA007	A1	MA	Middlese	Cellco Partnership	Yes	20.000	3700.000- 3720.000	.000000	.000000	.000000	767.64	1640	1995.55	Active	added	Yes
WRNE628	Boston, MA	PM	PEA007	A2	МА	Middlese	Cellco Partnership	Yes	20.000	3720.000- 3740.000	.000000	.000000	.000000	767.64	1640	1995.55	Active	added	Yes
WRNE629	Boston, MA	РМ	PEA007	А3	МА	Middlese	Cellco Partnership	Yes	20.000	3740.000- 3760.000	.000000	.000000	.000000	767.64	1640	1995.55	Active	added	Yes
WQGA900	Boston-Worcester- Lawrence-Lowell- Brockton, MA-NH-R	AW	BEA003	В	MA	Middlese	Cellco Partnership	Yes	20.000	1720.000- 1730.000	2120.000- 2130.000	.000000	.000000	104.17	1640	1995.55	Active	added	Yes
WRHD671	Boston, MA	UU	PEA007	M1	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	37600.000- 37700.000	.000000	.000000	.000000			1995.55	Active		Yes
WRHD672	Boston, MA	UU	PEA007	M10	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38500.000- 38600.000	.000000	.000000	.000000			1995.55	Active	N/A	No
WRHD673	Boston, MA	UU	PEA007	M2	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	37700.000- 37800.000	.000000	.000000	.000000			1995.55	Active		Yes
WRHD674	Boston, MA	UU	PEA007	МЗ	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	37800.000- 37900.000	.000000	.000000	.000000			1995.55	Active		Yes
WRHD675	Boston, MA	UU	PEA007	M4	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	37900.000- 38000.000	.000000	.000000	.000000			1995.55	Active		Yes
WRHD676	Boston, MA	UU	PEA007	M5	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38000.000- 38100.000	.000000	.000000	.000000			1995.55	Active		Yes
WRHD677	Boston, MA	UU	PEA007	M6	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38100.000- 38200.000	.000000	.000000	.000000			1995.55	Active		Yes
WRHD678	Boston, MA	UU	PEA007	M7	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38200.000- 38300.000	.000000	.000000	.000000			1995.55	Active		Yes


WRHD679	Boston, MA	UU	PEA007	M8	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38300.000- 38400.000	.000000	.000000	.000000		1995.55	Active		Yes
WRHD680	Boston, MA	UU	PEA007	M9	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38400.000- 38500.000	.000000	.000000	.000000		1995.55	Active		Yes
WRHD681	Boston, MA	UU	PEA007	N1	MA	Middlese	Straight Path Spectrum, LLC	Yes	100.000	38600.000- 38700.000	.000000	.000000	.000000		1995.55	Active	N/A	No
WRLD615	D25017 - Middlesex, MA	PL	D25017	0	MA	Middlese	Verizon Wireless Network Procurement LP	Yes	100.000	3550.000- 3650.000	.000000	.000000	.000000	501	1995.55	Active		Yes
WRLD617	D25017 - Middlesex, MA	PL	D25017	0	MA	Middlese	Verizon Wireless Network Procurement LP	Yes	100.000	3550.000- 3650.000	.000000	.000000	.000000	501	1995.55	Active		Yes
WRLD616	D25017 - Middlesex, MA	PL	D25017	0	MA	Middlese	Verizon Wireless Network Procurement LP	Yes	100.000	3550.000- 3650.000	.000000	.000000	.000000	501	1995.55	Active		Yes
WRNE630	Boston, MA	PM	PEA007	A4	MA	Middlese	Cellco Partnership	Yes	20.000	3760.000- 3780.000	.000000	.000000	.000000	1640	1995.55	Active		No
WRNE631	Boston, MA	PM	PEA007	A5	MA	Middlese	Cellco Partnership	Yes	20.000	3780.000- 3800.000	.000000	.000000	.000000	1640	1995.55	Active		No
WRNE632	Boston, MA	PM	PEA007	B1	MA	Middlese	Cellco Partnership	Yes	20.000	3800.000- 3820.000	.000000	.000000	.000000	1640	1995.55	Active		No
WRNE633	Boston, MA	PM	PEA007	B2	MA	Middlese	Cellco Partnership	Yes	20.000	3820.000- 3840.000	.000000	.000000	.000000	1640	1995.55	Active		No
WRNE634	Boston, MA	PM	PEA007	ВЗ	MA	Middlese	Cellco Partnership	Yes	20.000	3840.000- 3860.000	.000000	.000000	.000000	1640	1995.55	Active		No



- Port 1 & 2 are for low band (698-896 MHz).
- Port 3,4,5, & 6 are for high band (1695-2360 MHz).
- Smart Bias Tee (SBT) is through antenna ports 1 & 3 (1 for low band & 3 for high band).
- AISG cable is only needed when drawn in the diagrams below, if it is not drawn then SBT is enough to control all RET motors.
- Not all SBT ports are needed to control RET, only green port connection to green port will control RET.

RET DC signal pass for RET (Port that will control RET)

BSAMNT-SBS-1-2 NHH AT1K01 N77 Antenna Lio Li B2/B66A RRH-BR049 (RFV01U-D1A) B5/B13 RRH-BR04C (RFV01U-D2A) 6 OVP Box



Comments:

Diagram shows antenna port configuration as viewed from below antennas

Antenna positions are indicated as viewed from IN FRONT of antennas.

Cap and weatherproof unused antenna ports.

All plumbing diagram colors are irrelevant except for AISG & Hybriflex cable. (For the coax colors follow Coax Colors guide above)

Tower/ Watertank/ Rooftop

Equipment

Pad



617.695.3400 617.695.3310 fax



August 4, 2022

Andrew Leone Verizon Wireless 900 Chelmsford Street Tower 2 Floor 5 Lowell, MA 01851

> Re: Harvard SO 2 MA (Rev. 1)

> > PSLC: 137823 Fuze #: 16271978 1654 Mass Ave

Cambridge, MA 02138

Dear Mr. Leone:

Verizon Wireless has proposed to replace (2) existing antennas with (3) new MT6407-77A antennas w/ integrated RRHs, and (1) CommScope TD-850B-LTE78-43 combiner, in Alpha sector only, on the rooftop at the above referenced site. Verizon also has (6) existing NHH-65A-R2B antennas on (3) BSAMNT-SBS-1-2, (3) VZ-AT1ko1 5G antennas w/integrated AT1Ko1 DC RRHs, (3) Samsung B2/B66a RRHs, (3) Samsung B5/B13 RRHs, and (3) 12-OVPs that are to remain. The proposed equipment will be mounted to existing steel mast pipes mounted to the building chimneys.

Dewberry Engineers Inc. (Dewberry) has reviewed the antenna design sheets (dated 07/19/22) provided by Verizon Wireless and has determined, based on an ultimate wind speed of 128 mph and a minimum flat roof snow load of 30 psf per the Massachusetts State Building Code - 780 CMR 9th Edition, that the existing antenna mounts and building have adequate capacity to support the proposed equipment configuration. Dewberry assumes that the new antennas, RRHs, and associated equipment are installed per the latest Construction Drawings by Dewberry.

Our assessment is based on our visual inspection that the existing antenna mounts and building structure are in good condition and were constructed in accordance with all applicable state and local building codes. If, during construction, any damage, deterioration, and/or discrepancies are noticed, Dewberry is to be notified to assess any deviation from the assumed condition. Any alteration in equipment loading described above and on the associated plans will void any conclusions expressed herein and will require further analysis and design. No structural qualification is made or implied by this structural letter for existing structural members not supporting the proposed installation.

If you have any questions, please do not hesitate to call me at 617-531-0744.

Sincerely,

Dewberry Engineers Inc.

Structural Project Engineer

Brandon Kelsey, P.E.