

BEUDO Procedures

Information and data contained in this document are in support of regulations pertaining to the Ordinance entitled “Building Energy Use,” Chapter 8.67 of the Municipal Code of the City of Cambridge.

This document follows the outline of [BEUDO Regulations](#), and shall be amended as needed to include information required to comply with BEUDO.

Table of Contents

- I. Definitions [this section intentionally left blank]
- II. Reporting Process [this section intentionally left blank]
- III. Third Party Verification
- IV. Property Ownership and Configuration
- V. Baselines
- VI. Campus Compliance
- VII. Emission Factors
- VIII. Renewable Energy Procurement
- IX. Verified Carbon Credits [this section intentionally left blank]
- X. Hardship Compliance Plans and Deferral Plans
- XI. Review Board [this section intentionally left blank]

- I. **Definitions** [this section intentionally left blank]
- II. **Reporting Process** [this section intentionally left blank]
- III. **Third Party Verification**

- A. Individuals from the following organizations are accredited to serve as an Approved Verification Body when completing Third Party Verification of a Covered Property's energy data.

TABLE 1. APPROVED VERIFICATION BODIES FOR THIRD PARTY VERIFICATION

Organization	Profession	Credential
AABC Commissioning Group (ACG)	Commissioning Professional	Certified Commissioning Authority (CxA)
American Institute of Architects (AIA)	Architect	Registered Architect (RA)
American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE)	Commissioning Professional	Commissioning Process Management Professional Certification (CPMP)
American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE)	Energy Auditor	Building Energy Assessment Professional (BEAP)
American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE)	Energy Auditor	Building Energy Modeling Professional (BEMP)
American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE)	Energy Manager	Operations and Performance Management Professional (OPMP)
American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE)	Commissioning Professional	Certified Building Commissioning Professionals (BCxP)
Association of Energy Engineers (AEE)	Commissioning Professional	Existing Building Commissioning Professional (EBCP)
Association of Energy Engineers (AEE)	Energy Auditor	Certified Energy Auditor (CEA)
Association of Energy Engineers (AEE)	Energy Auditor	Certified Measurement and Verification Professional (CMVP)
Association of Energy Engineers (AEE)	Energy Auditor	SEP Performance Verifier
Association of Energy Engineers (AEE)	Energy Manager	50001 Certified Practitioner in Energy Management Systems
Association of Energy Engineers (AEE)	Energy Manager	Certified Energy Manager (CEM)
Association of Energy Engineers (AEE)	Commissioning Professional	Certified Building Commissioning Professional (CBCP)
BREEAM USA	Building Operator	BREEAM USA In-Use Assessor
Building Commissioning Association (BCA)	Commissioning Professional	Certified Commissioning Professional (CCP)
Building Commissioning Association (BCA)	Commissioning Professional	Associate Commissioning Professional (ACP)
Energy Management Association (EMA)	Energy Manager	Energy Management Professional (EMP)
National Council of Architectural Registration Boards (NCARB)	Architect	Licensed Architect
National Society of Professional Engineers (NSPE)	Engineer	Professional Engineer (PE)
Northwest Energy Efficiency Council Midwest Energy Efficiency Alliance	Building Operator	Building Operator Certification (BOC) [Level 2 for Boston]

Organization	Profession	Credential
Passive House Institute US (PHIUS)	Commissioning Professional	Phius Certified Verifier
Passive House Institute US (PHIUS)	Energy Modeler	Phius Certified Consultant
Passive House Institute US (PHIUS)	Certified Passive House Consultant	Certified Passive House Consultant (CPHC) Training
U.S. Green Building Council (USGBC)	Energy Auditor	LEED Advanced Professional (AP) Building Operations & Maintenance
Building Owners and Managers Institute (BOMI) International	Energy Auditor	RPA/FMA High Performance Designation (RPA/FMA-HP)

B. Submittal Process for Third Party Data Verification

- i. [Section forthcoming]

IV. Property Ownership and Configuration

A. Change of Owner

- i. [Section forthcoming]

B. Requests to report and comply with an Alternative Configuration of a Covered Property (See Regulations Section IV.B.) must be submitted by December 31 of the first Compliance year of the property. The form may be found [here](#).

- i. A Covered Property must meet criteria outlined in Regulations Section IV.B.iv in order to be approved for Alternative Configuration. Details and examples are outlined in the [Technical Guide](#).

C. Requests to comply as a Multi-Use Covered Property (See Regulations Section I.F.) may be approved only after any requests for Alternative Configurations of the default Covered Property have been approved by the City.

V. Baselines

A. Requests for an Alternative Baseline must be submitted by December 31 of the year prior to the first Compliance Year of the property. In order for an Alternative Baseline request to be processed, the Property Configuration Form must first be completed and approved.

B. Reduction Schedules

i. Emissions Reduction Schedule for Covered Properties with Alternative Baselines

A Covered Property that chooses an Alternative Baseline, once approved, will comply with the schedules in Table 2 and Table 3. Pursuant to 8.67.100(4), “A Covered Property that uses an alternative Baseline shall comply with performance requirements that include an additional 2.5% reduction for every year between the start of its Baseline and 2018.”

In the tables below, the percentages in each cell represent the reduction in emissions from the Baseline years that must be demonstrated for that compliance year.

TABLE 2. MAXIMUM ALLOWABLE EMISSIONS BY BASELINE YEAR FOR NON-RESIDENTIAL COVERED PROPERTIES 100,000+ COVERED SQUARE FEET (CSF).

	Max allowable emissions (as % of Baseline) for selected baseline years								
	Alternative Baseline								Default Baseline
	2010-2011	2011-2012	2012-2013	2013-2014	2014-2015	2015-2016	2016-2017	2017-2018	2018-2019
Compliance Period 1: 2026 to 2029	66.7%	68.1%	69.6%	71.1%	72.7%	74.4%	76.2%	78.0%	80%
Compliance Period 2: 2030 to 2034	33.3%	34.0%	34.8%	35.6%	36.4%	37.2%	38.1%	39.0%	40%
Compliance Period 3: 2035 onwards	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0%

TABLE 3. MAXIMUM ALLOWABLE EMISSIONS BY BASELINE YEAR FOR NON-RESIDENTIAL COVERED PROPERTIES 25,000 TO 99,999 COVERED SQUARE FEET (CSF)

	Max allowable emissions (as % of Baseline) for selected baseline years								
	Alternative Baseline								Default Baseline
	2010-2011	2011-2012	2012-2013	2013-2014	2014-2015	2015-2016	2016-2017	2017-2018	2018-2019
Compliance Period 1: 2026 to 2029	83.3%	85.1%	87.0%	88.9%	90.9%	93.0%	95.2%	97.6%	100%
Compliance Period 2: 2030 to 2034	50.0%	51.1%	52.2%	53.3%	54.5%	55.8%	57.1%	58.5%	60%
Compliance Period 3: 2035 onwards	33.3%	34.0%	34.8%	35.6%	36.4%	37.2%	38.1%	39.0%	40%
Compliance Period 4: 2040 to 2044	16.7%	17.0%	17.4%	17.8%	18.2%	18.6%	19.0%	19.5%	20%
Compliance Period 5: 2045 to 2049	8.3%	8.5%	8.7%	8.9%	9.1%	9.3%	9.5%	9.8%	10%

C. New Covered Properties

The reduction schedules for a New Covered Property, as described in Regulations Section IV.B.v, are found below.

The percentages in each cell represent the reduction in emissions from the Baseline years that must be demonstrated for that compliance year.

TABLE 4. GHG EMISSIONS REDUCTION SCHEDULE (FROM BASELINE) FOR NEW COVERED PROPERTIES ≥ 100,000 SQUARE FEET

Year of COO	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035
	Baseline		--	--	--	--	--	80%	60%	60%	60%	40%	40%	40%	20%	20%	
2019		Baseline		--	--	--	--	80%	60%	60%	60%	40%	40%	40%	20%	20%	0
2020			Baseline		--	--	--	80%	60%	60%	60%	40%	40%	40%	20%	20%	0
2021				Baseline		--	--	--	80%	60%	60%	60%	40%	40%	40%	20%	0
2022					Baseline		--	--	--	80%	53%	53%	53%	27%	27%	27%	0
2023						Baseline		--	--	--	80%	53%	53%	53%	27%	27%	0
2024							Baseline		--	--	--	80%	53%	53%	53%	27%	0
2025								Baseline		--	--	--	80%	40%	40%	40%	0
2026									Baseline		--	--	--	80%	40%	40%	0
2027										Baseline		--	--	--	80%	40%	0
2028											Baseline		--	--	--	80%	0
2029												Baseline		--	--	--	0
2030													Baseline		--	--	0
2031														Baseline		--	0
2032															Baseline		0
2033																	0
2034																	0

TABLE 5. GHG EMISSIONS REDUCTION SCHEDULE (FROM BASELINE) FOR NEW COVERED PROPERTIES < 100,000 SQUARE FEET

Year of COO	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050
2018												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2019												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2020												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2021												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2022												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2023												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2024												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2025												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2026												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2027												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2028												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2029												80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	20%	20%	20%	20%	20%	0%
2030													80%	80%	80%	80%	80%	80%	80%	60%	60%	60%	60%	40%	40%	40%	40%	40%	40%	20%	20%	0%
2031													80%	80%	80%	80%	80%	80%	80%	60%	60%	60%	60%	60%	40%	40%	40%	40%	40%	40%	20%	0%
2032													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2033													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2034													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2035													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2036													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2037													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2038													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2039													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2040													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2041													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2042													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2043													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2044													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2045													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2046													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2047													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2048													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2049													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2048													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%
2049													80%	80%	80%	80%	75%	75%	75%	75%	75%	50%	50%	50%	50%	50%	25%	25%	25%	25%	25%	0%

VI. Campus Compliance

[Section forthcoming]

VII. Emission Factors

A. Emission Factor Methodology

- i. Emission Factors for **Grid Electricity** will be published for each Compliance Period by January 1 of the year prior to the start of each Compliance Period. These factors will be developed and published by the City using data published by ISO New England, NEPOOL, and any other relevant governmental sources as well as forecasted load and electricity generation. A residual methodology calculation method will be applied in order to account for Massachusetts renewable portfolio standards.
 1. In addition, annually, the City may publish Emission Factors for Grid Electricity per Regulations Section VII.D.3. These values will be published in this document and other relevant locations by April 1 of the year following the compliance year. Covered Property owners electing to use the higher of the two calculated values may do so. [Process for submission forthcoming.]
- ii. Emissions Factors for **natural gas, propane, fuel oil, diesel oil, and kerosene** will be published for each compliance period by January 1 of the year prior to the start of each compliance period. These factors will be based on the [standard scientific values utilized by ENERGY STAR Portfolio Manager](#) at the time of publication.
- iii. Emissions Factors for energy produced by ~~local~~ **Generation Facilities** will be determined annually using the efficiency method of the World Resources Institute. Alternatively, owners of ~~local~~ Generation Facilities may request to calculate Emission Factors for their energy outputs using the Energy Content Method per Regulations Section VII.E.iv.
 1. The City will publish Emission Factors of energy produced by a Generation Facility which serves Covered Properties that are not owned by the same Owner of the Generation Facility.
 2. Covered Properties purchasing the eSteam product from Vicinity, or any thermal output of a Generation Facility that is produced using Renewable Electricity, must submit documentation verifying this purchase to the City in order to apply the appropriate Emission Factor to any portion of the output purchased to serve the building(s) on the Covered Property. [Process for submission forthcoming].
 3. Generation Facilities electing to use the nameplate value for systems which only produce electricity must submit this value and appropriate supporting documentation to the City by April 1 [Process for submission forthcoming].

B. Emissions Factors

TABLE 7. EMISSION FACTORS AND MULTIPLIERS FOR COMPLIANCE PERIOD 1: 2026-2029

Energy Source	Unit	Emission Factors and Multipliers			
		2026	2027	2028	2029
Electricity					
Electric Grid Residual Factor	Kg CO2e/ MWh	418	427	435	444
Annual Renewable Portfolio Standard (RPS) Minimum	%	30	33	36	39
Other Fuel sources					
Natural Gas	Kg CO2e/ MMBtu	53.11	53.11	53.11	53.11
Propane	Kg CO2e/ MMBtu	61.95	61.95	61.95	61.95
Fuel Oil (No. 1)	Kg CO2e/ MMBtu	73.49	73.49	73.49	73.49
Fuel Oil (No. 2)	Kg CO2e/ MMBtu	74.20	74.20	74.20	74.20
Fuel Oil (No. 4)	Kg CO2e/ MMBtu	75.28	75.28	75.28	75.28
Fuel Oil (No. 5 & No. 6)	Kg CO2e/ MMBtu	74.26	74.26	74.26	74.26
Diesel	Kg CO2e/ MMBtu	75.16	75.16	75.16	75.16
Kerosene	Kg CO2e/ MMBtu	75.44	75.44	75.44	75.44
Generating Facilities Providing Energy to Others					
District Steam (Vicinity)	Kg CO2e/ MMBtu				
eSteam (Vicinity)	Kg CO2e/ MMBtu				
Steam (Biogen)	Kg CO2e/ MMBtu				
Electricity (Biogen)	Kg CO2e/ MMBtu				

TABLE 8. EMISSIONS FACTORS AND MULTIPLIERS FOR YEARS 2010-2025

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	
Indirect GHG Emissions																	
Electric Grid Residual Factor (kgCO2e/MWh)	443	399	365	353	366	392	377	379	379	334	372	405	401	429	409	412	
Annual RPS Minimum	5%	6%	7%	8%	9%	10%	11%	12%	13%	14%	16%	18%	20%	22%	24%	27%	
Direct GHG Emissions (kgCO2e/MMBTU)																	
Natural Gas	53.07	53.07	53.07	53.07	53.11	53.11	53.11	53.11	53.11	53.11	53.11	53.11	53.11	53.11	53.11	53.11	
Propane	61.50	61.50	61.50	61.50	61.50	64.25	64.25	64.25	64.25	64.25	64.25	64.25	61.95	61.95	61.95	61.95	
Fuel Oil (No. 1)	73.50	73.50	73.50	73.50	73.50	73.50	73.50	73.50	73.50	73.50	73.50	73.50	73.49	73.49	73.49	73.49	
Fuel Oil (No. 2)	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.20	74.20	74.20	74.20	
Fuel Oil (No. 4)	75.29	75.29	75.29	75.29	75.29	75.29	75.29	75.29	75.29	75.29	75.29	75.29	75.28	75.28	75.28	75.28	
Fuel Oil (No. 5 & No. 6)	75.35	75.35	75.35	75.35	75.35	75.35	75.35	75.35	75.35	75.35	75.35	75.35	74.26	74.26	74.26	74.26	
Diesel	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	74.21	75.16	75.16	75.16	75.16	
Kerosene	77.69	77.69	77.69	77.69	77.69	77.69	77.69	77.69	77.69	77.69	77.69	77.69	75.44	75.44	75.44	75.44	
Locally Generated Outputs (kgCO2e/MMBTU)																	
District Steam (Vicinity)									52.11	51.69	50.97	51.22	50.63	51.17	51.72	52.01	51.36
Steam (Biogen)						64.9	72.9	64.4	68.1	70.8	83	88.1	82.5	71.1	72.1	70.7	
Electricity (Biogen)						76.4	85.8	75.7	80.1	83.3	97.6	103.7	97.0	83.6	84.8	83.2	

C. Calculating Emissions

Electricity

For a covered property **with no qualifying additional Renewable Electricity purchases**:

$$\text{Electric Emissions [kg CO2e]} = \left(\text{Electricity consumed from the grid [MWh]} \times \left[\frac{100\% - \text{Annual RPS Minimum Requirement}}{100\%} \right] \right) \times \text{Electric Grid Residual Factor [kg CO2e/MWh]}$$

For a covered property that **does purchase additional qualifying Renewable Electricity** to apply to their emissions:

$$\text{Electric Emissions [kg CO2e]} = \left[\left(\text{Electricity consumed from the grid [MWh]} \times \left[\frac{100\% - \text{Annual RPS Minimum Requirement}}{100\%} \right] \right) - \text{voluntary RE purchases [MWh]} \right] \times \text{Electric Grid Residual Factor [kg CO2e/MWh]}$$

Other Fuels

$$\text{Fuel Source Emissions [metric tons CO2e]} = \text{Energy consumed [MMBTU]} \times \text{Fuel Source Emissions Factor}$$

D. Time of Use Methodology

The following steps describe how Covered Properties that choose to use a time-of-use electricity emissions factor may do so:

- i. Identify the total amount of residual generation from unclaimed non-emitting and unclaimed emitting generators for the year, by resource type.
 1. Source: [NEPOOL \(New England Power Pool\) GIS residual mix by fuel report](#)
 2. Notes: Although NEPOOL GIS publishes some data on a quarterly basis, the residual mix by fuel report is only displayed at the end of Q4. This is because RPS-eligible and zero-emissions certificates are banked during Q1 to Q3. To see the total annual amount of unclaimed generation, pull the report from Q1 to Q4 of the given year.
- ii. Download the hourly generation profile for all resources in each hour of the year, by resource type.
 1. Source: [U.S. Energy Information Administration \(EIA\), Form 930](#)

2. Notes: EIA collects hourly data from ISO New England's (ISO-NE) API and publishes it via its Form 930. Users can click "Download Data" and select "New England" from the Balancing Authority/Region Files tab to retrieve hourly generation data dating back to 2015.
- iii. Calculate the hourly residual generation profile from unclaimed non-emitting and unclaimed emitting generators, by resource type. For each resource type with unclaimed generation reported by NEPOOL GIS, calculate the ratio of unclaimed to total generation by dividing the annual unclaimed generation reported by NEPOOL GIS by the annual total generation reported by EIA Form 930. Multiply this ratio by the corresponding resource type's hourly generation time series (downloaded in Step ii). The sum of this new hourly generation profile should equal NEPOOL GIS's reported annual unclaimed generation. The sum of the hourly generation across unclaimed emitting resources and unclaimed, non-emitting resources is the total hourly residual generation.
 1. Sources: NEPOOL GIS, EIA Form 930
 2. Notes: For the NEPOOL GIS resource types for which ISO-NE does not report hourly generation profiles (including biogas, biomass, diesel, digester gas, energy storage, fuel cell, jet, landfill gas, municipal solid waste, trash-to-energy, and as wood and biomass), use the hourly generation profile called "Other."
 - iv. Calculate the emissions rates for each row of the NEPOOL GIS report by dividing the Carbon Dioxide column from the NEPOOL GIS report by the Percentage by Fuel column and dividing by 100 to account for the way that NEPOOL GIS reports the percentage values. This gives you an emissions rate value in pounds of CO₂ per MWh.
 - v. For each resource type (excluding Import System Mix), multiply the hourly residual generation profile from Step iii with the associated emissions rate calculated in Step iv. Sum up the hourly emissions across all resource types to estimate the unclaimed ("residual") emissions for that hour.
 - vi. Account for imports. New England currently relies on imports for 15–20 percent of energy needs. To account for this:
 1. Identify the total annual residual imported energy and associated residual CO₂ emissions from NEPOOL GIS.
 2. Multiply the residual CO₂ emissions rate calculated in Step 4 for the Import System Mix row by the number of certificates assigned to the Import System mix row to get the total residual CO₂ emissions in pounds from imports. This number purely represents CO₂ emissions, so further

calculations would be needed to calculate a CO_{2eq} rate, such as scaling the CO₂ emission rate based on a national or grid-region-specific ratio of CO_{2eq} to CO₂ emissions.

3. Identify the hourly CO₂ emissions imported column from the EIA 930 data.
 4. Distribute the annual CO₂ emissions on an hourly basis using the CO₂ emissions imported hourly shape from EIA 930.
 5. Add the hourly residual import system mix generation to the results of step iii. Then, add the hourly residual CO₂ emissions from imports to the result of step iv.
 6. Note: This methodology does not need to account for exports. It must account for imports because the calculations are performed on a per-MWh basis and the import mix in a given hour is different than the ISO-NE mix. By contrast, the export mix from ISO-NE should approximately match the native generation mix staying in New England.
- vii. For each hour, divide the residual emissions by the residual generation to calculate the final residual emissions rate. Convert the residual emissions rate from lbs/MWh to kg/MWh.
- viii. Identify the individual Covered Property's time-of-use grid electricity consumption and multiply each hour by the [100% - Annual RPS Minimum Requirement] factor.
- ix. Account for any BEUDO-qualified purchased renewable electricity. To account for hourly profile of renewable generation:
1. Known generation profile: If the Property Owner can provide the hourly generation profile for any qualified renewables they purchase, first subtract that generation profile from the electricity consumption profile calculated in Step vii.
 2. Unknown generation profile: If the Property Owner purchased additional qualified renewables for which they do not have the hourly generation profile, sum the annual generation from these resources with purchases by the supplier and any allowable banked excess hourly renewables. Subtract this sum from the total remaining electricity consumption after accounting for any known hourly renewable generation. Scale the building's remaining time-of-use energy consumption by the following ratio: total grid electricity use after accounting for BEUDO-purchased renewables divided by total grid electricity use.

E. Cogenerated Energy

i. Methodology Selection and Application

1. Submission of the application of a chosen WRI Methodology to a Generation Facility shall include: a description or diagram of the facility's equipment system configuration; identification of all heat sources and fuel and electricity inputs used by the equipment systems; a description of all energy outputs (e.g., electricity, steam, hot water, chilled water); historical data on fuel consumption, energy flows within the facility necessary for the application of the WRI methodology, and final energy outputs; and any other information identified by the City as necessary to apply the methodology to the facility's particular configuration.
2. Forms for annual attestation of the configuration and methodology application will be made available to the Generation Facility Owners for use, and are due to the City by April 1 of the year following each Compliance Year.

ii. Comparison of Grid Electricity to Generation Facility Electricity production

Per 8.67.100 (7), a Covered Property that "uses electricity from a generating facility in Cambridge that uses combustible fuels to generate electricity for direct use by the Covered Property may subtract Renewable Electricity from said generated electricity only as long as the Emission Factor for the generated electricity is less than or equal to the Emission Factor for electricity purchased from the grid."

1. The Regulations state that the grid Emission Factor for comparison shall be the load-weighted, all-locational marginal unit marginal CO₂ emission rate for the ISO New England control area, as published by ISO New England. The applicable grid Emission Factor shall be the most temporally granular version available from ISO New England for the relevant year.
2. To locate this emission rate, navigate to the page of ISO New England's website where it posts its annual [Generator Air Emissions Reports](#) and refer to the Marginal Emissions tables that are published as part of the Appendix file. As of the 2024 Generator Air Emissions Report (published October 2025), monthly emission rates are the most temporally granular factors available. These were published in column H of Table 3-8.
3. For the Generation Facility Emission Factor, Owners may elect to use either (i) a third-party verified Generation Facility electricity Emissions Factor calculated at the same temporal granularity as the grid Emission Factor published by ISO New England or (ii) the applicable annual

Generation Facility electricity Emissions Factor as published in BEUDO Procedures. The cogeneration facility Owner must select a method of comparison timescale_by April 1 of the year following the Compliance Year.

4. Owners must convert the units of the Emissions Factor published by ISO-NE to kgCO₂/MWh such that the units are consistent with those used above in Table 7 of Procedures.
5. Owners must annually submit documentation showing the comparison between their Generation Facility Emission Factor and the ISO New England emissions factor no later than 1 month after ISO New England publishes the grid emissions factor data publicly. If ISO New England publishes the grid emissions factor on October 1, the Owner must submit comparison documentation by November 1. The comparison shall be conducted at the temporal granularity that matches the level of granularity of the grid Emission Factor published by ISO New England
6. Below is an example format of how this may be documented and submitted to the City. This example uses 2024 data from ISO-NE and fictional data for the Generation Facility.

Time Period	ISO-NE Marginal CO ₂ Emissions Factor (lb/MWh)	ISO-NE Marginal CO ₂ Emissions Factor (kg/MWh)	Generation Facility CO ₂ Emissions Factor (kg/MWh)	Check if Generation Facility Emissions Factor is cleaner than the ISO-NE Emissions Factor	Generation Facility production that can be offset with Renewable Electricity (MWh)
<i>Populate from 1 to 12 so long as temporal granularity ISO-NE uses is monthly, populate from 1 to 8760 if ISO-NE publishes hourly data and it is not a leap year.</i>	<i>Populate from the ISO-NE Generator Air Emissions Report Appendix Table 3-8</i>	<i>Converted to kg/MWh by dividing by 2.205</i>	<i>Populate either a value matching the temporal granularity of the ISO-NE marginal emissions factor, or the repeat the annual Emissions Factor</i>	<i>Populate True/False</i>	<i>Populate the generation facility's production if the previous column is True, populate zero if previous column is False</i>
1	737	334	325	True	100
2	720	327	325	True	100
3	713	323	325	False	0
...	...	...	...	...	...
12	759	344	325	True	100
Total					...

VIII. Renewable Energy Procurement

- A. **New contract approval.** Per Regulations Section VIII.C.i., Covered Property Owners must submit information regarding new contracts for their Renewable Electricity purchases (proposed or completed) to the City of Cambridge for approval. The City will review the proposal and respond with a decision within 90 days.
- i. Information about the contract must be submitted to the City via Renewable Electricity Approval Form in BEAM by April 1 of the year following the first compliance year in which the resultant RECs are to be used for BEUDO compliance. The form requires information about the transaction type, estimated volume of renewable energy procurement, capacity of renewable energy project, commercial operation date, interconnecting utility, and tracking system. Covered Property Owners must attest to City approval through BEAM.
- B. **New procurement type approval.** Renewable Electricity procurement types which are not described in the BEUDO Regulations Section VIII.C.iii may be submitted for review and approval by the City. To submit a new procurement type, information must be submitted to the City prior to any applicable contract signing and by the end of the compliance year in which the procurement is to be used for BEUDO compliance. The City will review the proposal and respond with a decision within 90 days.
- C. **Approved Procurement Options**
- i. Additional approved Renewable Electricity procurement types that expand upon the list in Regulations Section VIII.C.iii will be included in this section, as available.
- D. **Assignment and Retirement of RECs**
- i. The Owner must submit documentation attesting to the quantity of RECs utilized for compliance by each Covered Property via BEAM by the May 1 reporting deadline.
 - ii. If a Covered Property Owner purchases the rights to RECs through the City of Cambridge REC Program, the City will execute the retirement for the benefit of the Covered Property Owner. The Owner must submit the retirement certificates provided by the City via BEAM by the May 1 deadline.
 - iii. If a Covered Property Owner purchases MA Class I RECs as an equivalent alternative to those assigned by law to the Local Distribution Company under the Massachusetts SMART program, the Owner must attest to and demonstrate through documentation uploaded to the BEAM platform, including output statements matching NEPOOL retirement certificates that the purchased RECs match the quantity and vintage attributes of the RECs generated through SMART.
 - iv. If a contract is executed by a Tenant occupying a Covered Property, RECs may be retired on behalf of the Owner upon the expiration of the tenancy, subject to mutual agreement between the Owner and the Tenant. A signed lease or legal transfer affidavit executed by both parties must be uploaded to BEAM to support this assignment change.

- v. Once a Covered Property Owner purchases unbundled RECs from a prior transaction, they cannot be resold or re-assigned.

IX. Verified Carbon Credits [this section intentionally left blank]

X. Hardship Compliance Plans and Deferral Plans

A. Hardship Compliance Plan Submittal Requirements

- i. Pursuant to Regulations Section X.D, Table 8 identifies the required submittals for a Hardship Compliance Plan, based on qualifying criteria. See below for explanations of these requirements.
 - a. **Narrative and Scope: All plans must include a description of the hardship and scope of the qualifying criteria.**
 - b. Relief Type: This column identifies the most appropriate relief type for each qualifying criterion. The Covered Property Owner may propose an alternative compliance mechanism or request alternative relief, which will be reviewed by the Review Board and approved at its discretion.
 - c. Applicable Plan Type and Minimum Level of Energy Audit:
 - i. The level of detail of the energy audit is based on plan type, and the audit type is not limited to the tools identified, but should meet the equivalent scope, as described in further detail in the Hardship Compliance Plan Guide. Utility scoping studies and/or building assessments are encouraged when project is planned for implementation.
 - ii. Campuses: In lieu of an energy audit for each Covered Property comprising the Campus, the Owner may provide relevant Campus-wide documentation.
 - d. Criteria Documentation: To support the claim of the qualifying criteria, demonstrate evidence for review by the Review Board. In the event that identified documentation types are not available, the Owner may submit equivalent materials with an explanation for why the required documentation could not be furnished.
 - e. Additional Submittal--Brief narrative considering additional compliance measures: Where required, plans should address how the Owner has used, planned to use, and/or considered the use of additional compliance measures prior to applying for a Hardship Compliance Plan, including Verified Carbon Credits, Alternative Compliance Credits, Renewable Electricity Certificates, and reporting as a campus.
 - f. Additional Submittal--GHG Emissions Reduction Schedule: This Schedule will replace the Covered Property's annual GHG emissions reduction targets in 8.67.100. Refer to guidance materials for a template of an annual schedule of anticipated emissions reductions through the Hardship Compliance Plan term.

TABLE 9. SUBMITTAL REQUIREMENTS FOR HARDSHIP COMPLIANCE PLANS

Qualifying Criteria	Relief Type	Criteria Documentation	Applicable Plan Type & Minimum Level of Energy Audit	Additional Submittals
Financial				
(a) Bankruptcy: Owner declared bankruptcy during all or part of a Compliance Year	Alternative Schedule	Bankruptcy court filings	Short or Long-Term: DOE BETTER + Asset Score, or Labs2Zero for labs	Brief narrative of additional compliance measures GHG Emissions Schedule
(b) Lack of capital: Cost of compliance exceeds funds the Owner can reasonably access or raise		Financial statements, capital reserve analysis, lender letters	Short-Term: DOE BETTER + Asset Score, or Labs2Zero for labs	
(c) Incentive Delays: Denial or material delays in utility/decarbonization incentive programs		Denial letters or status logs from utility/government programs	Long-Term (5+ yrs): ASHRAE Level 2, DOE MEASUR	
Ownership				
(a) Individual Non-Res Condos: Multiple owners with separate units creating work/allocation constraints	Alternative Property Configuration	Deeds or ordinances showing ownership constraints	Administrative Modification: EnergyStar Portfolio Manager	GHG Emissions Schedule

Qualifying Criteria	Relief Type	Criteria Documentation	Applicable Plan Type & Minimum Level of Energy Audit	Additional Submittals
Regulatory / Contractual				
(a) Energy Contracts: Long-term contracts without reopeners for significant energy demand	Alternative Schedule	Signed energy supply contracts	Short-Term: DOE BETTER + DOE Asset Score, or Labs2Zero for labs Long-Term (5+ yrs): ASHRAE Level 2, DOE MEASUR	Brief narrative of additional compliance measures GHG Emissions Schedule
(b) Pre-existing Leases: Lease signed prior to 6/26/23 prohibits work; tenant is uncooperative		Lease agreement; proof tenant is unwilling to cooperate		
(c) Renewable Energy Delays: Delays in renewable credits under an executed Power Purchase Agreement		Power Purchase Agreement; official delay notice identifying cause and schedule; Owner’s timeline for remedy		
(d) Grid/Permit Delays: Interconnection delays or government permit denials		Interconnection correspondence, permit logs, and/or agency responses		
(e) Conflicting Standards: Meeting other regulatory, accreditation, or certification requirements	Alternative Schedule and/or Energy Exemption	Evidence of conflicting regulations or standards		
Technical / Operational				
(a) Space Constraints: Physical building or parcel constraints prevent compliance work	Alternative Schedule	Engineering studies and site/floor plans	Short-Term: DOE BETTER + DOE Asset Score, or Labs2Zero for labs Long-Term (5+ yrs): ASHRAE Level 2, DOE MEASUR	Brief narrative of additional compliance measures GHG Emissions Schedule
(b) Manufacturing Loads: Hardship arises specifically from reducing manufacturing process load emissions	Alternative Schedule and/or Energy Exemption	Process load and energy use analysis		
(c) Historical Status: Property is a designated Historical Property under IECC 2021	Alternative Schedule	Historic designation records (IECC 2021)		

Qualifying Criteria	Relief Type	Criteria Documentation	Applicable Plan Type & Minimum Level of Energy Audit	Additional Submittals
(d) Baseline Vacancy: Unoccupied or not fully operational during default baseline years	Alternative Baseline after 2019	Occupancy records, utility data, or lease-up schedules	Administrative Modification: EnergyStar Portfolio Manager	GHG Emissions Schedule

REDLINE

Qualifying Criteria	Relief Type	Criteria Documentation	Applicable Plan Type & Minimum Level of Energy Audit	Additional Submittals
Other				
(a) Delays due to natural disaster or state of emergency	Alternative Schedule	Disaster declarations, insurance claims, or contractor delays	Short-Term: DOE BETTER + DOE Asset Score, or Labs2Zero for labs Long-Term (5+ yrs): ASHRAE Level 2, DOE MEASUR	Brief narrative of additional compliance measures GHG Emissions Schedule
(b) The Owner has adopted a long-term, comprehensive decarbonization strategy for their Covered Property or Campus with annual emissions targets that demonstrate alignment with the greenhouse gas emissions reductions in BEUDO.	Alternative Schedule	Capital plan, net zero energy plan, roadmap, or other officially adopted decarbonization strategy committing to emissions targets in Covered Properties or Campus aligned with BEUDO Narrative justification of reasonable divergence from, and demonstrable progress toward, the standard GHG emission reduction schedule	Short-Term: DOE BETTER + DOE Asset Score, or Labs2Zero for labs Long-term: ASHRAE Level 2, DOE MEASUR	Brief narrative of additional compliance measures GHG Emissions Schedule
(c) Other circumstances	Board Discretion	Justification deemed relevant by the Board	Short-Term: DOE BETTER + DOE Asset Score, or Labs2Zero for labs Long-Term (5+ yrs): ASHRAE Level 2, DOE MEASUR	

A. Deferral Plan Submittal Requirements

- i. Narrative: A brief narrative description of the reasons that a deferral is being sought, including, but not limited to, a description of other planned work at the Covered Property that is proposed to be undertaken in conjunction with planned emissions reduction activities. The narrative should demonstrate in detail why it is advantageous to defer emissions reduction activities based on a cost analysis and/or description of how the emission reduction activities are going to be combined with other work at the property
- ii. Scope and length of the requested deferral, not to exceed five years.
- iii. Brief narrative considering additional compliance measures: Plans should address how the Owner has used, plans to use, and/or considered the use of additional compliance measures, including Verified Carbon Credits, Alternative Compliance Credits, Renewable Electricity Certificates, and reporting as a campus.
- iv. Alternative annual schedule of GHG emissions reduction demonstrating that total cumulative emissions do not exceed those of the standard schedule of 8.67.100. This Schedule will replace the Covered Property's annual GHG emissions reduction targets in 8.67.100.

XI. Review Board [this section intentionally left blank]