

Nicole Murati Ferrer
Chairperson

Mark Melo
City Electrician

Terrence James Shea
Superintendent of Streets

CITY OF CAMBRIDGE

POLE AND CONDUIT COMMISSION

831 Massachusetts Avenue, Cambridge, Massachusetts 02139



POLE AND CONDUIT COMMISSION MEETING MINUTES

Thursday, July 18, 2024, at 9:00 A.M.

By Remote Participation Via Zoom

This meeting was held remotely in accordance with Chapter 2 of the Acts of 2023 adopted by Massachusetts General Court and approved by the Governor.

Commission Members (All Present): Nicole Murati Ferrer, Mark Melo, and Terrence James Shea.

License Commission Staff Present: Cristina Casilli, Administrative Assistant.

Documents Considered by the Board: As to all petitions, the Commission considered the application submitted to it and all documents attached thereto.

Decisions: All votes, unless otherwise stated, were taken by roll call vote and were 3-0, unless otherwise indicated. When matters are granted with "typical conditions," those are:

- (1) Must obtain Electrical Department Utility Permit and Department of Public Works ("DPW") Permits and comply with the provisions therein.
- (2) Must pay sidewalk preservation off-set fee.
- (3) Must coordinate site visit with DPW.
- (4) Must commence work within sixty (60) days of the grant and complete within six (6) months of the date of the approval.
- (5) Must comply with any amendment City agencies make to the issued permits after the Acceptance Without Reservations is filed.

1. **Continuation from June 13, 2024 pending Eversource work order, and get further information from TPT as to whether dual meters can be used by both types of vehicles (272330) - Cambridge Community Development Department**, 344 Broadway, Cambridge, MA, 02139, for the following: Massachusetts Avenue - This installation of electrical vehicle charges includes: installation of a new electrical cabinet within the sidewalk area; excavation of a portion of the existing concrete sidewalk and installation of electrical conduit below ground; installation of two single-head and one dual-head level two electric vehicle charging stations (4 total chargers) and creation of a new pedestrian curb ramp to create ADA accessible path to the electric vehicle charging station interface.

Summary/Decision: Not yet ready, will be heard in August.

2. **New petition (278163) - Comcast**, 426 E. First Street, Boston, MA 02127, for the following: Huron Avenue at Reservoir Street intersection - Intercept existing Comcast conduit on Huron Avenue and place (1) 3'x5' manhole. From newly placed manhole, trench easterly +/- 140 feet to a proposed 24"x36"x18" vault in the sidewalk between 287 and 289 Huron Avenue, installing (2) 4-inch conduits. From newly placed vault, trench northerly +/- 3 feet to the property line of 287 and 289 Huron Avenue, installing (1) 2-inch conduit to each property for new underground service connections.

Present: Shane Flewelling. Residents: William Palin; and Erum Stattar.

Summary: The intent is to drop a Comcast 3*5, use an existing conduit and trench to provide new service connection to get off an easement pole. There will be two 4-inch conduits on Reservoir and they will take that to the sidewalk and then a handhold. There was discussion on how there is a manhole on the sidewalk. If they avoid sidewalk work there would be less obstruction. The agreement was to use the 3*5 and two 2-inch pipes, one to each property, and eliminate handhold on sidewalk. Update drawing and description of route.

Palin explained they are the resident affected by the current installation and how they never provided an easement. Raised the issue that when the work is done, the pole and lines on their property should be removed. Stattar concurred with Palin's comments.

Decision: Pending submission of updated plan and description of the route (as amended on the record), granted with the route as amended on the record, with typical conditions and additional conditions of: Comcast having to coordinate with Verizon to remove the pole once all cables are removed; mill and overlay of half the roadway; and permanent sidewalk restoration.

3. **New petition (275955) - Cambridge Network Solutions**, 100 Quannapowitt Pkwy, Wakefield, MA 01880, for the following: Pleasant Street and Memorial Drive - From CNS existing splice in EMH 3360, trench approximately 15 feet and install (1) 4-inch SCH40 PVC CNS communications conduit to newly proposed 3ft x 3ft manhole. From new CNS manhole, trench approximately 155 feet installing (1) 3-inch SCH40 PVC CNS communications conduit to existing utility pole 55. Install (1) 3-inch-wide by 10-foot-high metal riser at utility pole 55. From utility pole 55 on Pleasant Street, place aerial cable along poles 57, 59 and NT and then to unlabeled utility pole #N/T on Pleasant Street (aka Pleasant Street Extension) at rear entrance of 780 Memorial Drive (near 214 Pleasant Street). Install (1) 2-inch-wide by 10-foot-high metal riser on unlabeled utility pole #N/T. From utility pole #N/T, trench approximately 2 feet and install (1) 2-inch SCH40 PVC CNS communications conduit to right of way line. From right of way line, trench approximately 7 feet and install (1) 2-inch SCH40 PVC CNS conduit to existing private property manhole at 780 Memorial Drive.

Present: Herb Bertoni.

Summary: Proposing to provide services to 780 and 790 Memorial Drive which come off Pleasant Street. The run comes off Putnam Avenue from an existing manhole. They plan to place their own manhole and then rise off from there. Five aerial poles will be laid down on 780 Memorial Drive side. They will trench from the pole to the private property and then feed off there. At Putnam rising off Pole 55.

Decision: Granted with typical conditions and additional conditions that: at Pleasant Street and Memorial Drive there must be permanent sidewalk restoration; at Pleasant Street and Putnam Avenue there must be mill and overlay of half the roadway and permanent sidewalk restoration; and must coordinate with City Arborist.

4. **New petition (273917) - Eversource Energy**, 101 Linwood Street, Somerville, MA 02143, for the following: New Street - Northerly from MHC3382 at Bay State Road, to private property at #52 New Street, install approximately 423 feet of conduit, install (2) new manholes.

Present: Phyllis Galloway.

Summary: Conduit in two new manholes on 52 New Street for a new 106 apartment building. This would be new service. On New Street there has to be approval from the Department of Environmental Protection (“DEP”) approval – there has to be a site specific and health plan as they are coming from Danahey Park.

Decision: Pending Department of Environmental Protection approval, granted with typical conditions and the additional condition that there must be curb to curb mill and overlay.

5. **New petition (274387) - Eversource Energy**, 101 Linwood Street, Somerville, MA 02143, for the following: Museum Street - Northwesterly from pole 499/6 to private property line at 74-76 Hammond Street install approximately 15 feet of conduit to provide service.

Present: Phyllis Galloway. Elizabeth Terry, resident.

Summary: This is for a customer request to install conduit on 55 & 57 Museum Street for new service. Terry explained that the construction has been extremely difficult and noisy and they hope Eversource could consider the abutters.

Decision: Granted with typical conditions and additional condition of permanent sidewalk repair.

6. **New petition (274624) - Eversource Energy**, 101 Linwood Street, Somerville, MA 02143, for the following: Irving Street - Easterly from pole 391/12 to private property at 36 Irving Street, install approximately 36 feet of conduit.

Present: Phyllis Galloway.

Summary: Eversource requested to continue this petition as the project needed to be redesigned because the existing risers are too congested. The redesign would need to look at other poles to use.

Decision: Request to continue denied; petition denied.

7. **New petition (274627) - Eversource Energy**, 101 Linwood Street, Somerville, MA 02143, for the following: Cambridge Street - Southwesterly from MHC342 to private property at 1154 Cambridge Street, install approximately 6 feet of conduit.

Present: Phyllis Galloway.

Summary: This is to provide upgraded electric service to 1154 Cambridge Street; there is no change to the character of the structure.

Decision: Granted with typical conditions and additional condition of permanent sidewalk repair.

8. **New petition (271983) - Crown Castle**, 1800 West Park Drive, Westborough, MA, 01581, for the following: Rindge Avenue - New fiber cable placement in existing Verizon conduit, from manhole #26/596 on Cambridge Park Drive, through manhole #26/595 on the same street, and into manhole #26/594 on Rindge Avenue, approximately 1,517 feet. New conduit and fiber cable placement from existing telecom manhole #26/594 on Rindge Avenue to an existing handhole in private property, by 400 Rindge Ave, approximately 79 feet. New fiber cable placement in existing private conduit on private property, from existing handhole into 402 Rindge Avenue.

Present: Ana Semashka; and Brandi Spezzano.

Summary: This is to install conduit on the Verizon system, and need to go from there across the street and into the private property. They are using existing Verizon conduit. The excavation section for them is for the new service. Eversource Electric is on Rindge Avenue. They have a meeting on July 22 to coordinate the depth of utility with Eversource electric so that there is no conflict. The petitioner received no responses to the common trench letter. The City will require a City conduit to the private property manhole (must match the same conduit). Petitioner explained they had already planned for a City conduit.

Decision: Granted with typical conditions, and additional conditions that they must coordinate with Eversource electric, and there must be a City conduit.

9. **New petition (268102) - Crown Castle**, 1800 West Park Drive, Westborough, MA, 01581, for the following: Webster Avenue - Harvard Street - Spring Street - Kirkland Street - Franklin Street Crown Castle is proposing to upgrade existing equipment on the specified poles. The upgrade will include replacing the pole-top or comm zone antennas with 24-inches tall antennas and installing larger side-mounted equipment shroud. There will be no digging required for this upgrade.

Present: Sarah Feely; Ana Semashka; and Brandi Spezzano.

Summary: Seeking to upgrade the equipment on these 5 locations. All have similar scope of work, previously installed equipment and now they seek to replace the antennas and shrouds to provide enhanced wireless service. These are high demand areas. The Commission relayed how the petition application did not identify the specified poles or addresses, and raised the issue that although the information may be on the plans, it also has to be on the petition/application form. The information was confirmed as follows:

118 Spring Street, Pole # 262-21
380 Harvard Street, Pole # UP5
570-572 Franklin Street, Pole # 3-66
44 Kirkland Street, Pole # 1
155 Webster Street, Pole # 19

All the equipment/installations changes/upgrades comply with the dimension limits of the small cell policy, the distance from building requirement, and are ADA compliant.

For 118 Spring, the pole is a double pole; at 380 Harvard it includes a pole replacement as the existing one is leaning; and for Kirkland Street it is actually Kirkland Road (although on assessor's office it is listed as Street); and in Franklin Street the existing pole will remain.

Decision: Granted with the following conditions: 118 Spring Street – old pole must be removed prior to any new installations; 380 Harvard Street – old pole must be removed prior to any new installations; and notation that installation on 44 Kirkland Street indicates the address of the parcel, but that the pole is on Kirkland Road.

- 10. New petition (273661) - Crown Castle**, 1800 West Park Drive, Westborough, MA, 01581, for the following: Amherst Street - Crown Castle is proposing to upgrade existing equipment on the specified poles. The upgrade will include replacing the pole-top or comm zone antennas with 24-inches tall antennas and installing larger side-mounted equipment shroud. There will be no digging required for this upgrade.

Present: Ana Semashka; Sarah Feely; and Brandi Spezzano.

Summary: This requires a larger should. There was an existing utility pole and developer took care of the installation of the pole. All the equipment/installations changes/upgrades comply with the dimension limits of the small cell policy, the distance from building requirement, and are ADA compliant.

Decision: Granted.

[Note: Petitions #11 & 12 as listed on the agenda were called/considered together.]

- 11. New petition (271968) - Crown Castle**, 1800 West Park Drive, Westborough, MA, 01581, for the following: Main Street - Crown Castle is proposing to install a total of approximately 57 feet of conduit - from Eversource manhole #782 on Main Street at Broadway to a proposed Crown Castle handhole in the sidewalk - approximately 47 feet, then from the proposed Crown Castle handhole to a relocated Small Cell node location - approximately 3 feet, and from there approximately 7 feet from new node location towards the curb, to be stubbed and capped on the street side of the curb, to be connected to future proposed conduit by Verizon. The existing City pole will be removed, and it will be replaced with a "look-a-like" pole matching City of Cambridge style.

Present: Ana Semashka. Cambridge Redevelopment: Bryan Simmons; Joel Smith; and Tom Evans.

Documents Considered: Petition and documents attached thereto; and correspondence related to the petition.

Summary: They intend to install 27 feet of conduit from a manhole on Main Street to Broadway. This would be coming from a Crown Castle handhold to a small cell node, and then a new node to the curb and picked up by Verizon. Relocation to an existing node, reinstalling it at new location.

Evans testified this work is partially on CRA property/MXD property and they are not aware of it and have not approved it. Smith confirmed the handhold and conduit lines and light poles would be within CRA property and there are no agreements in place related to that. Did meet with Verizon, no agreements in place. There is a current small cell within the property but there are no agreements related to it. Evans testified there is a strange light pole installed in right of way but it was installed in 2014 when Main Streetscape work was done and there was an agreement with the developer. However, the installation of the small cell was never agreed to and no one ever contacted them about it.

The street light is the City's and it has full control of power to the light fixture M30. They are missing a Grant of Location from Eversource, as there is no current power that they can use. This is under the City's electrical meter, and they will need Eversource power if installed.

The plan also does not show the Red Line tunnel or utilities on Main Street/Broadway. There will need to be test pits performed and updated drawings are required.

Decision: Tolling Agreement – while there is an agreement reached with Cambridge Redevelopment Authority for the installation, and Verizon submits a new plan and test pits are performed.

- 12. New petition (275969) - Verizon New England**, 125 Lundquist Drive Braintree, MA 02184, for the following: Main Street - Verizon to place 80'x2' of new conduit from MH319 on Main Street to Crown Castle shared handhole on Main Street.

Present: Ana Semashka. Cambridge Redevelopment: Bryan Simmons; Joel Smith; and Tom Evans.

Documents Considered: Petition and documents attached thereto; and correspondence related to the petition.

Summary: They intend to install 27 feet of conduit from a manhole on Main Street to Broadway. This would be coming from a Crown Castle handhold to a small cell node, and then a new node to the curb and picked up by Verizon. Relocation to an existing node, reinstalling it at new location.

Evans testified this work is partially on CRA property/MXD property and they are not aware of it and have not approved it. Smith confirmed the handhold and conduit lines and light poles would be within CRA property and there are no agreements in place related to that. Did meet with Verizon, no agreements in place. There is a current small cell within the property but there are no agreements related to it. Evans testified there is a strange light pole installed in right of way but it was installed in 2014 when Main Streetscape work was done and there was an agreement with the developer. However, the installation of the small cell was never agreed to and no one ever contacted them about it.

The street light is the City's and it has full control of power to the light fixture M30. They are missing a Grant of Location from Eversource, as there is no current power that they can use. This is under the City's electrical meter, and they will need Eversource power if installed.

The plan also does not show the Red Line tunnel or utilities on Main Street/Broadway. There will need to be test pits performed and updated drawings are required.

Decision: Tolling Agreement – while there is an agreement reached with Cambridge Redevelopment Authority for the installation, and Verizon submits a new plan and test pits are performed.

- 13. Continuation from March 21, 2024 to further review and meet with Verizon to discuss the test pit results and plans (256020) - Verizon New England**, 85 High Street, 3rd Floor, Pawtucket, RI 02860, for the following: Spinelli Place - Verizon to place 392 feet of conduit from existing manhole 369 in front of 737 Concord Avenue, to proposed handhole on the sidewalk near the intersection of Concord Avenue and Spinelli Place, then an additional 420 feet of conduit from proposed handhole, to proposed handhole in front of 27 Spinelli Place and then an additional 2 feet of conduit from the proposed handhole to existing pole 6 in front of 27 Spinelli Place.

Present: Bryan Simmons.

Summary: There was a discussion with the Department of Public Works (“DPW”) as to the test pit results. DPW, inadvertently, gave them the go ahead on site and Verizon started the work without a grant of location. The work was expected to be completed on July 19.

Decision: Granted with typical conditions, and additional condition of mill and overlay on Concord Avenue and Spinelli Place.

- 14. New petition (275965) - Verizon New England**, 125 Lundquist Drive Braintree, MA 02184, for the following: Vassar Street and Amesbury Street - Verizon to place 107'x2' of new conduit from pole 77 on Vassar Street to Crown Castle shared handhole on Amesbury Street.

Present: Bryan Simmons and Ana Semashka, Verizon. Sarah Feely, Crown Castle.

Summary: This includes 107 feet of conduit from Pole 77 on Vassar Street to Crown Castle handhold at Vassar Street. They will be crossing Vassar Street. There will be a new node for Crown Castle. There was question as to whether this was approved in April 2024 and it was represented to the Commission that there would be no excavation (petition #262804). Semashka stated the work relayed back to petition #241257, which was just represented to the Commission as additional equipment for the pole.

Decision: Continue while Verizon and Crown Castle coordinate and provide more information to the Commission as to the previously approved related petitions so the petition can be properly reviewed. If there is no previously approved petition for the fiber/electric service, a petition to address that must be submitted.

- 15. New petition (275968) - Verizon New England**, 125 Lundquist Drive Braintree, MA 02184, for the following: Main Street - Verizon to place 125'x2' of new conduit from MH13 on Main Street to Crown Castle shared handhole on Main Street.

Present: Bryan Simmons; Ana Semashka; Sarah Feely; and Brandi Spezzano.

Summary: This would be for a 2-inch to the Crown Castle shared handhold. It would be for new service related to petition #241257. The Commission once again relayed the importance of having the petitions filed together – fiber and installations – to avoid confusion. They explained they are catching up and these are older sites.

Decision: Granted with typical conditions and additional condition that there needs to be permanent sidewalk repair.

[Note: Petitions #16 & 17 as listed on the agenda were called/considered together.]

- 16. Continuation from February 15, 2024 - Tolling Agreement entered - Continued to allow petitioner to provide Engineer structural report as to the pole being able to sustain the new installation, confirmation from Historical Commission that this location is not under their purview, submission from Verizon showing their aerial feed route, and Eversource work order (252850) - ExteNet Systems LLC**, 31 Chesterfield Road, Milton, MA 02186, for the following: Cambridge Street - The Applicant seeks permission to install a Small Cell Facility per plans submitted to improve wireless service for T-Mobile. This installation will include the following: an antenna mounted to the top of the pole; a shroud for radios mounted to the pole; and an electrical meter. The fiber connection will be done utilizing the existing pole lines.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons. Eversource – Phyllis Galloway.

Summary: This relates to a decorative pole which will be replaced by a similar pole. There will be a box for radios, mounted on the pole itself, and the conduit comes from underground. It would be a 2-inch conduit from the manhole to the proposed new handhold on the sidewalk. This would be for new service. The installation complies with the size, distance and ADA requirements of the Small Cell Policy.

The petition is missing the electric part because the meter is under City control as it is a decorative pole. Now with the installation, they will need an Eversource meter. However, the petitioner explained that due to the existing union agreements between Eversource and ExteNet as it relates only to existing installations, the responsible party is ExteNet. Therefore, ExteNet is the ones that need to petition as it will be the one installing the conduit for the electrical service.

Decision: Pending updated description of route and plan, granted with typical conditions, and additional conditions of: permanent sidewalk restoration and trench paving; and must coordinate with Cambridge Electrical Department for light pole removal.

- 17. New petition (258918) - Verizon New England**, 85 High Street, 3rd Floor, Pawtucket, RI 02860, for the following: Cambridge Street - Verizon to place 152 feet of conduit on Cambridge Street from MH #26/184 at the intersection of Fifth Street and Cambridge Street, to a handhole in front of 453 Cambridge Street.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons. Eversource – Phyllis Galloway.

Summary: Fiber is what is being provided by Verizon. Permanent sidewalk restoration, and trench paving. Coordinate with electrical department for light pole removal.

Decision: Granted with typical conditions, and additional conditions of: permanent sidewalk restoration and trench paving; and must coordinate with Cambridge Electrical Department for light pole removal.

[Note: Petitions #18 & 19 as listed on the agenda were called/considered together.]

- 18. Continuation from March 21, 2024 to be placed back on agenda with ExteNet related petitions (258904) - Verizon New England**, 85 High Street, 3rd Floor, Pawtucket, RI 02860, for the following: First Street - Verizon to place 240 feet of conduit from existing manhole #598 on Hurley Street at the side of 85-95 First Street, to an ExteNet handhole in front of 60 First Street.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons.

Summary: 240 ft from manhole 598 to a proposed handhold on First Street. There have to be test pits on First Street.

Decision: Granted with typical conditions, and additional condition that must coordinate with Cambridge Electrical Department for light pole removal.

- 19. New petition (263244) - ExteNet Systems LLC**, 31 Chesterfield Road, Milton, MA 02186, for the following: First Street - The applicant seeks permission to install a Small Cell Facility on an existing decorative pole in the public right of way. This installation will include an antenna and an equipment box which will house the radios. All wiring and cabling will run in underground conduit and up the inside of the utility pole.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons.

Summary: Permission to install small cell facility 66 First Street which includes a City-owned decorative light pole. They would replace the pole which would remain at 21.5 feet tall with the whip antenna. The fiber and power are coming from an underground conduit. The pole is M12. The installation complies with the size, distance and ADA requirements of the Small Cell Policy.

Decision: Pending updated description which includes details of the electrical feed route, granted with typical conditions, and additional condition that must coordinate with Cambridge Electrical Department for light pole removal.

[Note: Petitions #20 & 21 as listed on the agenda were called/considered together.]

- 20. Continuation from March 21, 2024 to be placed back on agenda with ExteNet and Eversource related petitions (258908) - Verizon New England**, 85 High Street, 3rd Floor, Pawtucket, RI 02860, for the following: Otis Street - Verizon to place 225 feet of conduit from existing pole #636/125 on Sixth Street at the side of 140 Otis Street, to an ExteNet handhole at 131-133 Otis Street.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons.

Summary: Existing street light, and will replace it with a pole of the same height with the antenna at the top. The installation complies with the size, distance and ADA requirements of the Small Cell Policy. This includes placing 225 ft of conduit from Pole #636/125 on Sixth Street to an ExteNet handhold on Otis Street. There is new fiber on this one and it is a new small cell. The fiber will come from Verizon, and the electric work will be done by ExteNet. Since it is a new installation it requires everything new. Since this is a metal street light, as far as power it is off the grid, so no need to go to the manhole.

Decision: Continued while ExteNet revises and uploads drawing and route description showing new electrical feed route as amended at the hearing.

- 21. New petition (256377) - ExteNet Systems LLC**, 31 Chesterfield Road, Milton, MA 02186, for the following: Otis Street - The Applicant seeks permission to install a Small Cell Facility per plans submitted. This installation will include the following: an antenna mounted to the top of the newly replaced pole; an equipment shroud for radios mounted to the pole; power and fiber cabling as needed. The fiber connection will be done utilizing the existing infrastructure.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons.

Summary: Tolling agreement on this one. Because the street light is being replaced, the new street light would be replaced and dual compartment handhold installed. There is question as to whether the conduit is going to be able to get all the way to the dual compartment handhold. Could they capture the conduit from the one feeding the light. There is a possibility that they can shift the light over, and take it off and take the handhold there and put the communications conduit there.

Decision: Tolling Agreement while ExteNet revises and uploads drawing and route description showing new electrical feed route as amended at the hearing.

[Note: Petitions #22 & 23 as listed on the agenda were called/considered together.]

- 22. New petition (263245) - ExteNet Systems LLC**, 31 Chesterfield Road, Milton, MA 02186, for the following: First Street - The applicant seeks permission to install a Small Cell Facility on an existing decorative pole in the public right of way. This installation will include an antenna and an equipment box which will house the radios. All wiring and cabling will run in underground conduit and up the inside of the utility pole.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons.

Summary: Small cell at 2 First Street on decorative light pole, the replacement will be the same height, 4 foot antenna, and a box with the radios. The installation complies with the size, distance and ADA requirements of the Small Cell Policy. The closest structure to the installation is 12 feet away. There was a Mass DOT project at this location. Specifically it was paved last month, and included new sidewalks, new utility and new roadways.

Decision: Due to recently completed Mass DOT project at the location, denied based on City 5-year moratorium for non-emergency construction projects.

23. New petition (258913) - Verizon New England, 85 High Street, 3rd Floor, Pawtucket, RI 02860, for the following: Cambridge Street - Verizon to place 125 feet of conduit from manhole #189 at the intersection of Cambridge Street and First Street, to a handhole at the side of 2 First Street on Cambridge Street.

Present: ExteNet - Keenan Brinn; Chris Frederick; and Dan Ryan. Verizon – Bryan Simmons.

Summary: New conduit 189 manhole on intersection to the proposed hadhold on First Street.

Decision: Due to recently completed Mass DOT project at the location, denied based on City 5-year moratorium for non-emergency construction projects.

24. Consideration of Meeting Minutes - June 13, 2024.

Decision: Approved.

NMF______

Minutes Approved: August 22, 2024

MM___MM/

Minutes Posted: August 22, 2024

TJS___TJS/