

CITY OF CAMBRIDGE

POLE AND CONDUIT COMMISSION

IN RE: POLE AND CONDUIT COMMISSION MEETING

POLE AND CONDUIT BOARD MEMBERS:

ANDREA JACKSON, CHAIR

WILLIAM DWYER, SUPERINTENDENT OF STREETS

STEPHEN LENKAUSKAS, DEPUTY CITY ELECTRICIAN

STAFF: EXECUTIVE DIRECTOR ELIZABETH LINT

AT: Michael J. Lombardi
Municipal Building
831 Massachusetts Avenue
Basement Conference Room
Cambridge, Massachusetts 02139

DATE: Thursday, April 16, 2015

TIME: 10:00 a.m. to 12:35 p.m.

REPORTERS, INC.

CAPTURING THE OFFICIAL RECORD
617.786.7783/www.reportersinc.com

INDEX OF AGENDA PROCEEDINGS

<u>AGENDA MATTERS</u>	<u>PAGE</u>
PETITION (CONTINUED)	
PHOENIX COMMUNICATIONS INC. - THIRD STREET	8
PETITION (CONTINUED)	
LIGHTOWER FIBER NETWORKS, LLC - CHESTNUT STREET AND MAGAZINE STREET	13
PETITION (CONTINUED)	
LIGHTOWER FIBER NETWORKS - 790 MEMORIAL DRIVE	22
PETITION (CONTINUED)	
LIGHTOWER FIBER NETWORKS - 640 MEMORIAL DRIVE	23
PETITION (CONTINUED)	
COMCAST - 33 COTTAGE PARK AVENUE	28
PETITION (CONTINUED)	
COMCAST - 9 BEECH STREET	31
NEW PETITION	
COMCAST - 81 MT. AUBURN STREET	34
NEW PETITION	
COMCAST - 700 TECHNOLOGY SQUARE	37
NEW PETITION	
COMCAST - HURON AVENUE TO HURON B	39
NEW PETITION	
COMCAST - 105 BROADWAY	43
NEW PETITION	
LIGHTOWER - REMINGTON AND HARVARD STREETS	46

INDEX OF AGENDA PROCEEDINGS

<u>AGENDA MATTERS</u>	<u>PAGE</u>
NEW PETITION LIGHTOWER - 1100 MASSACHUSETTS AVENUE	52
NEW PETITION LIGHTOWER - ATHENAEUM AND SECOND STREETS	54
NEW PETITION LIGHTOWER - 2 CANAL PARK/CAMBRIDGE STREET	56
PETITION (CONTINUED) NSTAR - RINDGE AVENUE	59
NEW PETITION NSTAR - KINNAIRD STREET	60
NEW PETITION NSTAR - WESTERN AVENUE	63
NEW PETITION NSTAR - RINDGE AVENUE	65
NEW PETITION NSTAR - ALBANY STREET	66
NEW PETITION NSTAR - FERN STREET	69
NEW PETITION CAMBRIDGE TRAFFIC, PARKING AND TRANSPORTATION DEPARTMENT - BROADWAY STREET	72
NEW PETITION CAMBRIDGE TRAFFIC, PARKING AND TRANSPORTATION DEPARTMENT - HAMPSHIRE STREET	77

INDEX OF AGENDA PROCEEDINGS

<u>AGENDA MATTERS</u>	<u>PAGE</u>
NEW PETITION CAMBRIDGE, TRAFFIC, PARKING AND TRANSPORTATION DEPARTMENT - CONCORD AVENUE	80
NEW PETITION TELEPORT COMMUNICATIONS AMERICA - BENT STREET	83
NEW PETITION TELEPORT COMMUNICATIONS AMERICA - SIXTH STREET	85
NEW PETITION VERIZON - CAMBRIDGEPARK DRIVE	96
NEW PETITION VERIZON - 114 MT. AUBURN STREET	104
NEW PETITION (LATE) VERIZON - WATER STREET	114
NEW PETITION CAMBRIDGE DEPARTMENT OF PUBLIC WORKS - MT. AUBURN STREET, HOLYOKE STREET, JFK STREET AND WAVERLY PATH AND MASS AVE	116
PETITION (CONTINUED) CROWN CASTLE - NODE N061	127
PETITION (CONTINUED) CROWN CASTLE - NODE N063	133

INDEX OF AGENDA PROCEEDINGS

<u>AGENDA MATTERS</u>	<u>PAGE</u>
PETITION (CONTINUED)	
CROWN CASTLE - NODE N074	136
PETITION (CONTINUED)	
CROWN CASTLE - NODE N075	137
PETITION (CONTINUED)	
CROWN CASTLE - CAMBRIDGE STREET	139
PETITION (CONTINUED)	
CROWN CASTLE - ESSEX STREET, NORFOLK STREET AND BISHOP ALLEN DRIVE	140
PETITIONS CONTINUED	
CROWN CASTLE - NODES N038, N040, N059	144
PETITION (CONTINUED) RESCINDED	
CROWN CASTLE - NODE N059	147
PETITION (CONTINUED)	
CROWN CASTLE - NODE N039	149
PETITION (CONTINUED)	
CROWN CASTLE - NODE N042	157
PETITION (CONTINUED)	
CROWN CASTLE - NODE N043	160
PETITION (CONTINUED)	
CROWN CASTLE - NODE N048	162

INDEX OF AGENDA PROCEEDINGS

<u>AGENDA MATTERS</u>	<u>PAGE</u>
PETITION (CONTINUED) CROWN CASTLE - NODE N016	163
PETITION (CONTINUED) CROWN CASTLE - NODE N041	166
PETITION (CONTINUED) CROWN CASTLE - NODE N047	167
PETITION (CONTINUED) CROWN CASTLE - NODE N034	169
PETITION (CONTINUED) CROWN CASTLE - NODE N029	170

P R O C E E D I N G S

THURSDAY, JANUARY 15, 2015

POLE AND CONDUIT COMMISSION MEETING

CHAIR ANDREA JACKSON: Good morning. We are at the Pole and Conduit Commission meeting. It is Thursday, April 16, 2015. It is approximately 10:00 a.m.

We're in the Michael J. Lombardi Building, 831 Mass Ave, Basement Conference Room. Before you are Commissioners. I am Andrea Jackson, I'm the chair, Stephen Lenkauskas and Bill Dwyer.

We're going in order of the agenda.

Do you want to call the first item.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Do we have any last month's --

CHAIR ANDREA JACKSON: Last month's

minutes? We'll do that at the end.

CITY ELECTRICIAN STEPHEN LENKAUSKAS:

Okay. On the first petition is Crown Castle.

CHAIR ANDREA JACKSON: They're not here.

So we will skip all of them.

So Phoenix Communications in regards to
Third Street.

PETITION (CONTINUED)

PHOENIX COMMUNICATIONS INC. - THIRD STREET

CHAIR ANDREA JACKSON: State your name and
spell your first and last name for the record.

JAKE MCADOO: Jake Mcadoo, J-A-K-E,
M-C-A-D-O-O.

CHAIR ANDREA JACKSON: And you're
with...?

JACK MCADOO: Phoenix Communications
representing Mcimetro.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: This petition is in regards to Third

and Broadway to install one four-inch PVC conduit for 75 feet on Third Street from a Level 3 Manhole 0515-1200 to Verizon Manhole 26/534.

JACK MCADOO: Actually I had a change since last time. The city was trenching across the intersection.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: We're going to need a plan of that.

JACK MCADOO: Here are the plans. The dark areas where we are in the trench with the city.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: The solid black line is what you actually installed?

JACK MCADOO: Correct.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: And the broken black line is...?

JACK MCADOO: Where we're proposed to

install to get to the Level 3 hole and Verizon manhole.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I know you had to meet with the contractors and the engineers on site.

Any issues with scheduling?

JAKE MCADOO: Nope. We just -- Newport is actually at the intersection, I think, today. He called me yesterday asking if they could do that. I said I would get approval from you guys to continue with the trench, but Newport is going to be the ones doing that for us.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They're going to do the entire project?

JAKE MCADOO: No. We held off just because there's a separate portion from what you guys are doing.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So they're only doing the trench?

JACK MCADOO: They installed conduit in the black portion. The bold line, we still have to continue with the dotted line.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So they stubbed out both ends?

JACK MCADOO: Correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So the work you still need to do is the breakout of the manhole to the trench on both sides?

JACK MCADOO: Correct. It's 36 feet and 10 feet.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Okay. And you have the schedule for that?

JACK MCADOO: Just whenever you guys say go.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: You don't have a permit for that work?

JACK MCADOO: No, we don't have the permit yet.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: So you still need to get the permit. Okay.

We'll move forward with this petition with the restrictions or conditions that they coordinate with the contractor and on-site engineers, which they have, and continue with all the other regulations that we -- typical SPOF regulations that we call for on every petition which would be the city permits, site meeting, and SPOF regs whatever they may be, case to case.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: There's a second conduit for the city included in that?

JACK MCADOO: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Second it.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: All set.

JACK MCADOO: Thank you.

CHAIR ANDREA JACKSON: Good morning.

Please state your name for the record.

BILL CONWAY: Bill Conway, C-O-N-W-A-Y.

PETITION (CONTINUED)
LIGHTOWER FIBER NETWORKS, LLC -
CHESTNUT AND MAGAZINE STREET.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This is a continued petition for the
following: Chestnut Street and Magazine Street
starting at Utility Pole 34, place 190 feet of

one, 4-inch conduit. Communication conduit to
Utility Pole 146/33.

CHAIR ANDREA JACKSON: Good morning.

BILL CONWAY: Good morning.

CHAIR ANDREA JACKSON: And if you could
please state your name for the record.

BILL CONWAY: Bill Conway, Access
Engineering on behalf of Lighttower.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: I believe this was continued many
times and I think we're waiting for licensing.

BILL CONWAY: We're waiting for licensing
to make ready for NSTAR, and it just continues to
get pushed off on the construction end because of
the weather delays.

I did ask Howard Kendrick from Eversource
to create a letter that it's, you know, just --
it's going to happen. They're just behind.
We're afraid that if this continues, we're not

going to be able to get the excavation in and hold the customer off even longer.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I don't happen to have a plan in front of me. Is this 190 feet all excavation?

BILL CONWAY: It's part of a pole line as well. There's actually two digs with this.

There's one here at Chestnut and Magazine Streets and there's a small dig at the Pleasant Street extension which is another petition.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Another petition, correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So you're looking to get this dig in, and then come back to us with the licensing and all the make ready work?

BILL CONWAY: Correct. Just if we can go ahead and get the dig completed, or at least scheduled, so that if, all of a sudden, we get to

the end of summer or close to that moratorium date, if it goes that far, which I don't foresee it happening that way, but just so we're not scrambling last minute.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: If that was the case, you would have to -- there's a 90-day window here. Once you're approved here, you have 90 days to get this thing done. You need to either make sure it gets done before that time expires, otherwise you're in front of us again.

BILL CONWAY: Correct.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: But you just can't wait till the end of the season because it's convenient.

BILL CONWAY: We would rather get everything scheduled and excavation work done sooner rather than later.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: This is the Servado, that wooden structure there? They're going condos or do you know?

BILL CONWAY: This is part of Sanofi Genzyme. This is the actual -- this is the whole aerial. That is just where we are -- you see 790 Memorial Drive is --

CHAIR ANDREA JACKSON: Sir, please identify yourself for the record.

SHAWN ALLES: Shawn Alles, S-H-A-W-N, A-L-L-E-S, Lighttower Fiber Network.

You should have that aerial.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: You're waiting for permission from Verizon to run your aerial line?

SHAWN ALLES: We're just waiting for -- there's some pole sets that need to be done through NSTAR and then Verizon is just gonna be moving some -- just placing the cable.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Are you in NSTAR space on this?

SHAWN ALLES: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Do you know how many poles are going to need to be replaced, or has that gone that far?

SHAWN ALLES: That one is eight poles.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Eight poles in this one?

SHAWN ALLES: Correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They have looked at it and they're saying eight poles to be replaced?

SHAWN ALLES: Correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: But they haven't given you the paperwork yet or the licensing for the poles?

SHAWN ALLES: We have everything, we're

just waiting for the make right to be completed
right now.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Oh, okay. All right.

SHAWN ALLES: Everything is submitted.

This was all supposed to be done by February, but
because of the weather, everything has got pushed
back. That's what I had asked the course to
creat the --

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So you do have all your make ready
work surveyed and ready to go?

SHAWN ALLES: It's all paid for and we're
just waiting for construction to --

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And all your licensing for all the
poles.

SHAWN ALLES: Correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Will you submit that to us?

SHAWN ALLES: Sure.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I think I'd feel more comfortable if we waited on this one. Continue it to next month. I haven't seen this recently. I didn't happen to have this this week and I didn't see this.

CHAIR ANDREA JACKSON: You want to continue it?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I would like to continue it. I move to continue this particular petition.

CHAIR ANDREA JACKSON: Okay. So a motion's been made to continue.

Is there a second?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I second.

CHAIR ANDREA JACKSON: All those in favor

signify by saying aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: Aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Can I keep this one?

SHAWN ALLES: Yes, that's fine. And I will forward you all the -- everything we have going, the paperwork with NSTAR as well.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yeah. And I would note all the poles being changed, which poles.

SHAWN ALLES: Sure. We want to do the same -- the same aerial run will be with Pleasant Street.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Let's see what you got for this one. Moving on, I would rather keep these in order.

SHAWN ALLES: The bottom of Page 3 would

be the other one.

PETITION (CONTINUED)

LIGHTOWER FIBER NETWORKS - 790 MEMORIAL DRIVE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: If we could move to the bottom of
Page 3? This is the 790 Memorial Drive starting
at Utility Pole, which is not tagged, place 10
feet of 4-inch communication conduit to
telecommunication manhole located at 790 Memorial
Drive, Pleasant Street Extension.

Move to continue.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

SUPERINTENDENT OF STREETS BILL DWYER:

Aye.

PETITION (CONTINUED)**LIGHTOWER FIBER NETWORKS - 640 MEMORIAL DRIVE**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We will move back to Page 2. This for 640 Memorial Drive, starting at Utility Pole 102/85, place approximately 117 feet of 4-inch communication conduit to the rear of the building at 640 Memorial Drive.

SHAWN ALLES: This was in the same deal we're still waiting on. This is just two poles for Eversource make ready. And I have a letter from Eversource regarding the make ready on that.

CHAIR ANDREA JACKSON: Let the record reflect we have received a letter dated April 13, 2015 from Eversource Energy from Howard Kendrick stating that the petition is being held up on the completion of Eversource make ready work associated with the abutters work order due to severe weather.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So the same with this one, all of --

SHAWN ALLES: This is just two poles.

Exactly.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: It's not ready to go yet then?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They're asking for the conduit work
at Grant Street going across into 640.

This is a continued -- another continued
from previous hearing.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: That's --

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: That's the old Ford building.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yep, that's right. I think I

have a question on that.

Are you tying into a utility chamber or manhole on the west side of the street near the ballpark, near the little league field?

SHAWN ALLES: We're tying into a pole riser.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: A pole riser, okay. I think the plan I had, though, showed it coming out of the front of the building. Those were the different ones. That's the only thing I'm a little concerned about.

SHAWN ALLES: This is the drawing I submitted.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: The only difference there's nothing going -- this went -- I have a small scale drawing. But it looked to me like it was going to the median strip. Do you have the scope

for the crossover street? On the median strip I was curious if they were doing a structure. This is what I had coming out of the front of the building.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Oh, okay, that's...

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: As far as work throughout the building, that's irrelevant because that's private property anyway. We can move ahead with this.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I move --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Can I hold onto this? Sorry.

SHAWN ALLES: Yes, that's fine. I think the drawing you had was the whole pole, the aerial run.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Move to approve, pending to forward all the paperwork to licensing and the pole numbers and the poles that are going to be replaced also, and all typical conditions from DPW, permits, SPOF.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: A site meeting. You definitely need a site meeting. There's a major sewer line running not too far from where you want to put your trench.

SHAWN ALLES: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion?

CHAIR ANDREA JACKSON: Second. All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

CHAIR ANDREA JACKSON: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Thank you.

SHAWN ALLES: Thank you.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Crown Castle. We have pushed all
your petitions together. So we'll hear them all
at once. We will do all Crown Castle at the end.

KOSTA JOVANOVIC: Okay.

PETITION (CONTINUED)

COMCAST - 33 COTTAGE PARK AVENUE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Call Comcast.

ANTHONY VATALARO: Good morning.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Good morning, Anthony. This is Page
4, top of Page 4.

This is for -- this is a continued petition for 33 Cottage Park Avenue from existing Pole 728/2 on Whittemore Avenue, trench 29 feet in the public way, to the property line of 33 Cottage Park Avenue, installing one, 4-inch conduit. This will include the removal and replacement of one sidewalk panel.

I believe this was continued to try to -- I think we were trying to keep that on the sidewalk, was that the question?

ANTHONY VATALARO: I think we said we thought it was paved, Whittemore, but it's not.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: It stopped. It laid out just beyond the pavement.

ANTHONY VATALARO: The new pavement?

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Yes.

ANTHONY VATALARO: So this still would be

in the street not in the newly paved street?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Motion to approve?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Motion to approve.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: All typical conditions?

CHAIR ANDREA JACKSON: Motion's been
made.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)**COMCAST - 9 BEECH STREET**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Comcast. This is for 9 Beech Street from existing Comcast manhole at the intersection of Beech and Orchard Street, trench 77 feet in the public way, southwesterly on Beech Street, ending at the private property line of 9 Beech Street, installing one, 4-inch conduit. This will include the removal and restoration of a brick sidewalk.

This was also continued from last month.

ANTHONY VATALARO: So there was some question about the tree in the path and we did meet, and I think based -- if it's approved, based on the site meeting, I will owe you a revised drawing. We added 15 to 20 feet of trenching to get around the street to go beyond the tree.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And the site meeting was with who?

ANTHONY VATALARO: Bill and Jaya

(phonetic).

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: DPW.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Move to approve pending a revised drawing to be submitted.

ANTHONY VATALARO: And I will change the wording, is that just on the drawing or...?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I would change everything that pertains to your meeting with DPW.

ANTHONY VATALARO: What do you want to see from me, just the drawing with the description, or any other part of the application?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I would say just the drawing because everything else --

EXECUTIVE DIRECTOR ELIZABETH LINT: Well no. No. The wording has to change because it says "trench 77 feet," and if there's actually 15 to 20 more that has to be reflected.

ANTHONY VATALARO: So is that just on the drawing, or do you need a whole new application?

EXECUTIVE DIRECTOR ELIZABETH LINT: Well, can you do it just on the pages that -- I mean, you don't have to do the whole thing, just...

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Just where it's reflected.

EXECUTIVE DIRECTOR ELIZABETH LINT: Just where it's reflected. Just the first page.

ANTHONY VATALARO: Right. I gotcha.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So on the motion?

CHAIR ANDREA JACKSON: Motion's been

made.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Anthony, when you forward that information, can you also cc me on it?

ANTHONY VATALARO: Sure.

NEW PETITION

COMCAST - 81 MT. AUBURN STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We're going to remain with Comcast and we'll move on to the bottom of Page 8.

18 Mount Auburn Street, place one new 3-inch by 3-inch manhole over existing Comcast

conduit in front of 81 Mount Auburn Street,
trench northerly 27 feet in the public way,
ending at the private property line of 81 Mount
Auburn Street installing one, 4-inch conduit.
This will include the removal and restoration of
the brick sidewalk.

ANTHONY VATALARO: So this is to get a
redundant feed into that building based on the
street being paved new. We have a conduit going
in, but it's only a two-inch. And that's on JFK
which is newly paved and Dunster is newly paved.
And then Mt. Auburn is scheduled to be paved this
season, so we would like to take an opportunity
to get a 4-inch pipe in there.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Actually that work is beginning
today.

ANTHONY VATALARO: I know, yeah.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Okay.

ANTHONY VATALARO: I spoke with Lou
briefly about it just to let him know.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Okay. Public Works is fine with
it. Just the coordination effort that Anthony is
making. I am sure everything will go fine, so
we're good.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion to approve?

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

EXECUTIVE DIRECTOR ELIZABETH LINT: All
conditions, I assume?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: All conditions and coordination with the ongoing construction of that area.

NEW PETITION

COMCAST - 700 TECHNOLOGY SQUARE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: 700 Technology Square. This is a revised petition from last month, 3/19/2015 from existing Pole No. 19 on Washington Street, trench 291 feet easterly in the public way, and then turning northerly, an additional 178 feet on Portland Street to the property line of 700 Technology Square installing one, four-inch conduit.

ANTHONY VATALARO: So the property owner changed the original plan. It was to come into 600. So they didn't want us going through that brick -- there's a brick sidewalk area there on their property that they didn't want us to

disturb. So they want us to come in on the back side which is an additional 178 feet down Portland of the 700 building.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It's different from what we looked at?

ANTHONY VATALARO: Yeah. We had the site meeting and --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: You were going straight across.

ANTHONY VATALARO: The original plan was to go straight across. We did review all this with the owners to begin with, and then they changed it last minute, and they want us to come down to the backside of the 700 building. So it's going to add that additional 178 feet down Portland. So it would be the same area we did look at on Washington.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Uh-huh, okay.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: We're good.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion to approve pending all
typical site meetings and all the typical
provisions.

CHAIR ANDREA JACKSON: Motion's been
made.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

COMCAST - HURON AVENUE TO HURON B

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Huron Avenue to Huron B, trench approximately 1524 feet easterly on Huron Avenue from Fresh Pond Parkway to Lakeview Avenue installing 4, four-inch conduits to include one, four-inch conduct for a city shadow. This will also include the placement of six new four by four Comcast manholes.

ANTHONY VATALARO: So this is -- I don't know if you remember two years ago as part of an upgrade, Comcast was trying to trench a bunch of different areas, and we brought it to Pole and Conduit and Pole and Conduit said, Well, why don't you try and" --

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Use what's there?

ANTHONY VATALARO: Yes. That's what we did. And we were able to do everything. Everything got repulled. We were able to place cables everywhere.

On this Huron project, I think this is Huron B out here.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Uh-huh.

ANTHONY VATALARO: So they had asked us to lower the conduit that's here at Lakeview at the corner of Lakeview and Huron, which we did, and then after we lowered it -- so prior to all that, we had pulled the 432 count fiber in there which we only had one conduit. That took the full capacity of the conduit with the other cables in it.

So after we lowered the pipe to get out of their way, they hit it. They still hit it. And they broke the 432 fiber which was dark at the time.

We tried pulling it out. We can't pull it out. It doesn't move. We can't place new fiber, plus we have no capacity there anyway.

So we have been working with the DPW on -- as far as this Huron B project goes. If you look at the engineered drawings, they found a path for us to place this conduit.

And they have agreed with the pathway and us doing -- there's a window of opportunity for us to get the work done. Kara Falise has been -- like she's been working with us on this along with Kleinfelder.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Given everything on this, DPW is fine with moving ahead with this Huron B project going, too.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: So on the motion to approve, all typical conditions?

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And coordination, site visit with the ongoing construction out there?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion?

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

COMCAST - 105 BROADWAY

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: 105 Broadway, place one new 3 by 3 manhole over existing Comcast conduit in front of 105 Broadway. Trench westerly 42 feet in the public way ending at private property line of 105 Broadway installing one, four-inch conduit. This

will include the removal and replacement of two sidewalk panels.

ANTHONY VATALARO: This was for new service to get into the west side of Cambridge center.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Is that a -- on the sidewalk, on the -- it's that a Verizon hole?

ANTHONY VATALARO: No. They have their own manhole system. That's one of their manholes, I believe.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Them being who?

ANTHONY VATALARO: I'm sorry. Cambridge Center, Boston Properties.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Oh, Boston Properties.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: There's a manhole you're going to

install, though, right?

ANTHONY VATALARO: Yes. We have existing conduit passing by there.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Public Works, we're all set with that, Steve.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Motion to approve pending all typical conditions and site meetings and coordination.

On the motion?

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Aye.

ANTHONY VATALARO: Thank you.

NEW PETITION**LIGHTOWER - REMINGTON AND HARVARD STREETS**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I would like to call Lightower. On the bottom of Page 10.

Lightower. This is Remington Street at Harvard Street. Starting at Utility Pole 580/5 on Remington Street, install approximately 164 feet of four-inch PVC conduit and other supporting and protecting equipment to Verizon Manhole 26/451 on Harvard Street.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I have a question. What project is this for? What is the upgrade here?

SHAWN ALLES: This is feeding Air, Inc at 1100 Mass Ave. And Lightower has existing services in the Verizon Manhole 26/451 on Harvard Street. It's a new lateral build-back to the existing Lightower network on Harvard Street.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And Verizon did the survey?

SHAWN ALLES: They did the survey.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They don't have room. I have reached out to Verizon per our conversation last week and we're just waiting to hear back from engineering.

Our plats indicate that there are multiple conduits going down Remington Street, and Verizon came back to us and said that there are no available conduits for us to use during their survey.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: But you have a second call into them to verify that?

SHAWN ALLES: I do, yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: You haven't heard back?

SHAWN ALLES: I have not.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: They don't have to indicate to you what kinds of projects they have ongoing or upcoming, Verizon?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: For Verizon?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I don't know.

SHAWN ALLES: They don't -- I don't recall how old the -- their plat was either. I'm looking to get that information as far as how long the conduits have been placed.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I am seeing a fair amount of conduit

in that -- on Remington Street upwards of 36 conduits in that duct bank. They didn't indicate the amount of fill or the percentage of fill in that duct bank or did they just come back and --

SHAWN ALLES: This was their results.

Unfortunately, they don't really tell us how many conduits they have, or what is available and what is not available. We just indicate or they indicate whether it's partial leased or full leased conduit.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: All right. I would like to move we continue --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yep.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: -- until we get more information back from Lightower in regards to the amount of -- I mean, the space on that street, just to

clarify from what I'm seeing and from what you're telling from the plats you looked at, there's a substantial duct bank going down Remington and also out to Mass Ave on that side.

SHAWN ALLES: In the event that they come back to us within a week or so, and they tell us that they don't have any conduits available, we'll just move forward with continuing with the dig or --

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: No. You would have to -- I make a motion to continue to be heard again when you come back with the information.

SHAWN ALLES: Okay.

CHAIR ANDREA JACKSON: Motion's been made. Is there a second?

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Yes.

CHAIR ANDREA JACKSON: All those in favor

signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

SHAWN ALLES: Can I just ask one question
on that one?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Sure.

SHAWN ALLES: When we come back for that
second petition and we're under the impression
there are no conduits, do you have any objection
of proceeding with that dig, or do you see any
issues moving forward with that, or do we have to
wait until a second hearing, just based on the
information you see in front of you?

CHAIR ANDREA JACKSON: They have to come
back because that's what we just voted.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: You have to come back.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: We feel pretty confident that this will spur someone in Verizon to respond.

SHAWN ALLES: Thank you.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We think we have an earlier meeting next month anyways -- oh, a late meeting.

CHAIR ANDREA JACKSON: Late meeting. The meeting next month will be on the 26th, May 26th.

NEW PETITION

LIGHTTOWER - 1100 MASSACHUSETTS AVENUE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay. For the next petition for 1100 Mass Ave starting at Utility Pole 580/1 on Remington Street, install approximately 265 feet of 4-inch PVC conduit and other supporting and protecting equipment to proposed handhole and

approximately 28 feet of 4-inch PVC conduit and other supporting protecting equipment to the building at 1100 Mass Ave.

So this is directly related to the previous petition?

SHAWN ALLES: Correct.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Same with this one. I believe clarification of conduit space going in this same area. We'll move to continue.

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

CHAIR ANDREA JACKSON: Aye.

NEW PETITION**LIGHTTOWER - ATHENAEUM AND SECOND STREETS**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Athenaeum Street and Second Street,
starting at Eversource manhole 24963, place
approximately 100 feet of one 4-inch
communication conduit to private property
telephone manhole belonging to the building at
500 Kendall Street.

SHAWN ALLES: Lighttower has existing
network in the Eversource Manhole 24963 on Second
Street. And we're looking to trench to the
private property manhole on Athenaeum Street for
new service into 500 Kendall Square for Sanofi,
and I believe just talking to the Biomed Realty,
I believe their ownership starts right at the
intersection of Second headed west on Athenaeum
Street.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: If I read this right, we may not deal with this this week. This runs right into a manhole right in the construction site.

SHAWN ALLES: On Athenaeum?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yes, on Athenaeum or whatever.

Yep. Right.

SHAWN ALLES: Yes.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Typical conditions and you need to coordinate with the contractor and Alexandra, the developer out there. Move to --

CHAIR ANDREA JACKSON: Coordinate with the contractor and the developer?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: And typical conditions, yes.

Thank you.

CHAIR ANDREA JACKSON: Motion's been made. Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

LIGHTOWER - 2 CANAL PARK/CAMBRIDGE STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Lightower for two Canal Park at Cambridge Street, installation of approximately 97 feet of 4-inch PVC conduit and other supporting and protecting equipment from Level 3 Manhole 0515-3808 on Cambridge Street to the building at 2 Canal Park in Cambridge.

SHAWN ALLES: Again, this is a new lateral service to feed 2 Canal Park. Lightower has existing services and Level 3 manhole 3808 on Cambridge Street. We have the Level 3 approval

breakout letters for that as well.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay. I don't have any issues with this.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Just -- well, I don't think this really will affect the approval or denial or whatever, but I would like to see -- actually, I'd like to see across Cambridge Street, come out of that manhole southbound, if you will, cross the lane, come right into a couple feet off the gutter -- we can discuss this on site -- and then run along the gutter line across the front of the driveway. I prefer to have you go that route as opposed to what is suggested here on the drawing.

SHAWN ALLES: Okay.

EXECUTIVE DIRECTOR ELIZABETH LINT: We'll need a new drawing.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Excuse me.

EXECUTIVE DIRECTOR ELIZABETH LINT: We
need a new one.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Move to approve pending submission
of a drawing.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Updated drawing.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Updated drawing with all typical
conditions from DPW. On the motion?

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: You were on the agenda for the last

item, but that was a duplicate.

SHAWN ALLES: That was a duplicate,
right.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Thank you.

SHAWN ALLES: Thank you.

PETITION (CONTINUED)
NSTAR - RINDGE AVENUE

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: I'm calling Page 4, which would be
the first petition for NSTAR, which was a
continued petition from last month.

So this was for Rindge Avenue
southwesterly from Manhole C2014 approximately
250 feet east of Middlesex Street, a distance of
about five feet of conduit. The reason for this
work is provide service to 33 Cottage Park
Avenue.

I would like to move to deny.

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

NSTAR - KINNAIRD STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Now we move to Page 11.

This is for Kinnaird Street, south side
of approximately 260 feet west of Bay Street
relocate one joint owned pole 411/30. This work
is necessary to provide system improvements.

JACQUI DUFFY: This is for the schools.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Do they have any idea of scheduling

on this one?

JACQUI DUFFY: No. I'll push it when I get back.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Do you want to expedite this? It's holding up that project.

JACQUI DUFFY: Yeah.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: We're on Kinnaird Street, right?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Yeah. It's right at the rear entrance to -- I think this is the MLK School.

Now this is --

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Is this a different one? The conduit has been maybe taken out, okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: This is just -- I think that is a different -- this is to relocate the pole to back

a sidewalk within the public way.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yep, I saw that.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion to approve?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor

signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

POLICE COMMISSIONER ROBERT HAAS: Aye.

CHAIR ANDREA JACKSON: Aye.

EXECUTIVE DIRECTOR ELIZABETH LINT:

Conditions?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Typical.

JACQUI DUFFY: ASAP. I'll get it done.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Before the pole comes down.

NEW PETITION

NSTAR - WESTERN AVENUE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: For Blackstone Street -- Western Avenue and Blackstone Street, at and southerly from Manhole MHC 1 at the intersection with Blackstone Street a distance of about five feet of conduit. Continue southerly on Blackstone Street to Pole 74/15 about 60 feet of conduit.

JACQUI DUFFY: This is for the DPW, the work out there.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: That's in conjunction with the Western Avenue, though.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Move to approve.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: All typical conditions.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I'm sorry.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: That's okay.

Typical conditions and coordination with
the contractor doing Western Avenue.

On the motion?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

NSTAR - RINDGE AVENUE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Rindge Avenue, southwesterly from
Manhole 2014 approximately 250 feet east of
Middlesex Street, a distance of about five feet
of conduit. The reason for this work is to
provide electric service to 134 Rindge Avenue.

JACKIE LINNANE: This is the one where
the wording was just wrong.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: No issues with DPW overhead.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Motion to approve?

CHAIR ANDREA JACKSON: With typical
conditions?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: With typical conditions.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

NSTAR - ALBANY STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Albany Street, northeasterly from
Manholes 3502 and 3503 approximately 200 feet
southwest of Portland Street a distance of 263
feet of conduit. The reason for this work is to
relocate existing service to 36 Albany Street.

JACKIE LINNANE: It's a service upgrade
for MIT.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Can't do to the way it's presented.

JACKIE LINNANE: No. The way they have it?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: No, absolutely not. It's a brand-new bump-out there, brand-new paving.

JACQUI DUFFY: So the way they have it sketched out?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: They have to -- pretty much -- they have to change the whole drawing. It's not even close to something we could actually entertain.

JACQUI DUFFY: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Are they running six-inch conduit?

JACQUI DUFFY: Yes. So you want to have

a site meeting out there?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: We're going to have to do something even more than that. Albany Street was just paved. Again, extended bump-out, that's around 35 feet wide. This conduit we're showing going right through that whole bump-out, all that work that was done just less than a year ago. So they may have to find a new route.

CHAIR ANDREA JACKSON: I'll entertain a motion, and that motion's denied or continued. It sounds like it's more denied than continued.

JACQUI DUFFY: Why don't we continue it then?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: One month continuance then.

CHAIR ANDREA JACKSON: See what they come back with?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: It's MIT. They should be able to figure something like that out.

CHAIR ANDREA JACKSON: You said it on the record, not from me.

JACQUI DUFFY: Don't put that in, Jill.

CHAIR ANDREA JACKSON: A motion's been made to continue.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Aye.

NEW PETITION

NSTAR - FERN STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Fern Street, westerly side, relocate
JO Pole 260/2-S, approximately 60 feet northeast

of Concord Avenue, a distance of approximately 40 feet west of Fern Street. That's to relocate one joint owned -- westerly side, relocate joint owned pole 260/6, approximately a distance of 380 feet northeast of Concord Avenue, westerly side relocate joint owned pole 260/S, approximately a distance of five feet. Also on Fern Street on the westerly side, relocate Pole 260/6-S, approximately 400 feet northeast of Concord Avenue, a distance of approximately 19 feet.

And on Field, northerly side, relocate pole 261/9 approximately 40 feet east of Garden Street, a distance of three feet.

JACQUI DUFFY: In total, it's four poles.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: All relocated?

JACQUI DUFFY: For the city.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: For the reconstruction project on

Concord Avenue.

JACQUI DUFFY: Just a lot of wording,
but...

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yeah, I was a little confused there.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Motion to approve?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: Typical
conditions?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yes.

CHAIR ANDREA JACKSON: Motion's been made
and seconded.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

JACQUI DUFFY: Thank you.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Cambridge Traffic and Parking, do you want to come forward, please?

CHAIR ANDREA JACKSON: Good morning. If you could please state your name for the record, spelling your first name and last name, please?

DANA BENJAMIN: Dana Benjamin, D-A-N-A, B-E-N-J-A-M-I-N.

CHAIR ANDREA JACKSON: You're on the bottom of Page 9.

NEW PETITION

**CAMBRIDGE, TRAFFIC, PARKING AND TRANSPORTATION
DEPARTMENT - BROADWAY STREET**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This is Cambridge Traffic and Parking for Broadway along Broadway in the

median, install 20 feet of conduit for new Ecototem Bike Counter.

DANA BENJAMIN: Yes.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Dana, is the excavation taking place in the asphalt part of the highway or the median strip?

DANA BENJAMIN: It's only going to be in the median strip. We plan to saw-cut the asphalt just to put in loop deduction, but that's not something we would be digging up or anything.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: What is your time frame for this?

DANA BENJAMIN: We would like to get it done before June 30 because that's when we lose the grant money, so we need that to be done before that.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Is there a reason why the actual

counter needs to go 20 feet back on the median?

DANA BENJAMIN: The best place visibly that we found, when we walked the site, so cars would see it and we're not right up against that crosswalk.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Is it something -- what is it? Is it just --

DANA BENJAMIN: It's a large kinda monitor. I don't know if you saw the attachment I have at the end.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It's something that should be seen by the drivers?

DANA BENJAMIN: It's something that we would like pedestrians and drivers to see. It's something where we can display along the bottom or somewhere along the totem. The amount of cyclists that use the roadway, and that kind've

thing. There's no easy place to put it so everybody can be able to see it nicely. And we wouldn't have to dig up too many things. So we thought the median would be the best option.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So it's designed to be seen by oncoming traffic and cars, not necessarily somebody walking up to it?

DANA BENJAMIN: No. We weren't trying to encourage people to walk up onto the median, but, yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay. So, in other words, there was some concern about that had all been reseeded and irrigation and everything else in that median and they were questioning if it could go closer to the crosswalk, not knowing what that device was there for. They had thought that it might have been just for control not for visual.

DANA BENJAMIN: It's visual.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So it needs to go way from that?

DANA BENJAMIN: We would like it to be as visible as possible.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Out from there is that's where you run your field section on the saw-cut?

DANA BENJAMIN: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I have no concerns.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Motion to move forward with the typical conditions.

CHAIR ANDREA JACKSON: Motion's been made. Is there a second?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Second.

CHAIR ANDREA JACKSON: All those in favor

signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

**CAMBRIDGE TRAFFIC, PARKING AND TRANSPORTATION
DEPARTMENT - HAMPSHIRE STREET**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Also Cambridge Traffic and Parking.

This is for Hampshire. Across Hampshire Street
and Portland Street, put in new traffic signal
conduit to get rid of overhead connection to
traffic poles.

Conduit has failed out there now?

DANA BENJAMIN: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Is the conduit -- so that this is
where failed conduit is or that's where --

DANA BENJAMIN: I know the run across Hampshire Street has failed. The one across Portland, I think, that was mainly for our video detection. We also have that running overhead, and that's what we want to put in the street. This is a little bit before my time. I'm kind've taking on this project from Wayne, but I believe that was what the issue was out there.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: What is the condition of the other, do you have -- have you checked the condition of the other conduit in that intersection?

DANA BENJAMIN: They're fine. They're fine. I mean, we would like to get out of NSTAR manholes or Eversource manholes, but right now they're -- they haven't failed, so...

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: I'm more concerned about the condition of your existing crossings where you're

not asking to dig, you know, to be -- have those checked so that we're not digging up this and then have to go back and dig.

DANA BENJAMIN: I can definitely have those checked, but I believe they're fine.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: They're fine?

DANA BENJAMIN: Yes, but let me double-check that.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: If I can jump in here? We had some issues with the dig also. So you have to have some discussion with Dana and the Traffic Department. I move to continue this to do a little more research on this project so we're not disturbing the public way as much as at first look.

Move to continue this for more field research.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion?

CHAIR ANDREA JACKSON: Motion's been made
and seconded.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

**CAMBRIDGE, TRAFFIC, PARKING AND TRANSPORTATION
DEPARTMENT - CONCORD AVENUE**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Cambridge, Traffic, Parking, Concord
Avenue. Along Concord Avenue near Spinelli
Street, install a new traffic signal conduit for
Rapid Flash Beacons for crosswalk near
Fayerweather Street School. That's a typo?

DANA BENJAMIN: Fayerweather Street

School. That's what I have here.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This will include removing all the sidewalk panels going on the north side, and then the grass on the south side, is that what's proposed?

DANA BENJAMIN: Yes, trenching the grass on the south side, and then in the north side, we'll remove whatever --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Actually on this one, there's a score-cut already. A foot from the back from of curbing. And they should be able -- the contractor should be able to remove just that foot score out of the manhole -- from the manhole, and stay away from the bike path which we discussed before. Given that --

DANA BENJAMIN: I'm just thinking. So you want to take out the sidewalk and not touch

the --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Right.

DANA BENJAMIN: Okay, got it.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So on the motion to approve?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Motion to approve that the removal of a one-foot concrete score section of sidewalk will be the area of excavation until they reach the manhole, and they will have to pull the whole panel out to tie into the manhole.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I'm sorry. Will these be metered?

DANA BENJAMIN: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: You also have to apply to Eversource for meters.

DANA BENJAMIN: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And get proper work orders for them
for each location.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So on the motion to approve pending?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Typical conditions and metering.

CHAIR ANDREA JACKSON: Motion's been made
and seconded.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

NEW PETITION

TELEPORT COMMUNICATIONS

AMERICA - BENT STREET

CHAIR ANDREA JACKSON: Where are you
from?

JOHN KENNEDY: Teleport. Page 8.

CHAIR ANDREA JACKSON: Page 8.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Want to come forward, please?

JOHN KENNEDY: Sure. My name is John Kennedy, Teleport Communications America, CNN Engineering.

CHAIR ANDREA JACKSON: Good morning. If you could please state your name for the record, spelling your first and last name, please.

JOHN KENNEDY: John Kennedy, J-O-H-N, K-E-N-N-E-D-Y.

CHAIR ANDREA JACKSON: You're from?

JOHN KENNEDY: Teleport Communications, CNN Engineering.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: For Bent Street?

JOHN KENNEDY: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: From the existing Level 3 manhole on Bent Street, the installation of six 4-inch PVC conduits to the property of 250 Bent Street along with the placement of a 4 x 4 x 4 manhole in the southerly sidewalk a distance of approximately 21 feet, and from the existing Verizon manhole on the northerly side of Bent Street, the installation of six 4-inch PVC conduits to the property of 250 feet, a distance of approximately 42 feet.

NEW PETITION
TELEPORT COMMUNICATIONS
AMERICA - SIXTH STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On Sixth Street, replace the existing Teleport manhole with a 4 x 8 x 6 manhole and install six 4-inch PVC conduits along Sixth Street to an existing AT&T manhole in front of the gate of 250 Bent Street, a distance of approximately 42 feet.

JOHN KENNEDY: I have a 14 x 17.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I'll take a look at this one here.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: What is the purpose?

JOHN KENNEDY: The purpose is to reinforce our conduits that go into the 250 Bent Street facility, the AT&T facility.

I do have letters of approval that break out in the Verizon manhole and a Level 3 manhole. I don't know if those were provided. We do have those, if you need those. It might be something that you might've wanted. I have a copy of those, if you would like those.

EXECUTIVE DIRECTOR ELIZABETH LINT: I would need them.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: You have it for all three break-outs?

JOHN KENNEDY: Yes, yeah.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I remember this from a few years ago. The blue line, you did that work three or four years ago, I think, on site.

JOHN KENNEDY: We haven't completed that work. So we will be working that in conjunction with this, obviously.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I think it was the other way around.

JOHN KENNEDY: Yeah.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I think they were proposing this and this, the two locations, but they didn't have this designed yet. I think that's why it went back.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I see.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: If I remember correctly.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I'm curious why the proposed 4 x 4 manhole is in the sidewalk as opposed to in the grass strip area. This is on Bent Street.

JOHN KENNEDY: On Bent Street, you're talking about --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I guess you really couldn't do that with the --

JOHN KENNEDY: Yeah. The retaining wall and all that stuff that we have there.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: What is the purpose of the 4 x 4?

JOHN KENNEDY: More than likely it's a place we can do work where we don't have to be inside the Level 3 system, we believe.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Could you push that into the parking

area and not put it in the sidewalk on your property?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Why do you need to be in a sidewalk and come back to that time after time?

JOHN KENNEDY: I think that the access potentially, you know, I don't know exactly the answer to that question, but I would think this is all if you look, it's a big parking lot and this is where all the police -- the police have this area as their parking area, and there would be vehicles there, and maybe it would be better for us to be out on the sidewalk. I don't know if there's another purpose for us being out on the sidewalk.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I will throw you this by you. I think can save a few bucks because you won't need a detail if you're in the parking lot.

JOHN KENNEDY: Right, correct.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: If you're on the street, you're going to need a detail and that's going to cost you money right there.

JOHN KENNEDY: That's true. And I don't know if there's another reason why we wanted to put that out there. I'm not a hundred percent on that, you know.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: The other reason I see actually if you bring it into the parking lot, where you have the Y, where you have the two blue lines split, that way you could actually work on both lines in the same location.

But I can't -- I'm -- again, worse-case scenario, you're out every couple years to check things out, you are still going to be in the public way and there is a charter school across

the street.

JOHN KENNEDY: There is, I know. We're going to have to work with that.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: General traffic, you're going to have to deal with that all the time, and in the parking lot, they move a couple cars, you're home free.

JOHN KENNEDY: Yeah, I can look into -- you know, if there is some other reason why we didn't go there initially.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Look into that and definitely get that done.

JOHN KENNEDY: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Are all the conduits assigned? This is all just -- is this just for Bent Street?

JOHN KENNEDY: It is, yeah, it is for 250

Bent. That's our major pop. That's the major pop for the northeast --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: The manhole in the intersection of Sixth and Bent, that's a Teleport manhole?

JOHN KENNEDY: It is.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We would request a city conduit from the Verizon manhole.

JOHN KENNEDY: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And also from the Level 3 manhole.

JOHN KENNEDY: Okay. We can accommodate that.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Just those two, correct? So as far as that the handhole is there.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I move to continue based on a

little bit more research and recommendation on moving the manhole into the parking lot to keep it off the sidewalk.

JOHN KENNEDY: All right. That's the only objection that we have today, okay.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: And the additional line -- additional conduit.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Additional conduits for us, and then -- additional conduits for the city and also to relocate the handhole onto the property.

JOHN KENNEDY: Okay.

CHAIR ANDREA JACKSON: A motion's been made. Is there a second?

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Yes.

CHAIR ANDREA JACKSON: All those in favor -- who made the motion? I thought it was -- you

can't second your own motion.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I'll second.

EXECUTIVE DIRECTOR ELIZABETH LINT: You

can try.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I second it.

CHAIR ANDREA JACKSON: All those in favor

signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

JOHN KENNEDY: So I got to come back next

month?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It will automatically be continued
and it will be on next month's agenda.

JOHN KENNEDY: Great. Thanks very much.

If for some reason you don't have that information in that time, you could -- would it still be on the agenda or could he ask not --

CHAIR ANDREA JACKSON: He could ask for it not to be on the agenda.

JOHN KENNEDY: If we were able to just move it into the parking lot, could I get approved today, or is that --

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: We already voted and we've gone through it.

JOHN KENNEDY: I couldn't just okay it and then we could move forward. I was just curious.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Not at this point, no.

JOHN KENNEDY: All right. Thanks very much.

CHAIR ANDREA JACKSON: And that covered

both items?

JOHN KENNEDY: Yeah, that's all three items. Thank you.

NEW PETITION

VERIZON - CAMBRIDGEPARK DRIVE

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Verizon.

This is for Verizon Cambridgepark Drive.
Place approximately 12 feet of underground
conduit, two 4-inch PVC from existing Verizon
Manhole No. 26/597 to 165 Cambridgepark Drive for
service to new building.

EVERETTE BRYAN: Yes. And I believe this
was --

CHAIR ANDREA JACKSON: I'm sorry. Hold
on. If I can get you to please state your name
for the record, spelling your first and last
name, please.

EVERETTE BRYAN: Everette Bryan, I'm with Engineering and Data Solutions representing Verizon New England.

CHAIR ANDREA JACKSON: Again, for the record, spell your first name and last name, please?

EVERETTE BRYAN: E-V-E-R-E-T-T-E, B-R-Y-A-N. This Cambridgepark Drive was scheduled to be paved last fall, and the developer actually placed the conduit for us, and we have not placed any cable in, to my knowledge. But this work is already done based on that paving schedule for last year, a petition for a grant location for this.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: So the work was done?

EVERETTE BRYAN: By the developer on site at the time because they were paving Cambridgepark Drive last fall. That was my

understanding from the engineer.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Has that been paved?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Actually, I was under the impression they could put the conduit just beyond where it has been paved. They can still gain access to the property. I know there was a major effort out there with the paving project, it was a big paving project. But what we will have to do at this point is we'll monitor that, and if that -- that section fails in any way, then that developer will be back out there grinding overlaying a good section of that street.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Did the developer punch your hole also? Did they install right into the hole? Has

that been verified?

EVERETTE BRYAN: It says that the conduit was placed by Wayne Wendell for Callahan Construction to 165 Cambridgepark Drive from Manhole 26/597.

EXECUTIVE DIRECTOR ELIZABETH LINT: Bill, we're a little confused. How could the work have been done without any approval?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: It should not have been done.

EXECUTIVE DIRECTOR ELIZABETH LINT: Just checking.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: I'm checking. I'm not aware. Was there was a major paving project out there. And I just may not be aware that there was a permit done with that to expedite what he's talking about. So I was going to add that I need to research and see if there's inspection logs,

permits have been pulled, you know, from Public Works at least. Anything like that I'm not aware of that, so we need to check that.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We also need to verify that those conduits were actually in your manhole not just placed to your manhole.

EVERETTE BRYAN: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So the punch-outs were done. In other words, I don't think we can approve it and then have that dug up because they weren't completed.

EVERETTE BRYAN: I believe it was done, otherwise, the engineer wouldn't have had me come in and petition for it at this time.

Anticipating having to dig again because he wanted to do it before the paving was done. That was my understanding. Matt King was the

engineer. You know Matt.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I may. I don't know in I know
Matt King, but...

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Regardless, I think we should
continue. We have to continue while we research
our end.

EXECUTIVE DIRECTOR ELIZABETH LINT: You'd

have to, to make sure everything was done.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Good point.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Right.

CHAIR ANDREA JACKSON: Is that a motion?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yes. Motion to continue and
given that we have to do the research on the
permit and research on any kind of inspection

records.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And verification that those conduits were actually installed not just to the manhole, but in the manhole.

CHAIR ANDREA JACKSON: Motion's been made. Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: Aye.

So, I guess I'm still concerned that wouldn't they still have to come through this board prior to doing the work.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: That was what -- they should have done that the same way that the first petitioner

did it today. Seeing the situation and then moving things ahead exactly.

EXECUTIVE DIRECTOR ELIZABETH LINT: Sadly it does happen every so often.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: And the place was pretty much excavated at the time, but we need to back-check.

And within that, when you verify that those two were completed, one would be for the city.

EVERETTE BRYAN: They should have placed one for the city as well?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Regardless, one would be for the city. If there's only two, one would be for the city. I want all that verified.

NEW PETITION**VERIZON - 114 MT. AUBURN STREET**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: 114 Mt. Auburn Street, place approximately 18 feet of underground conduit, two, 4-inch PVC from the existing Verizon manhole located in the sidewalk to 114 Mt. Auburn Street for copper cable service to building. Repair brick sidewalk as necessary.

This one here we would also want to include a city conduit.

EVERETTE BRYAN: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: 4-inch PVC.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I want to say this was installed already, too.

EVERETTE BRYAN: I don't believe this has been done.

EXECUTIVE DIRECTOR ELIZABETH LINT: You are joking, right?

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: I am joking. But Harvard has some work to do in the same area, if I'm not mistaken.

EVERETTE BRYAN: If they do, I have no problem with that.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: They're coming around the front and to the back of the building or -- there's a previous petition, so...

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: NSTAR came in front of us. We need to do it now given the time frame. Can we go ahead and put it in while the paperwork is being done? And we were able to implement our inspections and everything else in place, so there's a proper way to follow procedure. Given

all that, DPW -- I'm losing my voice here -- DPW
is okay it.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I make a motion to approve pending
all typical conditions.

EXECUTIVE DIRECTOR ELIZABETH LINT: You
want them to coordinate with Harvard?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: No, just with the developer on
site, that will be fine. Thank you.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion?

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

EVERETTE BRYAN: Can I ask a question,

Stephen, on Water Street that we had spoken about? It's not on the agenda, but a similar situation where the developer at 22 Water Street wants to pave the street now, and we need to place a conduit into 21 Water Street to Lechmere.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Has the paperwork been submitted?

EVERETTE BRYAN: I have it prepared to submit now. We just found out this last week, on Wednesday.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: We have been following this project all along. We're fine to move ahead with this as far as any kind of work because of the paver's schedule.

CHAIR ANDREA JACKSON: Where is it located?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Water Street, and this is at the end

of Water Street just before the public way, and that's the new building at 21, which is completed and has conduit? Verizon needs to install two conduits before paving to accommodate the new T station.

CHAIR ANDREA JACKSON: And are there any abutters in that area?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: The only abutters are the requesters, and the new developer who is looking to pave the street.

CHAIR ANDREA JACKSON: I don't see how we can.

EXECUTIVE DIRECTOR ELIZABETH LINT: Typically what we have done in this situation, where it's not abutters like residential abutters, we would approve it and then put it on the next agenda just for notice purposes where it's part of a project.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: And part of the development package with this as far as a submission package, would be notification of abutters of general construction anyway. Granted, it's limited abutters here, but they have been notified as far as major construction taking place.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: From the previous petition for that development.

Is there anything else going beyond that T station.

EVERETTE BRYAN: Not that I'm aware of at this time, no.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Because that's your dead end right there?

EVERETTE BRYAN: Right.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: If something else is going on further on, I know it changes over to a public way within maybe 20 feet of that manhole, but is there any more development going on beyond there that you're going to be coming back for more conduit?

EVERETTE BRYAN: Not I'm aware of, no.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So can we take his petition and then submit it in for next month.

EXECUTIVE DIRECTOR ELIZABETH LINT:

That's typically what we have done.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Can we receive it here now?

EXECUTIVE DIRECTOR ELIZABETH LINT:

Uh-huh. As long as it's complete. Do you have a check?

EVERETTE BRYAN: I don't have a check.

EXECUTIVE DIRECTOR ELIZABETH LINT: I

need a check.

EVERETTE BRYAN: I can get you the check this week. This was a last-minute thing. We got rushed --

EXECUTIVE DIRECTOR ELIZABETH LINT: We won't put it on until we receive a check.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: And we can wait for that check to come in before we issue any kind of a permit.

EVERETTE BRYAN: I could give you a personal check now if you want and I can get reimbursed for it, you know, to speed it up.

EXECUTIVE DIRECTOR ELIZABETH LINT: That's up to you.

EVERETTE BRYAN: 180?

EXECUTIVE DIRECTOR ELIZABETH LINT: 180, City of Cambridge.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Will the developer be done this

work?

EVERETTE BRYAN: No.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This will be Verizon doing the work.

EVERETTE BRYAN: Yes.

CHAIR ANDREA JACKSON: Just in the

future, if you're going to be sending those in,
those need to come to Pole and Conduit.

EXECUTIVE DIRECTOR ELIZABETH LINT: Yes,
it does have 831.

CHAIR ANDREA JACKSON: Right. You have
it addressed to Bill Dwyer, so the problem is
that it wouldn't make it here because Bill's
office is not 831 Mass Ave. It should be
addressed to me as the chairperson at 831 Mass
Ave.

EVERETTE BRYAN: I typically just give
them to Trisha or Dana when I come in.

CHAIR ANDREA JACKSON: When we were

looking at your address on the envelope, it would have never made it here.

EVERETTE BRYAN: Okay. I gotcha, okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So all that -- so coordination with DPW, for your permitting, right?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: And typical conditions with site meeting would be --

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This is something we need to vote on or is it just a --

CHAIR ANDREA JACKSON: For me, I'm not familiar with the project, so I would be abstaining anyway.

So the question was: Are they able to vote on it?

EXECUTIVE DIRECTOR ELIZABETH LINT: Yes.

Where you're familiar with the project

and know what needs to be done.

NEW PETITION (LATE)
VERIZON - WATER STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the late petition from Verizon for Water Street, this is to install approximately 21 linear feet of underground conduit 4-inch PVC from existing Verizon Manhole 197a located on easterly side for service to private property at No. 21 Water Street. And this was also -- did I add we need a city conduit here also? So you have three conduits.

EVERETTE BRYAN: Could I ask a question?

Is that a requirement that you require of all the utility -- all the communications utilities? My engineer asked me that question.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On case-by-case basis, depending on

where the municipal services are and needed that we ask for them.

EVERETTE BRYAN: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It's not -- it's a case-by-case.

So on the motion to continue -- no?

EXECUTIVE DIRECTOR ELIZABETH LINT:

You're approving it so that the process can be started since the project is ongoing, and then we will put it on next month for notice purposes.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: I abstain.

(Short recess taken.)

NEW PETITION

**CAMBRIDGE DEPARTMENT OF PUBLIC
WORKS - MT. AUBURN STREET, HOLYOKE STREET,
JFK STREET AND WAVERLY PATH AND MASS AVE**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This will be on Page 8. This is
Public Works, Cambridge Public Works for
Mt. Auburn Street, JFK Street, Holyoke Street,
Waverly Path and Mass Ave. This is all --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: City-funded project.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: -- A city-funded project, all prints
and locations have been submitted, files have
been submitted, and I make a motion to approve.

CHAIR ANDREA JACKSON: Seconded.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: All those in favor?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: Aye.

If you could both state your name for the record, spelling your first names and last names, please?

KOSTA JOVANOVIC: Kosta Jovanovic,
K-O-S-T-A, J-O-V-A-N-O-V-I-C with Crown Castle.

JOHNPAL SIDHU: Johnpal, J-O-H-N-P-A-L.
Last name is S-I-D-H-U with Crown Castle.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: For the first petition, which is a
continued petition from January.

KOSTA JOVANOVIC: This first one was a
request to see if we could find an alternate
location for this pole, and Mr. Sidhu is here to
help explain why sometimes we can accommodate
those requests and sometimes we can't from our
perspective. So I have a handout that I can

share.

JOHNPAL SIDHU: This is basically from -- we look at from our point of review. We need to look at such criteria that it meets the RF guidelines.

KOSTA JOVANOVIC: Its radiofrequency.

JOHNPAL SIDHU: Its radiofrequency basically. We look at it a certain -- the customer says okay, it has to meet at least this much of coverage. We have to make sure that whichever location we're picking it up, it meets the criteria. So this location meets the criteria based on their existing coverage and where we select this pole.

KOSTA JOVANOVIC: The second page shows the coverage that this location provides. And when we look on the street to look for alternates, we could not find any that were constructible because of risers or transformers,

and we have no options here other than what there is.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Is there ever an option to go to a pole top even though there is a primary up there.

KOSTA JOVANOVIC: We asked that of NSTAR and they're not -- for safety reasons, they're not allowing it anymore. They did in the past, but they changed it in 2011, I believe.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: My concern with all the com spaces they end up, if there's a building right in front of a window, because of the height, and I'm just wondering when it goes up, is there an alternative if the resident has a complaint? Can it be swung out away from the house? Is there an alternative to still use it, but not swing it on the inside, you know, on the house side of that pole? It's bringing it close to the property

line which is really not that far. In this particular instance along with the other ones, it's just a concern.

KOSTA JOVANOVIC: The diagram on Page 3, shows that it is sort've -- when you look at the sidewalk view, it is parallel, so it's not sticking out in the street, nor is it encroaching on the sidewalk. I think that's about as far as it can go without being more on the street.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: The photograph you show there, is that an existing?

KOSTA JOVANOVIC: That is the exact location.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: The pole you want to use?

KOSTA JOVANOVIC: Of the pole we want to use.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: You don't have any kind of apparatus on here as of right now, though, right?

KOSTA JOVANOVIC: Correct.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Your antenna or equipment would be go on the backside of the pole on the house side of the pole, if you will?

KOSTA JOVANOVIC: There's a stand-off and then it sits --

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I don't have that packet. I'm sorry.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Right now the streetlight is on the opposite side.

All Steve is asking is if we can swing that 90 degrees up to 180 degrees from where it is right now.

KOSTA JOVANOVIC: We don't like to have

it overhang the street, but we can get it as close as we can.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Is that because of RF?

JOHNPAL SIDHU: Not exactly. From RF, it's fine. But may be it's the height, right? Bring it more towards the street?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: If it were brought out into the street, what would stop you from doing that? What is the reasoning why you couldn't put it on the street side as opposed to the house side?

KOSTA JOVANOVIC: I thought there was a safety issue having it overhang the street, but I could be wrong.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Safety issue meaning for your crew to work on them or just for it being over the public way?

KOSTA JOVANOVIC: Just being over the public way.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: I would say there's -- there wouldn't be any more of a safety issue whether it's over a sidewalk or a three feet -- three feet overhanging the street as it would anything else.

KOSTA JOVANOVIC: Can you recall a situation where we put it out over the street?

JOHNPAL SIDHU: Sure.

KOSTA JOVANOVIC: It should be fine.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: You think you might be able to move it out towards the street?

KOSTA JOVANOVIC: Yes.

JOHNPAL SIDHU: We have to move if there's any big trucks. That's the only concern.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: That pole is also being slated to be replaced, too, is it not?

KOSTA JOVANOVIC: Pole 6, Node 60. I don't have that as being replaced.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: There's a notation on the plan -- on the original packet, unless that's been changed, "Note: Replace existing pole with new 40-foot Class 3."

KOSTA JOVANOVIC: Then it must be so.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So if you put it on a larger pole that should be able to accommodate more space and so you could swing to the outside and keep it away from the house.

KOSTA JOVANOVIC: Yep.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: With those conditions, I would make a motion to approve.

CHAIR ANDREA JACKSON: I just want to make sure we're on the record and clear about that conditions.

EXECUTIVE DIRECTOR ELIZABETH LINT: Yeah.

CHAIR ANDREA JACKSON: It's supposed to be away from the house.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Yes. It should be mounted on the street side, as far as away from the house as possible.

CHAIR ANDREA JACKSON: That is also with the pole replacement or --

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: They've already -- the make ready work and what this print has, it's on the petition as being replaced.

CHAIR ANDREA JACKSON: Okay.

EXECUTIVE DIRECTOR ELIZABETH LINT: What else?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: That's all I got.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: That's about it.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion?

EXECUTIVE DIRECTOR ELIZABETH LINT:

That's it?

CHAIR ANDREA JACKSON: Motion has been
made.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)**CROWN CASTLE - Node N061**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This is Node AF 002. Node N061.

Extension of fiber optic cable and new conduit from Level 3 manhole, No. 0515-0204 on Cambridge Street to Pole 510/59 and a half on Norfolk Street, 335 feet. Then aerial along Norfolk Street with the attachment of equipment to Pole 510/59. I think this was continued. You're looking to install that two poles down?

KOSTA JOVANOVIC: Correct. This is another request that was analyzed. We went out and did a field test. It's called a CW test where they propagated an actual signal, and then another car drives around and captures the signal.

In the packet that -- today's packet on Page 5, you can see the coverage of the original

location. Lots of green and yellow.

Even though the proposed new location is just two poles away, it just doesn't propagate the same way.

JOHNPAL SIDHU: There's a big coverage difference. Basically the original pole is much better compared to the new location. So it basically doesn't meet the objective of RF.

If you look at the coverage of the previous electric pole, compared to the new selected pole, you will see like we are not able to cover most of the roads.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: So the proposed pole was at the dead-end street --

JOHNPAL SIDHU: Yes.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: -- of Norfolk street?

JOHNPAL SIDHU: That's correct. If you

look at the coverage on Page No. 6.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I guess -- I must be a page ahead of you. I have Page 5 here.

JOHNPAL SIDHU: Page is previously approved location. Basically that's the old location, and this is the proposed, but we want go back to the original location, Page 5.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Was there any excavation on this one also?

KOSTA JOVANOVIC: This one does.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This one has the excavation. All right.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: It sounds like that may be something. Do you have a plan, a drawing of that?

KOSTA JOVANOVIC: (Forwards plan.)

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Plan of the dig or the pole?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Of the dig.

KOSTA JOVANOVIC: I don't know if you recall last time, another petition was being discussed, and you spoke of a method doing a Y connection out of a manhole, and I asked you to explain what that was. Thanks for that. Because I did go back to our folks, and we are in discussion with the Last Mile Solutions who we are renting dark fiber from, and they're able to -- we're working on doing that, what you described. It involves putting the manhole over the Level 3 -- a new manhole over the Level 3 conduit or close it, and fishing down a pipe and somehow connecting it.

What it will eliminate is approximately

800 feet of new trenching on Cambridge Street, which was the concern. So on this petition item and a couple others, I will ask that we continue it, so we can continue to develop those plans and eliminate some trenching on Cambridge Street. I think there are five separate locations where this will be a benefit.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay. We'll move to continue the petition for Node N061.

KOSTA JOVANOVIC: May I ask that we get

an okay on the pole, but continue it?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I'm okay with the pole location.

CHAIR ANDREA JACKSON: For 61?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: No. For the proposed 59 location, pole 59. That's a pole top location, correct?

KOSTA JOVANOVIC: Yes.

CHAIR ANDREA JACKSON: Is there a picture of that in the package, 59?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Yes.

EXECUTIVE DIRECTOR ELIZABETH LINT: 61 you're continuing?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Correct. The petition for Node N061 there's a motion to be continued.

CHAIR ANDREA JACKSON: Node N061, a motion's been made to continue.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Aye.

PETITION (CONTINUED)
CROWN CASTLE - NODE N063

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: For AF 002 Node N063. That's for an extension of fiber optic cable and new conduit Level 3 manhole 0515/0203 on Cambridge Street to Pole 166-75A on Columbia Street, 277 feet. Then aerial along Columbia Street with attachment of equipment to Pole 166/79. We're going to move to continue this one also with the same conditions of the previous petition for exploration of using an additional handhole and Y connection to the duct bank.

On the motion?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

CHAIR ANDREA JACKSON: Aye.

KOSTA JOVANOVIC: Did you have any other questions related to RF before Johnpal leaves?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I do not so long as any com space antennas that are included in all these packages that we take a good look at and get them on the street site and away -- if this is in close proximity to a residence, that first one was a -- kind've unique where it was right on the property line, the building. But I don't have any other questions that are RF-related.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I don't either.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: What is the power output of these?

JOHNPAL SIDHU: 2100, it's 40 watt.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Four-zero?

JOHNPAL SIDHU: Four-zero. At 2100 megahertz, it's 40 watt. And at 1900 megahertz, it's 20 watt.

KOSTA JOVANOVIC: There are four frequency bands, two high and two low.

PETITION (CONTINUED)
CROWN CASTLE - CAMBRIDGE STREET

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We're still on Page 2. This is area AF 007. This would be for Cambridge Street. First one is -- is the first one just a dig without a node? A extension of new conduit from Crown Castle Vault on the corner of Cambridge Street and Cardinal Medeiros Avenue, easterly along Cambridge Street to Level 3 Manhole 0515-0101.

KOSTA JOVANOVIC: That's correct. This would be a cross-connection between the Level 3

system and the -- our existing Crown Castle system. And I request that we continue it to -- until we figure out the Y connection scheme.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On a motion to continue?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE N074

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Same area, AF 007 for Node N074.

We're going to make a motion to continue that,

the same conditions --

KOSTA JOVANOVIC: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: -- for a Y connection into the
street.

KOSTA JOVANOVIC: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Motion to continue.

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE NO75

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Same area AF-007 for Node N075.

Motion to continue also same conditions.

KOSTA JOVANOVIC: Same conditions.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Motion to continue.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

EXECUTIVE DIRECTOR ELIZABETH LINT: Which
one is that?

CHAIR ANDREA JACKSON: On the agenda,
it's Page 3, second one down.

Motion's been made to continue. Is there
a second?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Second.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)**CROWN CASTLE - CAMBRIDGE STREET**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Cambridge Street, installation of
new conduit from Level 3 Manhole 0515-0013
easterly to Third Street then south to Pole 11,
277 feet, with insulation of equipment on Pole
11.

Move to continue?

KOSTA JOVANOVIC: Please.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On the motion to continue?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Second.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)
CROWN CASTLE - ESSEX STREET, NORFOLK
STREET AND BISHOP ALLEN DRIVE

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Petition for AF-005 Node N033 from Pole 5 on Norfolk Street southerly to Bishop Allen to Pole 2419 and new conduit approximately 496 feet, then aerial to Pole 241/15 and attachment of equipment on Pole 245/15 known as Node N033.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This particular one I don't think there's an issue with the com space where it's --

KOSTA JOVANOVIC: It's out in the street there.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yeah. I do have a question on the survey that I found on a few of these that the

riser information seems to be incorrect, but there are more risers on these poles that are noted on these. I found that as going through and reviewing them.

KOSTA JOVANOVIC: Physically there is.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Physically there is.

Are you proposing to come up on first poles in which have both primary and secondary risers on them? Is that a typical condition that they can do?

KOSTA JOVANOVIC: We try to avoid them.

But when there's nothing else available, we kind of are forced into it.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Will Eversource allow you to come up a riser pole first thing with primary risers under?

KOSTA JOVANOVIC: They have in the past.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: For instance, the pole on Essex Street where you're proposing to come up currently has five risers on it.

KOSTA JOVANOVIC: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: You're proposing two more, that's seven risers on that pole.

KOSTA JOVANOVIC: One is just stubbed at the bottom.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They're all around -- stubbed or extended, that's still seven conduits around the pole.

KOSTA JOVANOVIC: Should we continue this until we get the license?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I think between -- yes. I move to continue, and I would continue for the purpose of

taking a second look at these surveys. I'm finding on a couple of them where the riser counts are off. And that could cause you to move to another pole. I would verify all riser locations. Move to continue.

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: I have a question. If the riser pole -- the location of the riser pole is changed, the excavation would be changed then? That could affect the excavation.

KOSTA JOVANOVIC: Yes.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: The destination, I guess, from where it's starting to where it's ending.

KOSTA JOVANOVIC: Yep.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: And also, at the Norfolk location, you could eliminate your riser by doing the same Y connection. You have a quad duct that passes through that same area, and that would eliminate you going up that pole at all at Norfolk Street as a recommendation.

KOSTA JOVANOVIC: I don't know how to write that down.

EXECUTIVE DIRECTOR ELIZABETH LINT:

Neither do I.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Have Verizon give me a call.

PETITIONS CONTINUED

CROWN CASTLE - NODES N038, N040, N059

EXECUTIVE DIRECTOR ELIZABETH LINT: Then with the next one which is also AF 005, the next two on Page 5 -- three on Page 5, would they all

be continued?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I found on this -- area AF 005 which includes three petitions, I found the survey to be incorrect on the first three with riser quantities and locations.

KOSTA JOVANOVIC: That would be Amory Street.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: That would be Amory Street, Antrim Street and the last one, Gardner Street. I didn't see any discrepancies.

I would move to continue.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: Node N038, Node N040, and Node N059.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Correct.

CHAIR ANDREA JACKSON: Motion's been made and seconded. All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Aye.

KOSTA JOVANOVIC: I have a note Node 38 on Amory Street, that's a pole replacement, and on Gardner Street, that's a pole replacement.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Okay. Just as a Node.

KOSTA JOVANOVIC: Those would be replaced. I don't know if that makes the concern go away.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: That's not a riser pole. That's the end of your line. I think on that particular petition you're up on Tremont Street running

overhead to Gardner and then ending at Gardner.

So even though that pole is being replaced,
there's no risers involved, it's only for
equipment installation.

KOSTA JOVANOVIC: Can you approve it,
Gardner?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I'm sorry. Gardner Street? I
believe we already continued it.

CHAIR ANDREA JACKSON: Do you want to go
back and rescind it?

PETITION (CONTINUED) RESCINDED
CROWN CASTLE - NODE N059

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Let's go back and pull it. For
Gardner Street, this is the last petition AF-005,
for Gardner Street, from the Verizon Manhole 2672
on Broadway to Pole No. 4 on Tremont Street and

new conduit approximately 175 feet and aerial to Pole No. 4 on Gardner Street, with the installation of equipment on Pole 2854 known as NO59.

CHAIR ANDREA JACKSON: You want to rescind our vote to continue?

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Slow down one second.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Sure.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: New conduit on Tremont Street.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Correct.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Is there a drawing, Kosta, on that?

I need to look at this. There's some questions here I don't have answers for right

now, so...

CHAIR ANDREA JACKSON: We can let our
vote stand.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: I think that would be best.

PETITION (CONTINUED)
CROWN CASTLE - NODE N039

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: So that's area AF-003 in regards to
Node N039 for Ellery Street from the Crown Castle
manhole at the intersection of Trowbridge and
Harvard Street easterly in new conduit to Ellery
Street, then southerly to Pole 7, approximately
628 feet, and installation of equipment on Pole
7, known as Node N039.

KOSTA JOVANOVIC: This is a two-page dig
plan.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I need to look at this because --
if I'm not mistaken approximately a year ago
Verizon had a very, very similar run.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: This is the same run up.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Until you get to Trowbridge.
Verizon is on the north side of the street, I
think.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: This is the exact trench and then
they went onto the sidewalk on that side.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Were you notified from Verizon on a
dig in that location less than a year ago as a
common trench?

KOSTA JOVANOVIC: We weren't operating a
year ago, so I don't think we would be getting
any notices or -- we were sort of in a dormant

state other than our operations would respond if there was a cut.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: If they completed their common trench application, wouldn't next G have been on that list?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: You're asking Elizabeth?

EXECUTIVE DIRECTOR ELIZABETH LINT: I'm

sorry. Say again.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: If Verizon petitioned last year to run down Trowbridge Street at the time they would have been required to complete a common trench application would their application -- is everybody required to do that?

EXECUTIVE DIRECTOR ELIZABETH LINT:

That's a very good question that I don't know the answer to.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay. If so, would next G/Crown
Castle been included?

CHAIR ANDREA JACKSON: We have to check.

EXECUTIVE DIRECTOR ELIZABETH LINT: I
don't know.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They pay their yearly fee
regardless --

EXECUTIVE DIRECTOR ELIZABETH LINT: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: -- whether they're currently
installing.

EXECUTIVE DIRECTOR ELIZABETH LINT: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: They should have been notified of
this --

EXECUTIVE DIRECTOR ELIZABETH LINT: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Of that date, particular date.

KOSTA JOVANOVIC: Is the suggestion that we apply for conduit here?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: No.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It's a suggestion that you should have been asked at the time when that -- when that petition was heard, you would have been notified to be included in that dig.

KOSTA JOVANOVIC: Uh-huh.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Whether next G declined or wasn't notified, I don't know.

EXECUTIVE DIRECTOR ELIZABETH LINT: We can look in the records.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: The problem is we put the neighborhood through -- some of the residents had

some issues with the excavation.

EXECUTIVE DIRECTOR ELIZABETH LINT:

That's right.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: That Verizon went through and now here we're a little more than a year later approving another contractor to go in there and do the exact same thing that they didn't want Verizon to do 18 or 15 months ago where it could've been done at the same time.

EXECUTIVE DIRECTOR ELIZABETH LINT: Is

that the one where Verizon was required to insure one of the properties?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yes.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Exactly.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yes.

KOSTA JOVANOVIC: The majority of the trenches on Harvard Street?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: I believe.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Ellery Street was the --

KOSTA JOVANOVIC: And Ellery.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Right. It was the Ellery Street section which was problematic, but it included around and up Harvard Street, up a block to Trowbridge.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: I had issues with location, too, their corridor. They changed their corridor. They modified the corridor and shortened their excavation.

So I would think at minimum this would be just a site review at minimum, which would cause

it to be continued.

Do we have a record of Verizon putting extra conduit in?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I would have to look.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I shouldn't say extra, but additional?

KOSTA JOVANOVIC: I'll write down for us to apply for it and see what happens. It will take awhile, but if it comes through, then we won't have to do this.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So is the motion to continue?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yeah, we have to continue.

EXECUTIVE DIRECTOR ELIZABETH LINT: That would be AF 003?

KOSTA JOVANOVIC: No.

CHAIR ANDREA JACKSON: At least we're continuing the N039?

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Let's move to continue N039 in the packet of AF 03. The motion's been made to continue the petition for Node N039.

On the motion to continue?

CHAIR ANDREA JACKSON: Second. All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER WILLIAM DWYER: Aye.

PETITION (CONTINUED)
CROWN CASTLE - NODE N042

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: In the same packet AF 003 for Node N042 and Node N043 -- back up. We'll only hear

the N042. This is from a Verizon Manhole 26/113 on Broadway to Pole 227/24 at the corner of Ellery Street a new conduit approximately 84 feet and the installation of equipment on Pole 227/24 known as Node N042.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: That's a pole top antenna?

KOSTA JOVANOVIC: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It looks like somebody installed some type of antenna on that pole which may be in conflict with what you're -- I only noticed it this morning.

KOSTA JOVANOVIC: Okay.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It's a pole top also which extends almost 10 feet above that pole, and it's a small antenna. Nothing of yours, your type, but I'm concerned if Eversource does install switching

antennas for remote switching, and I'm not sure if that's an approved location or not, or when that was installed, so that may impact your installation.

KOSTA JOVANOVIĆ: It doesn't show it.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: It doesn't show it on that picture, no.

KOSTA JOVANOVIĆ: What next?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I move to continue just -- to continue this petition just to research what is going on that pole. You may have to contact the utility whether you can actually use that pole or not because that could change your excavation.

On the motion to continue?

CHAIR ANDREA JACKSON: Second. All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE N043

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: So for the last one on Prescott Street from the Crown Castle manhole at the intersection of Remington and Harvard Street westerly and the new conduit to Pole 4 on Prescott Street, 505 feet and the installation of equipment on Pole 4 known as Node N043.

So that's excavation all the way down Harvard Street, Remington to Prescott.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: On the A -- the last petition you mentioned, there's no reason why there can't be some research done to see if cable TV runs

parallel with the new proposed dig. I think that would be worth a look.

KOSTA JOVANOVIC: Along Harvard Street.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Yes. And down along Prescott Street there's existing utilities that there may be some room.

EXECUTIVE DIRECTOR ELIZABETH LINT:

That's continued?

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: I move to continue for further research on existing conduit and further review on the excavation on the proposed corridor.

CHAIR ANDREA JACKSON: Motion's been made.

Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

CHAIR ANDREA JACKSON: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE N048

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: We're on Page 6, area AF 004. First one is Node N048.

KOSTA JOVANOVIC: This was the one where you pointed out that the pole that we're going to rise on is going to be removed.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Correct.

KOSTA JOVANOVIC: We're doing plan revision on this one and request a continuance.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Okay. In area AF 04 for Node N048, I make a motion to continue.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor

signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE N016

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On Franklin Street, it's an extension of aerial fiber from Pole 5 on Franklin Street easterly to Pole 283/48 and attachment of new equipment on Pole 283/48 known as Node N016.

Do you have licensing and everything on these ones or is that in process?

KOSTA JOVANOVIC: Licensing is in process. I checked the other day, and we got most of them. What I have been doing is showing the licenses -- giving them to Dana as they come

in. What we have complete now is Areas 13, 14, 15 and 1. Those are the complete sections as far as Node licensing. They're coming in at a good clip.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: No excavation with this one.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Right.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: I make a motion to approve.

EXECUTIVE DIRECTOR ELIZABETH LINT: 16.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: N016.

CHAIR ANDREA JACKSON: One question. Was this -- attachment no new equipment, is this on top or --

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This one here is a com space also so typical of the other one. I would like to make

sure that this is another com space that needs to be swung out on the street side.

CHAIR ANDREA JACKSON: Street side.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Street side, yeah.

CHAIR ANDREA JACKSON: Is that a motion?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yes.

CHAIR ANDREA JACKSON: To approve?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Motion to approve.

CHAIR ANDREA JACKSON: Second. All those in favor signify by saying aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

PETITION (CONTINUED)**CROWN CASTLE - NODE N041**

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Highland Ave, an extension of new conduit from Verizon, a manhole 26/110 on Broadway Street, northerly along Highland Avenue to Pole 3, 327 feet, and then continuing as aerial fiber northerly along Highland Avenue to Pole 9 and attachment of new equipment on Pole 9 known as Node N041.

KOSTA JOVANOVIC: This one involves a trench.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Yes, it does.

I'm seeing an incorrect survey on this also. But other than that -- your surveying is just showing one and there's three out there, not that the two would impact it. It's borderline.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: We need to continue this one.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: On a motion to continue?

EXECUTIVE DIRECTOR ELIZABETH LINT:

That's 41?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: This is 41, N041.

On the motion?

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE N047

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: For Green Street, new equipment

attachment on existing fiber optic pathway at Pole 44/23 on Green Street known as Node N047.

KOSTA JOVANOVIC: This is the one where the resident came in and showed the pole outside. But that photo had a transformer on it and I Googled it and eliminated it. And you can just make the out pole here in the trees is the one in front of her building and the one we want to use across the street.

CHAIR ANDREA JACKSON: That's the one I remember, it doesn't sound like it was the same pole.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: This is just attachment of equipment. You also have fiber on this pole and it's a pole top?

KOSTA JOVANOVIC: Yes.

CITY ELECTRICIAN COMMISSIONER STEPHEN LENKAUSKAS: I make a motion to approve.

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

EXECUTIVE DIRECTOR ELIZABETH LINT: No

conditions, right?

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Just typical traffic and parking and
coordination with Public Works. Typical
conditions.

PETITION (CONTINUED)

CROWN CASTLE - NODE N034

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Hancock Street, new equipment
attachments on existing fiber optic pathways at
Pole 23 on Hancock Street known as Node N034.

Also no excavation or aerial existing of fiber.

I make a motion to approve.

CHAIR ANDREA JACKSON: Second.

All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Aye.

PETITION (CONTINUED)

CROWN CASTLE - NODE N029

CITY ELECTRICIAN COMMISSIONER STEPHEN

LENKAUSKAS: Hancock street again, new equipment
attachments on existing fiber optic pathways of
Pole 327/30 on Hancock Street known as Node N029.

Also pole top antennas on existing 5 and no
excavation.

Move to approve.

SUPERINTENDENT OF STREETS COMMISSIONER

WILLIAM DWYER: Seconded.

CHAIR ANDREA JACKSON: All those in favor signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Aye.

I think that does it.

CHAIR ANDREA JACKSON: Do we have the minutes from March 19? I reviewed them, I thought they were fine, but I didn't know if you had them.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Yep.

CHAIR ANDREA JACKSON: I make a motion to approve the minutes from March 19.

Is there a second?

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Second.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Aye.

CHAIR ANDREA JACKSON: I make a motion to
adjourn.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: I second it.

CHAIR ANDREA JACKSON: All those in favor
signify by saying aye.

CITY ELECTRICIAN COMMISSIONER STEPHEN
LENKAUSKAS: Aye.

SUPERINTENDENT OF STREETS COMMISSIONER
WILLIAM DWYER: Aye.

(Whereupon, the Pole and Conduit

Commission meeting adjourned

at 12:35 p.m.)

CERTIFICATION

Commonwealth of Massachusetts

Norfolk, ss.

I, Jill Kourafas, a Notary Public in and
for the Commonwealth of Massachusetts, do hereby
certify:

That the hearing herein before set forth
is a true and accurate record of the proceedings.

IN WITNESS WHEREOF, I have hereunto set
my hand this 25th day of April 2015.

Jill Kourafas
Certified Shorthand Reporter
License No. 14903
Notary Public

THE FOREGOING CERTIFICATION OF THIS TRANSCRIPT
DOES NOT APPLY TO ANY REPRODUCTION OF THE SAME IN
ANY RESPECT UNLESS UNDER THE DIRECT CONTROL AND/OR
DIRECTION OF THE CERTIFYING REPORTER.

<u>0</u>	<u>1</u>	<u>115</u> [1] - 4:12	<u>14903</u> [1] - 173:15	6:8
<u>002</u> [2] - 126:19, 132:18	<u>1</u> [2] - 63:8, 163:17	<u>117</u> [2] - 4:15, 23:6	<u>15</u> [5] - 7:2, 31:17, 33:5, 154:5, 163:17	<u>171</u> [1] - 6:9
<u>003</u> [2] - 156:14, 157:14	<u>10</u> [4] - 11:13, 22:8, 46:5, 158:13	<u>12</u> [1] - 96:10	<u>1524</u> [1] - 40:2	<u>175</u> [1] - 147:16
<u>004</u> [1] - 162:1	<u>100</u> [1] - 54:6	<u>127</u> [1] - 4:17	<u>157</u> [1] - 5:14	<u>178</u> [3] - 37:11, 38:2, 38:16
<u>005</u> [2] - 144:14, 144:18	<u>102/85</u> [1] - 23:6	<u>12:35</u> [2] - 1:16, 172:15	<u>159</u> [1] - 5:16	<u>18</u> [3] - 34:18, 104:3, 154:5
<u>007</u> [2] - 135:6, 136:13	<u>104</u> [1] - 4:11	<u>13</u> [3] - 2:5, 23:14, 163:16	<u>16</u> [3] - 1:15, 7:8, 164:7	<u>180</u> [3] - 111:13, 111:14, 121:15
<u>02139</u> [1] - 1:14	<u>105</u> [5] - 2:17, 43:12, 43:15, 43:17, 43:18	<u>133</u> [1] - 4:18	<u>161</u> [1] - 5:17	<u>19</u> [4] - 37:9, 70:10, 171:5, 171:11
<u>03</u> [1] - 157:1	<u>10:00</u> [2] - 1:16, 7:9	<u>134</u> [1] - 65:9	<u>163</u> [1] - 5:19	<u>190</u> [2] - 13:19, 15:5
<u>04</u> [1] - 162:11	<u>11</u> [3] - 60:12, 139:2, 139:4	<u>137</u> [1] - 5:3	<u>164</u> [2] - 6:3, 46:8	<u>1900</u> [1] - 134:17
<u>0515-0013</u> [1] - 139:1	<u>1100</u> [5] - 3:3, 46:16, 52:12, 52:16, 53:3	<u>138</u> [1] - 5:5	<u>165</u> [2] - 96:12, 99:4	<u>197a</u> [1] - 114:8
<u>0515-0101</u> [1] - 135:12	<u>114</u> [4] - 4:11, 103:18, 104:2, 104:5	<u>139</u> [1] - 5:6	<u>166</u> [1] - 6:5	
<u>0515-0204</u> [1] - 127:2		<u>14</u> [2] - 86:1, 163:16	<u>166-75A</u> [1] - 133:2	<u>2</u> [6] - 3:6, 23:4, 56:7, 56:15, 56:17, 135:5
<u>0515-1200</u> [1] - 9:3		<u>140</u> [1] - 5:8	<u>166/79</u> [1] - 133:4	<u>20</u> [6] - 31:17,
<u>0515-3808</u> [1] - 56:14		<u>145</u> [1] - 5:10	<u>168</u> [1] - 6:6	
<u>0515/0203</u> [1] - 133:1		<u>146/33</u> [1] - 14:2	<u>17</u> [1] - 86:1	
		<u>147</u> [1] - 5:11	<u>170</u> [1] -	
		<u>149</u> [1] - 5:13		

33:6, 73:1, 74:1, 110:1, 134:18 <u>200</u> [1] - 66:14 <u>2011</u> [1] - 119:7 <u>2014</u> [1] - 65:6 <u>2015</u> [5] - 1:15, 7:2, 7:8, 23:15, 173:12 <u>21</u> [6] - 2:7, 85:5, 107:3, 107:19, 114:6, 114:9 <u>2100</u> [2] - 134:13, 134:16 <u>22</u> [2] - 2:8, 107:1 <u>227/24</u> [2] - 157:17, 157:19 <u>23</u> [1] - 169:14 <u>241/15</u> [1] - 140:5 <u>2419</u> [1] - 140:4 <u>245/15</u> [1] - 140:6 <u>24963</u> [2]	- 54:5, 54:11 <u>250</u> [7] - 59:16, 65:6, 85:3, 85:9, 85:18, 86:7, 91:19 <u>25th</u> [1] - 173:12 <u>26/110</u> [1] - 165:19 <u>26/113</u> [1] - 157:16 <u>26/451</u> [2] - 46:11, 46:17 <u>26/534</u> [1] - 9:3 <u>26/597</u> [2] - 96:12, 99:5 <u>260</u> [1] - 60:14 <u>260/2-s</u> [1] - 69:19 <u>260/6</u> [1] - 70:4 <u>260/6-s</u> [1] - 70:8 <u>260/s</u> [1] - 70:6 <u>261/9</u> [1] - 70:12 <u>263</u> [1] - 66:15	<u>265</u> [1] - 52:17 <u>2672</u> [1] - 147:14 <u>26th</u> [2] - 52:10 <u>27</u> [2] - 2:10, 35:2 <u>277</u> [2] - 133:2, 139:3 <u>28</u> [1] - 53:1 <u>283/48</u> [2] - 163:8, 163:9 <u>2854</u> [1] - 147:18 <u>29</u> [1] - 29:3 <u>291</u> [1] - 37:10 <u>3</u> <u>3</u> [24] - 9:2, 10:1, 21:19, 22:7, 43:15, 56:13, 56:18, 56:19, 85:1, 86:10, 88:17, 92:12, 120:2, 124:7, 127:2,	130:12, 133:1, 135:11, 135:14, 138:4, 139:1, 166:2 <u>3-inch</u> [2] - 34:19 <u>3/19/2015</u> [1] - 37:8 <u>30</u> [2] - 2:11, 73:15 <u>31</u> [1] - 2:13 <u>327</u> [1] - 166:2 <u>327/30</u> [1] - 170:10 <u>33</u> [5] - 2:10, 28:12, 29:2, 29:4, 59:18 <u>335</u> [1] - 127:4 <u>34</u> [1] - 13:19 <u>35</u> [1] - 68:6 <u>3502</u> [1] - 66:14 <u>3503</u> [1] - 66:14 <u>36</u> [4] - 2:16, 11:12,	49:1, 66:17 <u>37</u> [1] - 2:14 <u>38</u> [1] - 146:4 <u>380</u> [1] - 70:4 <u>3808</u> [1] - 56:18 <u>4</u> <u>4</u> [16] - 28:19, 40:4, 59:11, 85:4, 85:15, 88:3, 88:4, 88:14, 147:15, 147:17, 160:7, 160:9 <u>4-inch</u> [18] - 14:1, 22:9, 23:6, 29:5, 31:9, 35:4, 35:14, 52:18, 53:1, 54:6, 56:12, 85:2,
---	--	---	---	---

85:8, 85:16, 96:11, 104:4, 104:12, 114:7 <u>40</u> [4] - 70:1, 70:12, 134:13, 134:17 <u>40-foot</u> [1] - 124:6 <u>400</u> [1] - 70:9 <u>41</u> [2] - 166:19, 167:2 <u>411/30</u> [1] - 60:15 <u>42</u> [4] - 2:17, 43:17, 85:10, 85:19 <u>432</u> [2] - 41:9, 41:15 <u>44/23</u> [1] - 167:16 <u>46</u> [1] - 2:19 <u>496</u> [1] - 140:5	128:19, 129:4, 140:3, 144:15, 163:7, 170:11 <u>500</u> [2] - 54:9, 54:14 <u>505</u> [1] - 160:8 <u>510/59</u> [2] - 127:3, 127:6 <u>52</u> [1] - 3:3 <u>54</u> [2] - 3:5, 3:6 <u>580/1</u> [1] - 52:16 <u>580/5</u> [1] - 46:7 <u>59</u> [4] - 3:8, 131:13, 131:14, 131:17 <u>6</u> [4] - 85:15, 124:1, 128:16, 162:1 <u>60</u> [4] - 3:9, 63:11, 69:19, 124:1	<u>600</u> [1] - 37:17 <u>61</u> [3] - 3:11, 131:11, 132:1 <u>617.786.</u> <u>7783/www.</u> <u>reportersinc</u> <u>.com</u> [1] - 1:19 <u>628</u> [1] - 149:11 <u>64</u> [2] - 3:12, 3:14 <u>640</u> [5] - 2:8, 23:1, 23:5, 23:8, 24:11 <u>69</u> [1] - 3:15 <u>7</u> [3] - 2:3, 149:10, 149:12 <u>700</u> [6] - 2:14, 37:4, 37:7, 37:12, 38:3, 38:15 <u>728/2</u> [1] - 29:3 <u>73</u> [1] - 3:17	<u>74/15</u> [1] - 63:11 <u>75</u> [1] - 9:2 <u>77</u> [2] - 31:6, 33:5 <u>78</u> [1] - 3:19 <u>790</u> [5] - 2:7, 17:6, 22:3, 22:7, 22:10 <u>8</u> [5] - 34:17, 84:1, 84:2, 85:15, 116:5 <u>800</u> [1] - 130:16 <u>81</u> [4] - 2:13, 34:13, 35:1, 35:3 <u>82</u> [1] - 4:4 <u>831</u> [5] - 1:13, 7:11, 112:8, 112:12, 112:13 <u>84</u> [3] - 4:6, 4:8, 157:18	<u>9</u> <u>9</u> [7] - 2:11, 31:1, 31:4, 31:8, 72:12, 166:4 <u>90</u> [2] - 16:8, 121:15 <u>90-day</u> [1] - 16:7 <u>97</u> [2] - 4:9, 56:12 <u>A</u> <u>a.m</u> [2] - 1:16, 7:9 <u>able</u> [14] - 15:1, 40:17, 40:18, 69:1, 75:2, 81:13, 81:14, 95:6, 105:15, 113:14, 123:12, 124:11, 128:7, 130:9 <u>absolutely</u> [1] - 67:7 <u>abstain</u> [1] - 115:17
--	--	--	---	---

<u>abstaining</u> [1] - 113:13	38:2, 38:16, 93:7, 93:8, 93:10, 93:11, 133:7, 156:4	136:13, 144:14, 144:18, 156:14, 157:1, 157:14, 162:1, 162:11	87:4, 87:5, 149:17, 150:11, 150:14, 154:5	18:11, 18:15, 18:19, 19:5, 19:13, 19:18, 20:2, 21:7, 21:13, 21:19, 23:9, 24:3, 25:5, 25:13, 26:16, 27:13, 28:6, 46:15, 47:3, 47:17, 48:1, 48:14, 49:5, 50:5, 50:14, 51:6, 51:10, 52:5, 53:6, 54:10, 55:4, 55:8, 56:16, 57:16, 59:2, 59:6
<u>abutters</u> [7] - 23:18, 108:5, 108:7, 108:14, 108:15, 109:2, 109:4	<u>address</u> [1] - 112:18	<u>AF-003</u> [1] - 149:6 <u>AF-005</u> [2] - 140:2, 147:13 <u>AF-007</u> [1] - 137:13	<u>agreed</u> [1] - 42:5 <u>ahead</u> [7] - 15:18, 26:10, 42:12, 103:2, 105:14, 107:11, 128:18	
<u>access</u> [2] - 89:6, 98:10	<u>addressed</u> [2] - 112:10, 112:13	<u>affect</u> [2] - 57:7, 143:10	<u>Air</u> [1] - 46:15	
<u>Access</u> [1] - 14:7	<u>adjourn</u> [1] - 172:3	<u>afraid</u> [1] - 14:19	<u>Albany</u> [3] - 66:13, 66:17, 68:4	
<u>accommodat</u> <u>e</u> [4] - 92:13, 108:2, 117:15, 124:11	<u>adjourned</u> [1] - 172:14	<u>agenda</u> [8] - 7:15, 58:19, 94:18, 95:3, 95:5, 106:19, 108:16, 138:3	<u>ALBANY</u> [2] - 3:14, 66:10	
<u>accurate</u> [1] - 173:10	<u>aerial</u> [12] - 17:6, 17:12, 17:15, 21:14, 26:18, 127:4, 133:3, 140:5, 147:16, 163:7, 166:3, 169:15	<u>AGENDA</u> [10] - 2:1, 2:2, 3:1, 3:2, 4:1, 4:2, 5:1, 5:2, 6:1, 6:2	<u>Alexandra</u> [1] - 55:11	
<u>actual</u> [3] - 17:5, 73:19, 127:11			<u>ALLEN</u> [2] - 5:8, 139:19	
<u>add</u> [3] - 38:16, 99:18, 114:10			<u>Allen</u> [1] - 140:4	
<u>added</u> [1] - 31:17	<u>AF</u> [11] - 126:19, 132:18, 135:6,	<u>ago</u> [8] - 40:9, 68:8,	<u>ALLES</u> [41] - 17:10, 17:11, 17:16, 18:3, 18:8,	
<u>additional</u> [9] - 37:11,				<u>Alles</u> [1] - 17:10 <u>allow</u> [1] - 141:12

<u>allowing</u> [1] - 119:6	3:19, 4:3, 4:15, 4:15, 5:8, 7:3, 13:15, 46:1, 54:1, 72:14, 77:7, 80:11, 116:2, 139:19	43:5, 45:12, 50:15, 50:19, 51:17, 52:9, 53:11, 53:17, 55:13, 55:18, 58:12, 60:2, 62:8, 62:13, 64:15, 65:16, 66:3, 68:10, 68:17, 69:3, 69:6, 71:10, 71:14, 72:6, 72:11, 76:15, 76:19, 80:3, 83:8, 83:18, 84:2, 84:8, 84:13, 93:14, 93:18, 94:8, 95:4, 95:19, 96:16, 97:4,	101:15, 102:6, 102:13, 106:11, 107:14, 108:4, 108:10, 112:4, 112:9, 112:17, 113:11, 115:11, 115:17, 116:15, 117:1, 124:18, 125:3, 125:9, 125:15, 126:7, 131:11, 131:16, 132:6, 133:12, 133:16, 136:3, 137:4, 138:3, 138:9, 139:11, 143:2, 145:12, 145:16, 147:6, 148:1, 148:17, 151:19, 156:16, 157:4, 159:13,	161:10, 161:16, 162:15, 164:10, 164:18, 165:2, 165:5, 165:8, 167:4, 168:5, 168:15, 169:17, 170:16, 171:4, 171:10, 171:15, 172:2, 172:6
<u>almost</u> [1] - 158:13				
<u>alternate</u> [1] - 117:13				
<u>alternates</u> [1] - 118:16				
<u>alternativ</u> <u>e</u> [2] - 119:13, 119:15	<u>AND/OR</u> [1] - 173:18			
<u>America</u> [1] - 84:6	<u>ANDREA</u> [123] - 1:7, 7:6, 7:19, 8:4, 8:10, 8:14, 13:3, 13:9, 13:11, 14:3, 14:5, 17:8, 20:9, 20:14, 20:19, 21:4, 22:15, 23:13, 27:16, 28:1, 30:10, 33:19, 34:8, 36:11, 39:8,			
<u>AMERICA</u> [4] - 4:6, 4:8, 83:17, 85:12				
<u>Amory</u> [3] - 145:3, 145:6, 146:5				
<u>amount</u> [4] - 48:19, 49:3, 49:18, 74:18				
<u>analyzed</u> [1] - 127:9				
<u>AND</u> [22] - 1:2, 1:4, 1:6, 2:5, 2:19, 3:5, 3:17,				
				<u>Andrea</u> [1] - 7:12
				<u>answer</u> [2] - 89:8, 151:15
				<u>answers</u> [1] - 148:15
				<u>antenna</u> [4] - 121:3, 158:3, 158:7, 158:14
				<u>antennas</u> [3] - 134:2, 158:16, 170:11
				<u>ANTHONY</u> [25] -

28:16, 29:11, 29:16, 29:19, 31:13, 32:3, 32:10, 32:15, 33:7, 33:16, 34:12, 35:7, 35:18, 36:2, 37:15, 38:7, 38:11, 40:8, 40:16, 41:5, 44:3, 44:9, 44:14, 45:2, 45:18 <u>Anthony</u> [3] - 28:18, 34:10, 36:6 <u>anticipati</u> <u>ng</u> [1] - 100:17 <u>Antrim</u> [1] - 145:6 <u>ANY</u> [2] - 173:18, 173:18 <u>anyway</u> [4]	- 26:10, 41:19, 109:3, 113:13 <u>anyways</u> [1] - 52:8 <u>apparatus</u> [1] - 120:19 <u>applicatio</u> <u>n</u> [5] - 32:18, 33:8, 151:1, 151:11 <u>apply</u> [3] - 82:17, 152:18, 156:6 <u>APPLY</u> [1] - 173:18 <u>approval</u> [5] - 10:10, 56:19, 57:7, 86:9, 99:8 <u>approve</u> [29] - 27:3, 30:5, 30:7, 32:8, 36:10, 39:5, 42:15, 45:8, 58:5, 62:5,	64:1, 65:15, 71:7, 82:6, 82:8, 83:5, 100:11, 106:2, 108:15, 116:14, 124:17, 147:1, 164:6, 165:5, 165:7, 168:14, 169:16, 170:13, 171:11 <u>approved</u> [5] - 16:8, 31:15, 95:8, 129:2, 158:17 <u>approving</u> [2] - 115:6, 154:3 <u>April</u> [4] - 1:15, 7:8, 23:14, 173:12 <u>area</u> [19] - 37:2, 37:18, 38:17,	53:10, 82:10, 88:5, 89:1, 89:11, 105:3, 108:5, 135:5, 136:13, 137:13, 144:1, 144:18, 149:6, 162:1, 162:11 <u>areas</u> [2] - 9:11, 40:11 <u>Areas</u> [1] - 163:16 <u>ASAP</u> [1] - 62:18 <u>asphalt</u> [2] - 73:6, 73:9 <u>assigned</u> [1] - 91:17 <u>associated</u> [1] - 23:18 <u>assume</u> [1] - 36:18 <u>AT</u> [1] - 1:12 <u>AT&T</u> [2] - 85:17, 86:8 <u>ATHENAEUM</u>	[2] - 3:5, 54:1 <u>Athenaeum</u> [5] - 54:4, 54:13, 54:17, 55:4, 55:6 <u>attachment</u> [9] - 74:10, 127:5, 133:3, 140:6, 163:8, 164:11, 166:4, 167:15, 168:9 <u>attachment</u> <u>s</u> [2] - 169:13, 170:9 <u>Auburn</u> [7] - 34:18, 35:1, 35:4, 35:12, 104:2, 104:5, 116:7 <u>AUBURN</u> [6] - 2:13, 4:11, 4:14, 34:13, 103:18, 116:2 <u>automatica</u>
--	--	--	--	--

lly [1] - 94:17	70:5, 70:10, 71:1, 80:15, 135:10, 166:1, 166:3	27:17, 27:19, 28:1, 28:3, 30:13, 30:15, 30:17, 34:3, 34:5, 34:7, 34:8, 36:12, 36:14, 36:16, 39:11, 39:13, 39:15, 43:6, 43:8, 43:10, 45:13, 45:15, 45:17, 51:1, 51:3, 51:5, 53:12, 53:14, 53:16, 53:17, 56:1, 56:3, 56:5, 58:13, 58:15, 58:17, 60:3, 60:5, 60:7, 62:9,	62:11, 62:12, 62:13, 64:16, 64:18, 65:1, 66:4, 66:6, 66:8, 69:9, 69:11, 69:13, 71:16, 71:18, 72:1, 77:1, 77:3, 77:5, 80:5, 80:7, 80:9, 83:10, 83:12, 83:14, 94:9, 94:11, 94:13, 102:8, 102:10, 102:12, 102:13, 106:12, 106:14, 106:16, 115:12, 115:14, 115:16, 116:19, 117:1, 126:10,	126:12, 126:14, 132:9, 132:11, 132:13, 133:13, 133:15, 133:16, 136:4, 136:6, 136:8, 137:5, 137:7, 137:9, 138:10, 138:12, 138:14, 139:12, 139:14, 139:16, 143:3, 143:5, 145:18, 146:1, 146:3, 157:5, 157:7, 157:9, 159:14, 159:16, 159:18, 161:13, 161:15, 161:16, 162:16, 162:18, 163:1, 165:9, 165:11, 165:13,
available [5] - 47:12, 49:7, 49:8, 50:7, 141:9	AVENUE [14] - 2:10, 2:16, 3:3, 3:8, 3:11, 3:12, 4:4, 28:12, 39:17, 52:12, 59:8, 63:3, 65:2, 80:12			
AVE [2] - 4:15, 116:2				
Ave [9] - 7:11, 46:16, 50:4, 52:16, 53:3, 112:12, 112:14, 116:8, 165:18	avoid [1] - 141:8			
Avenue [23] - 1:13, 29:2, 29:3, 29:5, 40:1, 40:2, 40:3, 59:14, 59:19, 63:7, 63:18, 64:11, 65:5, 65:9, 70:1,	aware [5] - 99:14, 99:16, 100:2, 109:11, 110:5 awhile [1] - 156:7 aye [146] - 13:4, 13:6, 13:8, 21:1, 21:3, 21:4, 22:16, 22:18,			

167:5, 167:7, 167:9, 168:16, 168:18, 169:1, 169:18, 170:1, 170:3, 170:17, 170:19, 171:2, 171:16, 171:18, 172:1, 172:7, 172:9, 172:11	50:3, 133:8 <u>based</u> [7] - 31:15, 31:16, 35:8, 51:15, 92:19, 97:12, 118:11 <u>Basement</u> [2] - 1:13, 7:11 <u>basis</u> [1] - 114:17 <u>Bay</u> [1] - 60:14 <u>Beacons</u> [1] - 80:17 <u>BEECH</u> [2] - 2:11, 31:1 <u>Beech</u> [4] - 31:4, 31:6, 31:7, 31:8 <u>begin</u> [1] - 38:13 <u>beginning</u> [1] - 35:16 <u>behalf</u> [1] - 14:8 <u>behind</u> [1] - 14:18 <u>belonging</u> [1] - 54:8 <u>benefit</u>	[1] - 131:3 <u>BENJAMIN</u> [22] - 72:9, 73:3, 73:8, 73:14, 74:2, 74:9, 74:15, 75:9, 76:1, 76:4, 76:9, 77:16, 78:1, 78:13, 79:4, 79:8, 80:19, 81:7, 81:18, 82:4, 82:15, 82:19 <u>Benjamin</u> [1] - 72:9 <u>Bent</u> [11] - 84:17, 85:2, 85:3, 85:7, 85:18, 86:7, 88:5, 88:6, 91:18, 92:1, 92:5	<u>BENT</u> [2] - 4:6, 83:17 <u>best</u> [3] - 74:2, 75:4, 149:1 <u>better</u> [2] - 89:12, 128:3 <u>between</u> [2] - 135:14, 142:14 <u>beyond</u> [5] - 29:15, 31:18, 98:8, 109:9, 110:2 <u>big</u> [4] - 89:9, 98:12, 123:16, 128:1 <u>bike</u> [1] - 81:16 <u>Bike</u> [1] - 73:2 <u>BILL</u> [9] - 13:13, 14:4, 14:12, 15:6, 15:17, 16:12, 16:16, 17:4, 22:17 <u>Bill</u> [5] -	7:14, 14:7, 99:6, 112:10 <u>bill</u> [2] - 13:13, 32:3 <u>Bill's</u> [1] - 112:11 <u>Biomed</u> [1] - 54:15 <u>Bishop</u> [1] - 140:3 <u>BISHOP</u> [2] - 5:8, 139:19 <u>bit</u> [2] - 78:6, 93:1 <u>black</u> [3] - 9:14, 9:18, 11:3 <u>Blackstone</u> [4] - 63:6, 63:7, 63:9, 63:10 <u>block</u> [1] - 155:7 <u>blue</u> [2] - 87:4, 90:13 <u>BOARD</u> [1] - 1:6 <u>board</u> [1] - 102:16 <u>bold</u> [1] - 11:3 <u>borderline</u>
<u>B</u>				
<u>B-E-N-J-A-</u> <u>M-I-N</u> [1] - 72:10 <u>B-R-Y-A-N</u> [1] - 97:8 <u>back-check</u> [1] - 103:7 <u>backside</u> [2] - 38:15, 121:4 <u>ballpark</u> [1] - 25:4 <u>bands</u> [1] - 135:1 <u>bank</u> [4] - 49:2, 49:4,				

<p>[1] - 166:13</p> <p><u>Boston</u> [2] - 44:15, 44:17</p> <p><u>bottom</u> [7] - 21:19, 22:6, 34:17, 46:5, 72:12, 74:17, 142:6</p> <p><u>brand</u> [2] - 67:8</p> <p><u>brand-new</u> [2] - 67:8</p> <p><u>break</u> [2] - 86:9, 86:19</p> <p><u>break-outs</u> [1] - 86:19</p> <p><u>breakout</u> [2] - 11:10, 57:1</p> <p><u>brick</u> [5] - 31:11, 35:6, 37:18, 104:7</p> <p><u>briefly</u> [1] - 36:3</p> <p><u>bring</u> [2] - 90:12, 122:5</p> <p><u>bringing</u> [1] -</p>	<p>119:17</p> <p><u>Broadway</u> [9] - 9:1, 43:15, 43:17, 43:19, 72:19, 147:15, 157:17, 166:1</p> <p><u>BROADWAY</u> [4] - 2:17, 3:17, 43:12, 72:15</p> <p><u>broke</u> [1] - 41:15</p> <p><u>broken</u> [1] - 9:18</p> <p><u>brought</u> [2] - 40:11, 122:7</p> <p><u>BRYAN</u> [26] - 96:14, 97:1, 97:7, 97:17, 99:2, 100:8, 100:14, 103:11, 104:10, 104:16, 105:5, 106:17, 107:6, 109:11,</p>	<p>109:16, 110:5, 110:16, 110:19, 111:8, 111:13, 111:19, 112:3, 112:15, 113:1, 114:12, 115:1</p> <p><u>Bryan</u> [1] - 97:1</p> <p><u>bucks</u> [1] - 89:18</p> <p><u>build</u> [1] - 46:18</p> <p><u>build-back</u> [1] - 46:18</p> <p><u>building</u> [18] - 23:7, 24:17, 25:10, 26:4, 26:9, 35:8, 38:3, 38:15, 53:3, 54:8, 56:15, 96:13, 104:6, 105:9, 107:19, 119:10,</p>	<p>134:7, 168:3</p> <p><u>Building</u> [2] - 1:12, 7:11</p> <p><u>bump</u> [3] - 67:8, 68:5, 68:7</p> <p><u>bump-out</u> [3] - 67:8, 68:5, 68:7</p> <p><u>bunch</u> [1] - 40:10</p> <p><u>but..</u> [2] - 71:3, 101:4</p> <p style="text-align: center;"><u> </u></p> <p><u>C-O-N-W-A-</u> <u>Y</u> [1] - 13:13</p> <p><u>C2014</u> [1] - 59:15</p> <p><u>cable</u> [6] - 17:19, 97:11, 104:6, 127:1, 132:19, 160:15</p> <p><u>cables</u> [2] - 40:19, 41:12</p> <p><u>Callahan</u> [1] - 99:3</p> <p><u>CAMBRIDGE</u> [12] - 1:1, 3:17,</p>	<p>3:19, 4:3, 4:14, 5:6, 72:14, 77:7, 80:11, 116:1, 135:2, 138:16</p> <p><u>Cambridge</u> [22] - 1:14, 44:4, 44:14, 56:11, 56:14, 56:15, 56:19, 57:9, 72:4, 72:18, 77:10, 80:14, 111:15, 116:6, 127:3, 130:16, 131:1, 133:1, 135:6, 135:9, 135:11, 138:19</p> <p><u>CAMBRIDGEP</u> <u>ARK</u> [2] - 4:9, 96:5</p> <p><u>Cambridgep</u> <u>ark</u> [5] - 96:9, 96:12,</p>
--	--	--	---	---

97:8, 97:19, 99:4 <u>CANAL</u> [2] - 3:6, 56:7 <u>Canal</u> [3] - 56:10, 56:15, 56:17 <u>capacity</u> [2] - 41:11, 41:19 <u>captures</u> [1] - 127:12 <u>CAPTURING</u> [1] - 1:18 <u>car</u> [1] - 127:12 <u>Cardinal</u> [1] - 135:10 <u>cars</u> [3] - 74:3, 75:7, 91:7 <u>case</u> [8] - 12:15, 16:6, 90:16, 114:17, 115:3 <u>case-by-</u> <u>case</u> [2] - 114:17, 115:3 <u>Castle</u> [10] -	8:3, 28:8, 28:10, 117:6, 117:8, 135:9, 135:15, 149:7, 151:18, 160:5 <u>CASTLE</u> [36] - 4:17, 4:18, 5:3, 5:5, 5:6, 5:8, 5:10, 5:11, 5:13, 5:14, 5:16, 5:17, 5:19, 6:3, 6:5, 6:6, 6:8, 6:9, 126:16, 132:15, 135:2, 136:10, 137:10, 138:16, 139:18, 144:11, 147:9, 149:3, 157:11, 160:1, 161:17, 163:3, 165:15, 167:11, 169:9,	170:5 <u>cc</u> [1] - 34:11 <u>center</u> [1] - 44:5 <u>Center</u> [1] - 44:15 <u>certain</u> [1] - 118:6 <u>CERTIFICAT</u> <u>ION</u> [2] - 173:2, 173:17 <u>Certified</u> [1] - 173:15 <u>certify</u> [1] - 173:8 <u>CERTIFYING</u> [1] - 173:19 <u>CHAIR</u> [123] - 1:7, 7:6, 7:19, 8:4, 8:10, 8:14, 13:3, 13:9, 13:11, 14:3, 14:5, 17:8, 20:9, 20:14, 20:19, 21:4,	22:15, 23:13, 27:16, 28:1, 30:10, 33:19, 34:8, 36:11, 39:8, 43:5, 45:12, 50:15, 50:19, 51:17, 52:9, 53:11, 53:17, 55:13, 55:18, 58:12, 60:2, 62:8, 62:13, 64:15, 65:16, 66:3, 68:10, 68:17, 69:3, 69:6, 71:10, 71:14, 72:6, 72:11, 76:15, 76:19, 80:3, 83:8, 83:18, 84:2,	84:8, 84:13, 93:14, 93:18, 94:8, 95:4, 95:19, 96:16, 97:4, 101:15, 102:6, 102:13, 106:11, 107:14, 108:4, 108:10, 112:4, 112:9, 112:17, 113:11, 115:11, 115:17, 116:15, 117:1, 124:18, 125:3, 125:9, 125:15, 126:7, 131:11, 131:16, 132:6, 133:12, 133:16, 136:3, 137:4, 138:3, 138:9, 139:11, 143:2,
--	---	---	--	---

145:12, 145:16, 147:6, 148:1, 148:17, 151:19, 156:16, 157:4, 159:13, 161:10, 161:16, 162:15, 164:10, 164:18, 165:2, 165:5, 165:8, 167:4, 168:5, 168:15, 169:17, 170:16, 171:4, 171:10, 171:15, 172:2, 172:6 <u>chair</u> [1] - 7:13 <u>chairperso</u> <u>n</u> [1] - 112:13 <u>chamber</u> [1] - 25:2 <u>change</u> [6] - 9:4, 32:10, 32:13, 33:4,	67:13, 159:11 <u>changed</u> [8] - 21:12, 37:16, 38:14, 119:7, 124:5, 143:9, 155:11 <u>changes</u> [1] - 109:19 <u>charter</u> [1] - 90:19 <u>check</u> [12] - 79:9, 90:17, 100:3, 103:7, 110:15, 110:16, 110:18, 110:19, 111:4, 111:6, 111:9, 151:19 <u>checked</u> [4] - 78:11, 79:2, 79:5, 163:13 <u>checking</u> [2] - 99:12,	99:14 <u>Chestnut</u> [2] - 13:18, 15:8 <u>CHESTNUT</u> [2] - 2:5, 13:15 <u>city</u> [16] - 9:5, 9:12, 12:14, 12:18, 40:5, 70:17, 92:8, 93:11, 103:10, 103:12, 103:15, 103:16, 104:9, 114:10, 116:10, 116:12 <u>City</u> [1] - 111:15 <u>CITY</u> [343] - 1:1, 1:9, 8:2, 8:18, 10:13, 10:19, 11:5, 11:8, 12:16, 13:1, 13:5, 13:16,	14:9, 15:13, 18:1, 18:4, 18:9, 18:12, 18:16, 19:3, 19:10, 19:15, 19:19, 20:17, 21:5, 21:10, 21:16, 22:5, 23:3, 24:1, 24:5, 24:9, 24:16, 26:5, 26:12, 27:2, 27:14, 27:18, 28:4, 28:7, 28:14, 28:17, 30:4, 30:8, 30:14, 31:3, 32:1, 32:7, 32:12, 32:19, 33:12, 33:17,	34:4, 34:15, 36:9, 36:13, 36:19, 37:6, 38:4, 39:4, 39:12, 39:19, 40:14, 41:3, 42:14, 42:19, 43:3, 43:7, 43:14, 44:6, 44:12, 44:16, 45:7, 45:14, 46:3, 47:1, 47:4, 47:14, 47:18, 48:2, 48:8, 48:12, 48:18, 49:11, 49:16, 50:10, 51:2, 51:8, 51:19, 52:6, 52:14, 53:7,
--	---	--	--	---

53:15,	74:6,	94:6,	116:4,	137:6,
54:3,	74:12,	94:10,	116:11,	137:12,
56:2,	75:5,	94:16,	116:16,	137:16,
56:9,	75:12,	95:9,	117:9,	138:7,
57:2,	76:2,	95:15,	119:1,	138:11,
58:4,	76:6,	96:7,	119:8,	138:18,
58:9,	76:10,	97:15,	122:6,	139:7,
58:14,	76:17,	98:4,	122:14,	139:13,
58:18,	77:2,	98:17,	123:1,	140:1,
59:10,	77:9,	99:9,	123:11,	140:8,
60:4,	77:17,	100:4,	123:17,	140:13,
60:11,	78:9,	100:9,	124:3,	141:2,
60:18,	78:17,	101:5,	124:9,	141:11,
61:4,	79:6,	101:13,	124:15,	141:16,
61:10,	80:1,	102:2,	125:5,	142:2,
61:17,	80:6,	102:9,	125:11,	142:7,
62:4,	80:13,	103:5,	125:18,	142:13,
62:10,	81:2,	103:13,	126:3,	143:4,
62:19,	82:5,	104:1,	126:11,	143:16,
63:5,	82:13,	104:11,	126:18,	144:8,
63:14,	82:16,	105:7,	129:5,	144:17,
63:19,	83:1,	106:1,	129:9,	145:5,
64:4,	83:4,	106:9,	129:17,	145:19,
64:8,	83:11,	106:13,	131:4,	146:7,
64:17,	84:3,	107:4,	131:9,	146:12,
65:4,	84:16,	107:16,	131:12,	147:3,
65:14,	84:19,	108:6,	131:18,	147:11,
65:18,	85:13,	109:6,	132:3,	148:5,
66:5,	86:2,	109:13,	132:10,	148:9,
66:12,	87:9,	109:17,	132:17,	149:5,
67:17,	87:12,	110:6,	133:14,	149:19,
69:10,	87:19,	110:11,	133:19,	150:6,
69:17,	88:13,	111:16,	134:11,	150:9,
70:15,	88:18,	112:1,	134:14,	150:18,
71:4,	91:16,	113:2,	135:4,	151:7,
71:6,	92:7,	113:8,	135:18,	151:16,
71:17,	92:11,	114:3,	136:5,	152:3,
72:3,	92:15,	114:16,	136:12,	152:7,
72:17,	93:9,	115:2,	136:17,	152:11,
73:18,	94:2,	115:13,	137:2,	152:15,

153:2, 153:8, 154:10, 154:14, 154:18, 155:4, 155:19, 156:9, 156:18, 157:6, 157:13, 158:2, 158:5, 158:11, 159:2, 159:6, 159:15, 160:3, 161:14, 161:19, 162:6, 162:10, 162:17, 163:5, 164:1, 164:5, 164:8, 164:13, 164:19, 165:3, 165:6, 165:12, 165:17, 166:8, 166:16, 167:1, 167:6, 167:13, 168:8, 168:13,	168:17, 169:4, 169:11, 169:19, 170:7, 170:18, 171:8, 171:13, 171:17, 172:4, 172:8 <u>city-</u> <u>funded</u> [2] - 116:10, 116:12 <u>clarificat</u> <u>ion</u> [1] - 53:9 <u>clarify</u> [1] - 50:1 <u>Class</u> [1] - 124:7 <u>clear</u> [1] - 124:19 <u>clip</u> [1] - 163:19 <u>close</u> [6] - 16:1, 67:14, 119:17, 121:19, 130:13, 134:4 <u>closer</u> [1] - 75:16 <u>CNN</u> [2] - 84:6, 84:15 <u>Columbia</u>	[2] - 133:2, 133:3 <u>com</u> [5] - 119:9, 134:1, 140:10, 164:14, 164:16 <u>COMCAST</u> [12] - 2:10, 2:11, 2:13, 2:14, 2:16, 2:17, 28:12, 31:1, 34:13, 37:4, 39:17, 43:12 <u>Comcast</u> [8] - 28:15, 31:4, 31:5, 34:16, 34:19, 40:7, 40:10, 43:16 <u>comfortabl</u> <u>e</u> [1] - 20:4 <u>coming</u> [5] - 25:9, 26:3,	105:8, 110:3, 163:18 <u>Commission</u> [2] - 7:7, 172:14 <u>COMMISSION</u> [3] - 1:2, 1:4, 7:3 <u>COMMISSION</u> <u>ER</u> [545] - 7:17, 8:18, 9:7, 9:13, 9:17, 10:3, 10:13, 10:19, 11:5, 11:8, 11:14, 11:19, 12:5, 12:16, 13:1, 13:5, 13:7, 13:16, 14:9, 15:3, 15:11, 15:13, 16:5, 16:13, 16:19, 17:13, 18:1, 18:4, 18:9,	18:12, 18:16, 19:3, 19:10, 19:15, 19:19, 20:3, 20:11, 20:17, 21:2, 21:5, 21:10, 21:16, 22:5, 22:13, 23:3, 24:1, 24:5, 24:7, 24:9, 24:14, 24:16, 24:18, 25:7, 25:15, 26:5, 26:7, 26:12, 26:14, 26:19, 27:2, 27:8, 27:14, 27:18, 28:2, 28:4, 28:7, 28:14, 28:17, 29:13,
---	--	--	--	--

29:17,	42:19,	54:3,	64:4,	75:12,
30:2,	43:3,	54:19,	64:6,	76:2,
30:4,	43:7,	55:5,	64:8,	76:6,
30:6,	43:9,	55:9,	64:13,	76:10,
30:8,	43:14,	55:15,	64:17,	76:12,
30:14,	44:6,	56:2,	64:19,	76:17,
30:16,	44:12,	56:4,	65:4,	77:2,
31:3,	44:16,	56:9,	65:12,	77:4,
32:1,	44:18,	57:2,	65:14,	77:9,
32:5,	45:4,	57:5,	65:18,	77:17,
32:7,	45:7,	57:19,	66:1,	78:9,
32:12,	45:14,	58:4,	66:5,	78:17,
32:19,	45:16,	58:7,	66:7,	79:6,
33:12,	46:3,	58:9,	66:12,	79:10,
33:17,	46:12,	58:14,	67:1,	80:1,
34:4,	47:1,	58:16,	67:6,	80:6,
34:6,	47:4,	58:18,	67:11,	80:8,
34:9,	47:14,	59:4,	67:17,	80:13,
34:15,	47:18,	59:10,	68:2,	81:2,
35:15,	48:2,	60:4,	68:15,	81:10,
35:19,	48:4,	60:6,	68:19,	82:2,
36:4,	48:8,	60:11,	69:10,	82:5,
36:9,	48:10,	60:18,	69:12,	82:7,
36:13,	48:12,	61:4,	69:17,	82:13,
36:15,	48:18,	61:8,	70:15,	82:16,
36:19,	49:11,	61:10,	70:18,	83:1,
37:6,	49:14,	61:14,	71:4,	83:4,
38:4,	49:16,	61:17,	71:6,	83:6,
38:9,	50:10,	62:2,	71:8,	83:11,
38:19,	50:17,	62:4,	71:12,	83:13,
39:2,	51:2,	62:6,	71:17,	84:3,
39:4,	51:4,	62:10,	71:19,	84:16,
39:12,	51:8,	62:12,	72:3,	84:19,
39:14,	51:19,	62:16,	72:17,	85:13,
39:19,	52:2,	62:19,	73:4,	86:2,
40:14,	52:6,	63:5,	73:12,	86:4,
41:3,	52:14,	63:14,	73:18,	86:17,
42:10,	53:7,	63:16,	74:6,	87:2,
42:14,	53:13,	63:19,	74:12,	87:9,
42:17,	53:15,	64:2,	75:5,	87:12,

87:17,	101:11,	115:13,	129:19,	141:11,
87:19,	101:13,	115:15,	131:4,	141:16,
88:2,	101:16,	116:4,	131:9,	142:2,
88:8,	102:2,	116:9,	131:12,	142:7,
88:13,	102:9,	116:11,	131:18,	142:13,
88:18,	102:11,	116:16,	132:3,	143:4,
89:3,	102:17,	116:18,	132:10,	143:6,
89:16,	103:5,	117:9,	132:12,	143:12,
90:2,	103:13,	119:1,	132:17,	143:16,
90:10,	104:1,	119:8,	133:10,	144:8,
91:4,	104:11,	120:8,	133:14,	144:17,
91:12,	104:13,	120:13,	133:19,	145:5,
91:16,	105:1,	120:17,	134:9,	145:10,
92:3,	105:7,	121:2,	134:11,	145:14,
92:7,	105:11,	121:8,	134:14,	145:19,
92:11,	106:1,	121:11,	135:4,	146:2,
92:15,	106:6,	122:1,	135:18,	146:7,
92:18,	106:9,	122:6,	136:1,	146:12,
93:6,	106:13,	122:14,	136:5,	147:3,
93:9,	106:15,	123:1,	136:7,	147:11,
93:16,	107:4,	123:11,	136:12,	148:3,
94:2,	107:9,	123:17,	136:17,	148:5,
94:6,	107:16,	124:3,	137:2,	148:7,
94:10,	108:6,	124:9,	137:6,	148:9,
94:12,	108:18,	124:15,	137:8,	148:11,
94:16,	109:6,	125:5,	137:12,	148:19,
95:9,	109:13,	125:11,	137:16,	149:5,
95:15,	109:17,	125:18,	137:18,	149:15,
96:7,	110:6,	126:1,	138:7,	149:19,
97:15,	110:11,	126:3,	138:11,	150:2,
98:2,	111:5,	126:11,	138:13,	150:6,
98:4,	111:16,	126:13,	138:18,	150:9,
98:6,	112:1,	126:18,	139:7,	150:18,
98:17,	113:2,	128:9,	139:9,	151:3,
99:9,	113:5,	128:13,	139:13,	151:7,
99:13,	113:8,	128:17,	139:15,	151:16,
100:4,	114:3,	129:5,	140:1,	152:3,
100:9,	114:16,	129:9,	140:8,	152:7,
101:2,	115:2,	129:12,	140:13,	152:11,
101:5,	115:9,	129:17,	141:2,	152:15,

152:19, 153:2, 153:8, 153:13, 153:19, 154:10, 154:12, 154:14, 154:18, 155:1, 155:4, 155:9, 155:19, 156:2, 156:9, 156:11, 156:18, 157:6, 157:8, 157:13, 158:2, 158:5, 158:11, 159:2, 159:6, 159:15, 159:17, 160:3, 160:12, 160:19, 161:6, 161:14, 161:19, 162:6, 162:10, 162:13, 162:17, 162:19, 163:5, 164:1,	164:3, 164:5, 164:8, 164:13, 164:19, 165:3, 165:6, 165:10, 165:12, 165:17, 166:8, 166:14, 166:16, 167:1, 167:6, 167:8, 167:13, 168:8, 168:13, 168:17, 168:19, 169:4, 169:11, 169:19, 170:2, 170:7, 170:14, 170:18, 171:1, 171:8, 171:13, 171:17, 171:19, 172:4, 172:8, 172:10 <u>Commission</u> <u>ers</u> [1] - 7:12	<u>common</u> [3] - 150:12, 150:19, 151:10 <u>Commonweal</u> <u>th</u> [2] - 173:4, 173:7 <u>communicat</u> <u>ion</u> [4] - 14:1, 22:9, 23:7, 54:7 <u>Communicat</u> <u>ions</u> [4] - 8:6, 8:16, 84:6, 84:14 <u>communicat</u> <u>ions</u> [1] - 114:14 <u>COMMUNICAT</u> <u>IONS</u> [6] - 2:3, 4:5, 4:7, 8:8, 83:16, 85:11 <u>compared</u> [2] - 128:3, 128:6 <u>complaint</u> [1] - 119:13 <u>complete</u> [4] - 110:14, 151:10, 163:16,	163:17 <u>completed</u> [7] - 15:18, 19:1, 87:6, 100:13, 103:9, 107:19, 150:19 <u>completion</u> [1] - 23:17 <u>concern</u> [6] - 75:14, 119:9, 120:1, 123:16, 130:17, 146:10 <u>concerned</u> [4] - 25:12, 78:18, 102:14, 158:15 <u>concerns</u> [1] - 76:11 <u>Concord</u> [6] - 70:1, 70:5, 70:9, 71:1, 80:14, 80:15 <u>CONCORD</u>	[2] - 4:4, 80:12 <u>concrete</u> [1] - 82:9 <u>condition</u> [4] - 78:10, 78:11, 78:19, 141:6 <u>conditions</u> [28] - 12:9, 27:6, 30:9, 36:18, 37:1, 42:16, 45:9, 55:10, 55:16, 58:11, 62:15, 64:5, 64:10, 65:17, 65:19, 71:11, 76:14, 83:7, 106:3, 113:6, 124:16, 125:1, 133:5, 136:15, 137:14, 137:15, 169:3,
--	---	---	--	--

169:7 <u>condos</u> [1] - 17:2 <u>conduct</u> [1] - 40:5 <u>conduit</u> [72] - 9:1, 11:2, 12:17, 14:1, 22:9, 23:7, 24:10, 29:6, 31:9, 35:1, 35:4, 35:9, 37:14, 41:6, 41:10, 41:11, 42:4, 43:16, 43:19, 45:3, 46:9, 48:19, 49:10, 52:18, 53:1, 53:9, 54:7, 56:12, 59:17, 61:16, 63:10, 63:11, 65:8,	66:16, 67:18, 68:6, 73:1, 77:13, 77:15, 77:18, 77:19, 78:12, 80:16, 92:8, 93:8, 96:11, 97:10, 98:8, 99:2, 104:3, 104:9, 107:3, 108:1, 110:4, 114:7, 114:10, 127:2, 130:13, 132:19, 135:8, 139:1, 140:4, 147:16, 148:8, 149:9, 152:18, 155:18, 157:18, 160:7, 161:8, 165:19 <u>CONDUIT</u> [4] - 1:2,	1:4, 1:6, 7:3 <u>Conduit</u> [5] - 7:7, 40:12, 112:6, 172:13 <u>conduits</u> [20] - 40:4, 47:10, 47:12, 48:17, 49:2, 49:7, 50:7, 51:12, 85:3, 85:8, 85:16, 86:7, 91:17, 93:10, 93:11, 100:6, 102:3, 108:2, 114:11, 142:9 <u>Conference</u> [2] - 1:13, 7:11 <u>confident</u> [1] - 52:3 <u>conflict</u> [1] - 158:8 <u>confused</u> [2] -	71:5, 99:7 <u>conjunctio</u> <u>n</u> [2] - 63:17, 87:7 <u>connecting</u> [1] - 130:14 <u>connection</u> [7] - 77:13, 130:5, 133:7, 135:14, 135:17, 136:18, 143:19 <u>constructi</u> <u>ble</u> [1] - 118:17 <u>Constructi</u> <u>on</u> [1] - 99:4 <u>constructi</u> <u>on</u> [7] - 14:14, 19:14, 37:2, 43:2, 55:3, 109:3, 109:5 <u>contact</u> [1] - 159:9 <u>continuanc</u> <u>e</u> [2] - 68:16, 162:9	<u>continue</u> [55] - 10:11, 11:4, 12:11, 20:5, 20:10, 20:12, 20:13, 20:15, 22:12, 49:13, 50:12, 53:10, 63:10, 68:13, 69:7, 79:14, 79:18, 92:19, 101:7, 101:17, 115:4, 130:18, 130:19, 131:5, 131:8, 132:7, 133:5, 135:16, 135:19, 136:14, 137:3, 137:14, 137:17, 138:5, 139:5, 139:8, 142:11, 142:15,
--	---	---	---	--

143:1, 145:9, 148:2, 156:10, 156:12, 156:19, 157:2, 157:3, 159:7, 159:8, 159:12, 161:7, 162:12, 166:15, 166:17	132:15, 135:2, 136:10, 137:10, 138:16, 139:18, 144:11, 147:9, 149:3, 157:11, 160:1, 161:17, 163:3, 165:15, 167:11, 169:9, 170:5	14:19 <u>continuing</u> [4] - 50:8, 132:2, 156:17, 166:2	17:4 <u>Conway</u> [2] - 13:13, 14:7 <u>coordinate</u> [4] - 12:10, 55:11, 55:13, 106:5	53:6, 90:1, 92:16, 121:1, 127:8, 128:15, 131:14, 132:4, 135:13, 145:15, 148:10, 162:7
<u>CONTINUED</u> [50] - 2:3, 2:4, 2:6, 2:8, 2:9, 2:11, 3:7, 4:16, 4:18, 5:3, 5:4, 5:6, 5:7, 5:9, 5:11, 5:12, 5:14, 5:15, 5:17, 5:18, 6:3, 6:4, 6:6, 6:7, 6:9, 8:8, 13:14, 22:3, 23:1, 28:12, 31:1, 59:8, 126:16,	<u>continued</u> [18] - 13:17, 14:10, 24:12, 29:1, 29:8, 31:12, 59:13, 68:11, 68:12, 94:17, 117:11, 127:6, 132:5, 144:16, 147:5, 155:16, 161:5	<u>contractor</u> [6] - 12:10, 55:11, 55:14, 64:11, 81:14, 154:3	<u>coordinati</u> <u>on</u> [7] - 36:6, 37:1, 43:1, 45:10, 64:10, 113:3, 169:6	<u>correctly</u> [1] - 88:1
		<u>contractor</u> <u>s</u> [1] - 10:5	<u>copper</u> [1] - 104:6	<u>corridor</u> [4] - 155:11, 155:12, 161:9
		<u>CONTROL</u> [1] - 173:18	<u>copy</u> [1] - 86:13	<u>cost</u> [1] - 90:4
		<u>control</u> [1] - 75:19	<u>corner</u> [3] - 41:7, 135:9, 157:17	<u>Cottage</u> [3] - 29:2, 29:5, 59:18
		<u>convenient</u> [1] - 16:15	<u>correct</u> [22] - 9:16, 11:7, 11:12, 15:12, 15:17, 16:12, 18:11, 18:15, 19:18, 30:3,	<u>COTTAGE</u> [2] - 2:10, 28:12
		<u>conversati</u> <u>on</u> [1] - 47:6		<u>could've</u> [1] - 154:6
		<u>CONWAY</u> [9] - 13:13, 14:4, 14:7, 14:12, 15:6, 15:17, 16:12, 16:16,		<u>count</u> [1] - 41:9
	<u>continues</u> [2] - 14:13,			<u>Counter</u> [1] - 73:2
				<u>counter</u> [1] - 74:1

<u>counts</u> [1] - 142:18	<u>connection</u> [1] - 135:14	163:3, 165:15, 167:11, 169:9, 170:5	<u>D</u>	<u>DATE</u> [1] - 1:15
<u>couple</u> [5] - 57:11, 90:17, 91:7, 130:18, 142:17	<u>crossings</u> [1] - 78:19	<u>Crown</u> [9] - 8:3, 28:8, 28:10, 117:6, 117:8, 135:9, 135:15, 149:7, 160:5	<u>DANA</u> [23] - 72:9, 73:3, 73:8, 73:14, 74:2, 74:9, 74:15, 75:9, 76:1, 76:4, 76:9, 77:16, 78:1, 78:13, 79:4, 79:8, 80:19, 81:7, 81:18, 82:4, 82:15, 82:19	<u>dated</u> [1] - 23:14
<u>course</u> [1] - 19:8	<u>crossover</u> [1] - 26:1			<u>days</u> [1] - 16:8
<u>cover</u> [1] - 128:8	<u>crosswalk</u> [3] - 74:5, 75:17, 80:17	<u>curbing</u> [1] - 81:13		<u>dead</u> [2] - 109:14, 128:11
<u>coverage</u> [7] - 118:8, 118:11, 118:14, 127:15, 128:1, 128:5, 128:16	<u>CROWN</u> [36] - 4:17, 4:18, 5:3, 5:5, 5:6, 5:8, 5:10, 5:11, 5:13, 5:14, 5:16, 5:17, 5:19, 6:3, 6:5, 6:6, 6:8, 6:9, 126:16, 132:15, 135:2, 136:10, 137:10, 138:16, 139:18, 144:11, 147:9, 149:3, 157:11, 160:1, 161:17,	<u>curious</u> [3] - 26:2, 88:3, 95:14		<u>dead-end</u> [1] - 128:11
<u>covered</u> [1] - 95:19		<u>customer</u> [2] - 15:2, 118:7		<u>deal</u> [3] - 23:9, 55:2, 91:6
<u>creat</u> [1] - 19:9		<u>cut</u> [4] - 73:9, 76:8, 81:12, 150:17	<u>Dana</u> [5] - 72:9, 73:5, 79:13, 112:16, 163:15	<u>declined</u> [1] - 153:9
<u>create</u> [1] - 14:17				<u>deduction</u> [1] - 73:10
<u>crew</u> [1] - 122:15				<u>definitely</u> [3] - 27:9, 79:4, 91:13
<u>criteria</u> [3] - 118:2, 118:10, 118:11		<u>CW</u> [1] - 127:10	<u>dark</u> [3] - 9:11, 41:15, 130:9	<u>degrees</u> [2] - 121:15
<u>cross</u> [2] - 57:10, 135:14		<u>cyclists</u> [1] - 74:19	<u>Data</u> [1] - 97:2	<u>delays</u> [1] - 14:15
<u>cross-</u>			<u>date</u> [3] - 16:2, 152:16	<u>denial</u> [1] - 57:7
				<u>denied</u> [2] - 68:11, 68:12
				<u>deny</u> [1] - 60:1
				<u>DEPARTMENT</u>

[8] - 3:17, 3:19, 4:4, 4:14, 72:15, 77:8, 80:12, 116:1	97:17, 98:15, 98:18, 106:7, 107:1, 108:8, 111:17	129:18, 130:1, 135:7, 149:13, 150:11, 153:6, 160:16	110:9, 110:13, 110:17, 111:3, 111:11, 111:14, 112:7, 113:16, 115:5, 125:2, 125:16, 126:5, 132:1, 138:1, 144:6, 144:13, 151:5, 151:13, 152:1, 152:6, 152:10, 152:14, 153:11, 153:17, 154:7, 156:13, 161:4, 164:7, 166:18, 169:2	130:4 <u>discussion</u> [2] - 79:13, 130:8 <u>display</u> [1] - 74:17 <u>distance</u> [12] - 59:16, 63:9, 65:7, 66:15, 70:1, 70:4, 70:7, 70:10, 70:13, 85:5, 85:9, 85:18 <u>disturb</u> [1] - 38:1 <u>disturbing</u> [1] - 79:16 <u>DOES</u> [1] - 173:18 <u>done</u> [29] - 16:9, 16:10, 16:17, 17:17, 19:6, 42:7, 62:18, 68:8, 73:15,
<u>Department</u> [1] - 79:14 <u>DEPUTY</u> [1] - 1:9 <u>described</u> [1] - 130:11 <u>descriptio</u> <u>n</u> [1] - 32:17 <u>designed</u> [2] - 75:6, 87:15 <u>destinatio</u> <u>n</u> [1] - 143:13 <u>detail</u> [2] - 89:19, 90:4 <u>detection</u> [1] - 78:4 <u>develop</u> [1] - 130:19 <u>developer</u> [10] - 55:12, 55:14, 97:10,	<u>developmen</u> <u>t</u> [3] - 108:19, 109:8, 110:2 <u>device</u> [1] - 75:17 <u>diagram</u> [1] - 120:2 <u>difference</u> [2] - 25:16, 128:2 <u>different</u> [5] - 25:10, 38:5, 40:11, 61:15, 61:19 <u>dig</u> [17] - 15:9, 15:14, 15:18, 50:9, 51:13, 75:3, 79:1, 79:3, 79:12, 100:17,	<u>digging</u> [2] - 73:11, 79:2 <u>digs</u> [1] - 15:7 <u>DIRECT</u> [1] - 173:18 <u>DIRECTION</u> [1] - 173:19 <u>directly</u> [1] - 53:4 <u>DIRECTOR</u> [47] - 1:10, 33:3, 33:9, 33:14, 36:17, 57:17, 58:2, 62:14, 86:15, 94:4, 99:6, 99:11, 101:9, 103:3, 104:18, 106:4, 108:12,	<u>discrepanc</u> <u>ies</u> [1] - 145:8 <u>discuss</u> [1] - 57:12 <u>discussed</u> [2] - 81:17,	

73:16, 91:14, 97:12, 97:16, 99:8, 99:10, 99:17, 100:10, 100:14, 100:18, 101:10, 102:19, 104:17, 105:15, 108:13, 110:10, 111:17, 113:18, 154:6, 160:15 <u>dormant</u> [1] - 150:15 <u>dotted</u> [1] - 11:4 <u>double</u> [1] - 79:9 <u>double-</u> <u>check</u> [1] - 79:9 <u>down</u> [15] - 38:2, 38:15, 38:16, 47:10, 50:3, 63:1, 127:7, 130:13,	138:4, 144:5, 148:4, 151:9, 156:5, 160:10, 161:1 <u>DPW</u> [11] - 27:7, 32:6, 32:14, 42:1, 42:11, 58:11, 63:12, 65:13, 105:18, 113:4 <u>drawing</u> [17] - 25:13, 25:18, 26:17, 31:17, 32:9, 32:11, 32:16, 33:1, 33:8, 57:15, 57:18, 58:6, 58:8, 58:10, 67:13, 129:14, 148:12 <u>drawings</u> [1] - 42:3	<u>DRIVE</u> [8] - 2:7, 2:8, 4:9, 5:8, 22:3, 23:1, 96:5, 139:19 <u>Drive</u> [10] - 17:7, 22:7, 22:11, 23:5, 23:8, 96:9, 96:12, 97:8, 97:19, 99:4 <u>drivers</u> [2] - 74:14, 74:16 <u>drives</u> [1] - 127:12 <u>driveway</u> [1] - 57:14 <u>duct</u> [5] - 49:2, 49:4, 50:3, 133:8, 143:19 <u>due</u> [1] - 23:18 <u>DUFFY</u> [14] - 60:17, 61:2, 61:7,	62:18, 63:12, 67:9, 67:16, 67:19, 68:13, 69:5, 70:14, 70:17, 71:2, 72:2 <u>dug</u> [1] - 100:12 <u>Dunster</u> [1] - 35:11 <u>duplicate</u> [2] - 59:1, 59:2 <u>during</u> [1] - 47:12 <u>DWYER</u> [206] - 1:8, 7:18, 9:8, 9:14, 9:18, 10:4, 11:15, 12:1, 12:6, 13:8, 15:4, 15:12, 16:6, 16:14, 17:1, 17:14, 20:4, 20:12, 21:3,	22:14, 22:17, 24:8, 24:15, 24:19, 25:8, 25:16, 26:8, 26:15, 27:1, 27:9, 28:3, 29:14, 29:18, 30:3, 30:7, 30:17, 32:6, 34:7, 34:10, 35:16, 36:1, 36:5, 36:16, 38:10, 39:1, 39:3, 39:15, 42:11, 42:18, 43:10, 44:19, 45:5, 45:17, 46:13, 48:5, 48:11, 49:15, 50:18, 51:5,
---	--	--	---	---

52:3, 53:14, 55:1, 55:6, 55:10, 55:16, 56:5, 57:6, 58:1, 58:8, 58:17, 59:5, 60:7, 61:9, 61:15, 62:3, 62:7, 62:17, 63:17, 64:3, 64:7, 64:14, 65:1, 65:13, 66:2, 66:8, 67:2, 67:7, 67:12, 68:3, 68:16, 69:1, 69:13, 70:19, 71:9, 71:13, 72:1, 73:5, 73:13, 76:13,	77:5, 79:11, 80:9, 81:11, 82:3, 82:8, 83:7, 83:14, 86:5, 86:18, 87:3, 87:18, 88:3, 88:9, 89:4, 89:17, 90:3, 90:11, 91:5, 91:13, 92:4, 92:19, 93:7, 93:17, 94:13, 98:3, 98:7, 99:14, 101:3, 101:12, 101:17, 102:12, 102:18, 104:14, 105:2, 105:12, 106:7, 106:16, 107:10, 108:19,	111:6, 113:6, 115:10, 115:16, 116:10, 116:19, 120:9, 120:14, 120:18, 121:3, 121:9, 121:12, 122:2, 126:2, 126:14, 128:10, 128:14, 128:18, 129:13, 130:1, 132:13, 133:11, 134:10, 136:2, 136:8, 137:9, 137:19, 138:14, 139:10, 139:16, 143:7, 143:13, 145:11, 145:15, 146:3, 148:4, 148:8, 148:12, 149:1, 149:16,	150:3, 151:4, 153:1, 153:14, 154:1, 154:13, 155:2, 155:10, 156:3, 156:12, 157:9, 159:18, 160:13, 161:1, 161:7, 162:14, 163:1, 164:4, 165:11, 166:15, 167:9, 169:1, 170:3, 170:15, 171:2, 172:1, 172:11 <u>Dwyer</u> [2] - 7:14, 112:10	114:8, 135:10, 139:2, 149:9, 163:8 <u>easy</u> [1] - 75:1 <u>Ecototem</u> [1] - 73:2 <u>effort</u> [2] - 36:6, 98:11 <u>eight</u> [3] - 18:8, 18:10, 18:14 <u>either</u> [3] - 16:9, 48:15, 134:10 <u>electric</u> [2] - 65:9, 128:6 <u>ELECTRICIA</u> <u>N</u> [342] - 1:9, 8:2, 8:18, 10:13, 10:19, 11:5, 11:8, 12:16, 13:1, 13:5, 13:16, 14:9, 15:13, 18:1,
			<u>E</u>	
			<u>east</u> [3] - 59:16, 65:6, 70:12 <u>easterly</u> [7] - 37:10, 40:2,	

18:4,	36:13,	56:9,	75:12,	95:9,
18:9,	36:19,	57:2,	76:2,	95:15,
18:12,	37:6,	58:4,	76:6,	96:7,
18:16,	38:4,	58:9,	76:10,	97:15,
19:3,	39:4,	58:14,	76:17,	98:4,
19:10,	39:12,	58:18,	77:2,	98:17,
19:15,	39:19,	59:10,	77:9,	99:9,
19:19,	40:14,	60:4,	77:17,	100:4,
20:17,	41:3,	60:11,	78:9,	100:9,
21:5,	42:14,	60:18,	78:17,	101:5,
21:10,	42:19,	61:4,	79:6,	101:13,
21:16,	43:3,	61:10,	80:1,	102:2,
22:5,	43:7,	61:17,	80:6,	102:9,
23:3,	43:14,	62:4,	80:13,	103:5,
24:1,	44:6,	62:10,	81:2,	103:13,
24:5,	44:12,	62:19,	82:5,	104:1,
24:9,	44:16,	63:5,	82:13,	104:11,
24:16,	45:7,	63:14,	82:16,	105:7,
26:5,	45:14,	63:19,	83:1,	106:1,
26:12,	46:3,	64:4,	83:4,	106:9,
27:2,	47:1,	64:8,	83:11,	106:13,
27:14,	47:4,	64:17,	84:3,	107:4,
27:18,	47:14,	65:4,	84:16,	107:16,
28:4,	47:18,	65:14,	84:19,	108:6,
28:7,	48:2,	65:18,	85:13,	109:6,
28:14,	48:8,	66:5,	86:2,	109:13,
28:17,	48:12,	66:12,	87:9,	109:17,
30:4,	48:18,	67:17,	87:12,	110:6,
30:8,	49:11,	69:10,	87:19,	110:11,
30:14,	49:16,	69:17,	88:13,	111:16,
31:3,	50:10,	70:15,	88:18,	112:1,
32:1,	51:2,	71:4,	91:16,	113:2,
32:7,	51:8,	71:6,	92:7,	113:8,
32:12,	51:19,	71:17,	92:11,	114:3,
32:19,	52:6,	72:3,	92:15,	114:16,
33:12,	52:14,	72:17,	93:9,	115:2,
33:17,	53:7,	73:18,	94:2,	115:13,
34:4,	53:15,	74:6,	94:6,	116:4,
34:15,	54:3,	74:12,	94:10,	116:11,
36:9,	56:2,	75:5,	94:16,	116:16,

117:9, 119:1, 119:8, 122:6, 122:14, 123:1, 123:11, 123:17, 124:3, 124:9, 124:15, 125:5, 125:11, 125:18, 126:3, 126:11, 126:18, 129:5, 129:9, 129:17, 131:4, 131:9, 131:12, 131:18, 132:3, 132:10, 132:17, 133:14, 133:19, 134:11, 134:14, 135:4, 135:18, 136:5, 136:12, 136:17, 137:2, 137:6, 137:12, 137:16,	138:7, 138:11, 138:18, 139:7, 139:13, 140:1, 140:8, 140:13, 141:2, 141:11, 141:16, 142:2, 142:7, 142:13, 143:4, 143:16, 144:8, 144:17, 145:5, 145:19, 146:7, 146:12, 147:3, 147:11, 148:5, 148:9, 149:5, 149:19, 150:6, 150:9, 150:18, 151:7, 151:16, 152:3, 152:7, 152:11, 152:15, 153:2, 153:8, 154:10,	154:14, 154:18, 155:4, 155:19, 156:9, 156:18, 157:6, 157:13, 158:2, 158:5, 158:11, 159:2, 159:6, 159:15, 160:3, 161:14, 161:19, 162:6, 162:10, 162:17, 163:5, 164:1, 164:5, 164:8, 164:13, 164:19, 165:3, 165:6, 165:12, 165:17, 166:8, 166:16, 167:1, 167:6, 167:13, 168:8, 168:13, 168:17, 169:4, 169:11,	169:19, 170:7, 170:18, 171:8, 171:13, 171:17, 172:4, 172:8 <u>eliminate</u> [4] - 130:15, 131:1, 143:18, 144:1 <u>eliminated</u> [1] - 168:1 <u>Elizabeth</u> [1] - 151:4 <u>ELIZABETH</u> [47] - 1:10, 33:3, 33:9, 33:14, 36:17, 57:17, 58:2, 62:14, 86:15, 94:4, 99:6, 99:11, 101:9, 103:3, 104:18, 106:4, 108:12,	110:9, 110:13, 110:17, 111:3, 111:11, 111:14, 112:7, 113:16, 115:5, 125:2, 125:16, 126:5, 132:1, 138:1, 144:6, 144:13, 151:5, 151:13, 152:1, 152:6, 152:10, 152:14, 153:11, 153:17, 154:7, 156:13, 161:4, 164:7, 166:18, 169:2 <u>Ellery</u> [6] - 149:7, 149:9, 155:2, 155:3, 155:5, 157:18 <u>encourage</u> [1] -
--	--	--	--	---

75:10 <u>encroachin</u> <u>g</u> [1] - 120:5 <u>end</u> [12] - 8:1, 14:14, 16:1, 16:15, 28:10, 74:11, 101:8, 107:17, 109:14, 119:10, 128:11, 146:14 <u>ending</u> [5] - 31:8, 35:3, 43:18, 143:14, 146:16 <u>ends</u> [1] - 11:6 <u>Energy</u> [1] - 23:15 <u>engineer</u> [4] - 98:1, 100:15, 101:1, 114:15 <u>engineered</u> [1] - 42:3 <u>engineerin</u> <u>g</u> [1] - 47:8 <u>Engineerin</u>	<u>g</u> [4] - 14:8, 84:7, 84:15, 97:2 <u>engineers</u> [2] - 10:5, 12:11 <u>England</u> [1] - 97:3 <u>entertain</u> [2] - 67:15, 68:10 <u>entire</u> [1] - 10:14 <u>entrance</u> [1] - 61:12 <u>envelope</u> [1] - 112:18 <u>equipment</u> [21] - 46:10, 52:19, 53:2, 56:13, 121:3, 127:5, 133:4, 139:3, 140:6, 146:19, 147:18, 149:11, 157:19, 160:9,	163:9, 164:11, 166:4, 167:14, 168:10, 169:12, 170:8 <u>ESSEX</u> [2] - 5:8, 139:18 <u>Essex</u> [1] - 141:17 <u>event</u> [1] - 50:5 <u>EVERETTE</u> [27] - 96:14, 97:1, 97:7, 97:17, 99:2, 100:8, 100:14, 103:11, 104:10, 104:16, 105:5, 106:17, 107:6, 109:11, 109:16, 110:5, 110:16, 110:19, 111:8, 111:13, 111:19, 112:3, 112:15,	113:1, 114:12, 115:1 <u>Everette</u> [1] - 97:1 <u>Eversource</u> [11] - 14:16, 23:11, 23:12, 23:15, 23:17, 54:5, 54:11, 78:15, 82:17, 141:12, 158:15 <u>everywhere</u> [1] - 40:19 <u>exact</u> [3] - 120:11, 150:7, 154:4 <u>exactly</u> [5] - 24:4, 89:7, 103:2, 122:3, 154:13 <u>excavated</u> [1] - 103:7 <u>excavation</u> [17] - 15:1, 15:5,	16:17, 73:5, 82:10, 129:6, 129:10, 143:9, 143:10, 153:16, 155:13, 159:11, 160:10, 161:9, 164:2, 169:15, 170:12 <u>excuse</u> [1] - 58:1 <u>EXECUTIVE</u> [47] - 1:10, 33:3, 33:9, 33:14, 36:17, 57:17, 58:2, 62:14, 86:15, 94:4, 99:6, 99:11, 101:9, 103:3, 104:18, 106:4, 108:12, 110:9, 110:13, 110:17,
---	---	---	---	---

111:3, 111:11, 111:14, 112:7, 113:16, 115:5, 125:2, 125:16, 126:5, 132:1, 138:1, 144:6, 144:13, 151:5, 151:13, 152:1, 152:6, 152:10, 152:14, 153:11, 153:17, 154:7, 156:13, 161:4, 164:7, 166:18, 169:2 <u>existing</u> [30] - 29:2, 31:5, 34:19, 37:9, 43:16, 45:2, 46:16, 46:19, 54:10, 56:18, 66:17,	78:19, 85:1, 85:6, 85:15, 85:17, 96:11, 104:4, 114:7, 118:11, 120:10, 124:6, 135:15, 161:2, 161:8, 167:15, 169:13, 169:15, 170:9, 170:11 <u>expedite</u> [2] - 61:5, 99:17 <u>expires</u> [1] - 16:10 <u>explain</u> [2] - 117:15, 130:6 <u>exploratio</u> <u>n</u> [1] - 133:6 <u>extended</u> [2] - 68:5, 142:9 <u>extends</u> [1] -	158:12 <u>extension</u> [5] - 15:10, 132:19, 135:8, 163:7, 165:18 <u>Extension</u> [2] - 22:11, 127:1 <u>extra</u> [2] - 155:18, 156:3 <u>E</u> <u>facility</u> [2] - 86:8 <u>failed</u> [4] - 77:15, 77:19, 78:2, 78:16 <u>fails</u> [1] - 98:14 <u>fair</u> [1] - 48:19 <u>Falise</u> [1] - 42:7 <u>fall</u> [2] - 97:9, 97:19 <u>familiar</u> [2] - 113:12, 113:17 <u>far</u> [14] - 16:2,	18:7, 26:8, 27:11, 42:2, 48:16, 92:16, 107:12, 109:1, 109:4, 119:18, 120:6, 125:7, 163:17 <u>favor</u> [49] - 13:3, 20:19, 22:15, 27:17, 30:13, 34:3, 36:12, 39:11, 43:6, 45:13, 50:19, 53:12, 56:1, 58:13, 60:3, 62:8, 64:15, 66:3, 69:9, 71:16, 76:19, 80:5, 83:10, 93:18, 94:8, 102:8,	106:12, 115:11, 116:17, 126:10, 132:9, 133:12, 136:3, 137:5, 138:9, 139:11, 143:3, 145:17, 157:5, 159:14, 161:13, 162:15, 165:9, 167:5, 168:16, 169:18, 170:16, 171:15, 172:6 <u>Fayerweath</u> <u>er</u> [2] - 80:18, 80:19 <u>February</u> [1] - 19:6 <u>fee</u> [1] - 152:4 <u>feed</u> [2] - 35:8, 56:17 <u>feeding</u> [1] - 46:15 <u>feet</u> [65] - 9:2,
---	---	--	---	--

11:12, 11:13, 13:19, 15:5, 22:9, 23:6, 29:3, 31:6, 31:17, 33:5, 35:2, 37:10, 37:11, 38:2, 38:16, 40:2, 43:17, 46:9, 52:17, 53:1, 54:6, 56:12, 57:11, 59:16, 59:17, 60:14, 63:9, 63:11, 65:6, 65:7, 66:14, 66:16, 68:6, 69:19, 70:2, 70:5, 70:7, 70:9, 70:10, 70:12,	70:13, 73:1, 74:1, 85:6, 85:9, 85:10, 85:19, 96:10, 104:3, 110:1, 114:6, 123:4, 123:5, 127:4, 130:16, 133:2, 139:3, 140:5, 147:16, 149:11, 157:18, 158:13, 160:8, 166:2 <u>FERN</u> [2] - 3:15, 69:15 <u>fern</u> [1] - 69:18 <u>Fern</u> [2] - 70:2, 70:7 <u>few</u> [3] - 87:3, 89:18, 140:15 <u>fiber</u> [13] - 41:9, 41:15, 41:19,	127:1, 130:9, 132:19, 163:7, 166:3, 167:15, 168:10, 169:13, 169:15, 170:9 <u>Fiber</u> [1] - 17:11 <u>FIBER</u> [6] - 2:5, 2:7, 2:8, 13:14, 22:3, 23:1 <u>field</u> [4] - 25:4, 76:8, 79:18, 127:10 <u>Field</u> [1] - 70:11 <u>figure</u> [2] - 69:2, 135:17 <u>files</u> [1] - 116:13 <u>fill</u> [2] - 49:3 <u>fine</u> [14] - 21:7, 26:16, 36:5, 36:7, 42:12, 78:13, 78:14,	79:5, 79:7, 106:8, 107:11, 122:4, 123:10, 171:6 <u>first</u> [21] - 7:16, 8:3, 8:11, 33:15, 59:12, 72:8, 79:16, 84:10, 96:18, 97:5, 102:19, 117:3, 117:10, 117:12, 134:5, 135:7, 141:4, 141:13, 145:1, 162:1 <u>fishing</u> [1] - 130:13 <u>five</u> [6] - 59:17, 63:9, 65:7, 70:7, 131:2, 141:19 <u>Flash</u> [1] - 80:17	<u>folks</u> [1] - 130:7 <u>follow</u> [1] - 105:17 <u>following</u> [2] - 13:18, 107:10 <u>foot</u> [3] - 81:12, 81:15, 82:9 <u>forced</u> [1] - 141:10 <u>Ford</u> [1] - 24:17 <u>FOREGOING</u> [1] - 173:17 <u>foresee</u> [1] - 16:2 <u>forth</u> [1] - 173:9 <u>forward</u> [10] - 12:8, 21:8, 27:3, 34:10, 50:8, 51:14, 72:5, 76:13, 84:4, 95:13 <u>Forwards</u> [1] - 129:16 <u>four</u> [13]
--	--	---	--	--

<p>- 9:1, 37:13, 40:4, 40:5, 40:6, 40:7, 43:19, 46:9, 70:14, 87:5, 134:15, 134:16, 134:19</p> <p><u>four-inch</u> [6] - 9:1, 37:13, 40:4, 40:5, 43:19, 46:9</p> <p><u>four-zero</u> [2] - 134:15, 134:16</p> <p><u>frame</u> [2] - 73:13, 105:13</p> <p><u>Franklin</u> [2] - 163:6, 163:7</p> <p><u>free</u> [1] - 91:8</p> <p><u>frequency</u> [1] - 135:1</p> <p><u>Fresh</u> [1] - 40:3</p> <p><u>front</u> [13]</p>	<p>- 15:5, 16:11, 25:10, 26:3, 35:1, 43:16, 51:16, 57:13, 85:17, 105:8, 105:12, 119:10, 168:3</p> <p><u>full</u> [2] - 41:11, 49:9</p> <p><u>funded</u> [2] - 116:10, 116:12</p> <p><u>future</u> [1] - 112:5</p> <p><u>G</u></p> <p><u>G/Crown</u> [1] - 151:17</p> <p><u>gain</u> [1] - 98:9</p> <p><u>Garden</u> [1] - 70:12</p> <p><u>Gardner</u> [9] - 145:7, 146:6, 146:16, 147:2, 147:4, 147:13, 147:14,</p>	<p>147:17</p> <p><u>gate</u> [1] - 85:18</p> <p><u>general</u> [2] - 91:5, 109:2</p> <p><u>Genzyme</u> [1] - 17:5</p> <p><u>given</u> [6] - 18:17, 42:11, 81:17, 101:18, 105:13, 105:17</p> <p><u>gonna</u> [1] - 17:18</p> <p><u>Googled</u> [1] - 168:1</p> <p><u>gotcha</u> [2] - 33:16, 113:1</p> <p><u>grant</u> [2] - 73:16, 97:14</p> <p><u>Grant</u> [1] - 24:11</p> <p><u>granted</u> [1] - 109:3</p> <p><u>grass</u> [3] - 81:5, 81:7, 88:5</p> <p><u>great</u> [1] - 94:19</p> <p><u>green</u> [1] - 127:16</p>	<p><u>Green</u> [2] - 167:14, 167:16</p> <p><u>grinding</u> [1] - 98:15</p> <p><u>guess</u> [4] - 88:9, 102:14, 128:18, 143:13</p> <p><u>guidelines</u> [1] - 118:3</p> <p><u>gutter</u> [2] - 57:12, 57:13</p> <p><u>guys</u> [3] - 10:10, 10:18, 11:17</p> <p><u>H</u></p> <p><u>HAAS</u> [1] - 62:12</p> <p><u>half</u> [1] - 127:3</p> <p><u>HAMPSHIRE</u> [2] - 3:19, 77:8</p> <p><u>Hampshire</u> [3] - 77:11, 78:2</p> <p><u>Hancock</u> [4] - 169:12, 169:14, 170:8,</p>	<p>170:10</p> <p><u>hand</u> [1] - 173:12</p> <p><u>handhole</u> [4] - 52:19, 92:17, 93:12, 133:7</p> <p><u>handout</u> [1] - 117:17</p> <p><u>HARVARD</u> [2] - 2:19, 46:1</p> <p><u>Harvard</u> [12] - 46:7, 46:11, 46:17, 46:19, 105:2, 106:5, 149:9, 154:17, 155:7, 160:6, 160:11, 160:18</p> <p><u>headed</u> [1] - 54:17</p> <p><u>hear</u> [3] - 28:9, 47:7, 157:15</p> <p><u>heard</u> [3] - 47:19, 50:12, 153:5</p>
--	---	---	--	--

<u>hearing</u> [3] - 24:13, 51:15, 173:9	44:8, 98:18, 98:19 <u>HOLYOKE</u> [2] - 4:14, 116:2 <u>Holyoke</u> [1] - 116:7 <u>home</u> [1] - 91:7 <u>house</u> [7] - 119:14, 119:16, 121:4, 122:10, 124:13, 125:4, 125:7 <u>Howard</u> [2] - 14:16, 23:15 <u>hundred</u> [1] - 90:8 <u>Huron</u> [8] - 40:1, 40:2, 41:1, 41:2, 41:7, 42:2, 42:12 <u>HURON</u> [4] - 2:16, 39:17	60:19 <u>identify</u> [1] - 17:9 <u>impact</u> [2] - 158:18, 166:13 <u>implement</u> [1] - 105:15 <u>impression</u> [2] - 51:11, 98:8 <u>improvement</u> <u>ts</u> [1] - 60:16 <u>IN</u> [3] - 1:4, 173:11, 173:18 <u>Inc</u> [1] - 46:15 <u>INC</u> [3] - 1:18, 2:3, 8:8 <u>inch</u> [8] - 9:1, 35:10, 37:13, 40:4, 40:5, 43:19, 46:9, 67:18 <u>include</u> [8] - 29:6, 31:10, 35:5,	40:4, 40:6, 44:1, 81:3, 104:9 <u>included</u> [5] - 12:18, 134:2, 151:18, 153:6, 155:6 <u>includes</u> [1] - 144:19 <u>incorrect</u> [3] - 140:16, 145:1, 166:10 <u>INDEX</u> [5] - 2:1, 3:1, 4:1, 5:1, 6:1 <u>indicate</u> [5] - 47:9, 48:5, 49:2, 49:8, 49:9 <u>informatio</u> <u>n</u> [7] - 34:11, 48:16, 49:17, 50:13, 51:16, 95:2, 140:16	<u>inside</u> [2] - 88:17, 119:16 <u>inspection</u> [2] - 99:19, 101:19 <u>inspection</u> <u>s</u> [1] - 105:16 <u>install</u> [13] - 9:1, 10:1, 45:1, 46:8, 52:17, 73:1, 80:16, 85:16, 98:19, 108:1, 114:5, 127:7, 158:15 <u>installati</u> <u>on</u> [10] - 56:11, 85:2, 85:8, 138:19, 146:19, 147:18, 149:11, 157:19, 158:19, 160:8 <u>installed</u> [6] - 9:15,
<u>held</u> [2] - 10:16, 23:16 <u>help</u> [1] - 117:15 <u>hereby</u> [1] - 173:7 <u>herein</u> [1] - 173:9 <u>hereunto</u> [1] - 173:11 <u>high</u> [1] - 135:1 <u>Highland</u> [3] - 165:18, 166:1, 166:3 <u>highway</u> [1] - 73:6 <u>hit</u> [2] - 41:14 <u>hold</u> [3] - 15:2, 26:15, 96:16 <u>holding</u> [1] - 61:6 <u>hole</u> [4] - 10:1,	<u>I</u> <u>idea</u> [1] -			

11:2, 102:4, 104:14, 158:6, 158:18 <u>installing</u> [7] - 29:5, 31:9, 35:4, 37:13, 40:4, 43:19, 152:9 <u>instance</u> [2] - 119:19, 141:17 <u>insulation</u> [1] - 139:3 <u>insure</u> [1] - 154:8 <u>intersecti</u> <u>on</u> [9] - 9:6, 10:8, 31:5, 54:17, 63:8, 78:12, 92:4, 149:8, 160:6 <u>involved</u> [1] - 146:18 <u>involves</u> [2] - 130:11,	166:6 <u>irrelevant</u> [1] - 26:9 <u>irrigation</u> [1] - 75:15 <u>is..</u> [1] - 9:18 <u>issue</u> [6] - 78:8, 111:7, 122:12, 122:15, 123:3, 140:10 <u>issues</u> [7] - 10:6, 51:14, 57:3, 65:13, 79:12, 153:16, 155:10 <u>item</u> [3] - 7:16, 59:1, 130:17 <u>items</u> [2] - 96:1, 96:3 <u>J</u> <u>J-O-H-N-P-</u> <u>A-L</u> [1] - 117:7 <u>JACK</u> [12] - 8:16, 9:4, 9:10, 9:16,	9:19, 11:2, 11:7, 11:12, 11:17, 12:3, 12:19, 13:10 <u>JACKIE</u> [3] - 65:10, 66:18, 67:4 <u>JACKSON</u> [123] - 1:7, 7:6, 7:19, 8:4, 8:10, 8:14, 13:3, 13:9, 13:11, 14:3, 14:5, 17:8, 20:9, 20:14, 20:19, 21:4, 22:15, 23:13, 27:16, 28:1, 30:10, 33:19, 34:8, 36:11, 39:8, 43:5, 45:12,	50:15, 50:19, 51:17, 52:9, 53:11, 53:17, 55:13, 55:18, 58:12, 60:2, 62:8, 62:13, 64:15, 65:16, 66:3, 68:10, 68:17, 69:3, 69:6, 71:10, 71:14, 72:6, 72:11, 76:15, 76:19, 80:3, 83:8, 83:18, 84:2, 84:8, 84:13, 93:14, 93:18, 94:8, 95:4, 95:19, 96:16, 97:4, 101:15, 102:6,	102:13, 106:11, 107:14, 108:4, 108:10, 112:4, 112:9, 112:17, 113:11, 115:11, 115:17, 116:15, 117:1, 124:18, 125:3, 125:9, 125:15, 126:7, 131:11, 131:16, 132:6, 133:12, 133:16, 136:3, 137:4, 138:3, 138:9, 139:11, 143:2, 145:12, 145:16, 147:6, 148:1, 148:17, 151:19, 156:16, 157:4, 159:13, 161:10, 161:16,
--	--	---	---	--

162:15, 164:10, 164:18, 165:2, 165:5, 165:8, 167:4, 168:5, 168:15, 169:17, 170:16, 171:4, 171:10, 171:15, 172:2, 172:6	<u>January</u> [1] - 117:11 <u>JANUARY</u> [1] - 7:2 <u>Jaya</u> [1] - 32:3 <u>JFK</u> [4] - 4:15, 35:10, 116:2, 116:7 <u>Jill</u> [3] - 69:5, 173:6, 173:14 <u>JO</u> [1] - 69:19 <u>JOHN</u> [32] - 84:1, 84:5, 84:11, 84:14, 84:18, 86:1, 86:6, 87:1, 87:6, 87:11, 88:6, 88:11, 88:15, 89:6, 90:1, 90:6, 91:2, 91:9, 91:15, 91:19,	92:6, 92:10, 92:13, 93:4, 93:13, 94:14, 94:19, 95:6, 95:12, 95:17, 96:2 <u>John</u> [2] - 84:5, 84:11 <u>JOHNPAL</u> [12] - 117:7, 117:19, 118:5, 122:3, 123:9, 123:15, 128:1, 128:12, 128:15, 129:1, 134:13, 134:16 <u>Johnpal</u> [2] - 117:7, 133:18 <u>joint</u> [4] - 60:15, 70:3, 70:6 <u>joking</u> [2] - 104:19, 105:2 <u>Jovanovic</u>	[1] - 117:5 <u>JOVANOVIC</u> [67] - 28:11, 117:5, 117:6, 117:12, 118:4, 118:13, 119:4, 120:2, 120:11, 120:15, 121:1, 121:6, 121:17, 122:11, 122:18, 123:7, 123:10, 123:14, 124:1, 124:8, 124:14, 127:8, 129:8, 129:16, 130:2, 131:7, 131:15, 133:17, 134:19, 135:13, 136:16, 137:1, 137:15, 139:6, 140:11, 141:1,	141:8, 141:15, 142:1, 142:5, 142:11, 143:11, 143:15, 144:4, 145:3, 146:4, 146:9, 147:1, 149:13, 150:13, 152:17, 153:7, 154:16, 155:3, 156:5, 156:15, 158:4, 158:10, 159:1, 159:5, 160:18, 162:3, 162:8, 163:12, 166:6, 167:17, 168:12 <u>jump</u> [1] - 79:11 <u>June</u> [1] - 73:15 <u>just..</u> [1] - 33:11
<u>Jackson</u> [1] - 7:13 <u>JACQUI</u> [14] - 60:17, 61:2, 61:7, 62:18, 63:12, 67:9, 67:16, 67:19, 68:13, 69:5, 70:14, 70:17, 71:2, 72:2 <u>JAKE</u> [4] - 8:12, 10:7, 10:16 <u>Jake</u> [1] - 8:12				<u>κ</u> <u>K-E-N-N-E-</u>

<u>D-Y</u> [1] - 84:12 <u>Kara</u> [1] - 42:7 <u>keep</u> [5] - 21:6, 21:18, 29:9, 93:2, 124:12 <u>Kendall</u> [2] - 54:9, 54:14 <u>Kendrick</u> [2] - 14:16, 23:15 <u>KENNEDY</u> [31] - 84:1, 84:5, 84:11, 84:14, 84:18, 86:1, 86:6, 87:1, 87:6, 87:11, 88:6, 88:11, 88:15, 89:6, 90:1, 90:6, 91:2, 91:9, 91:15,	91:19, 92:6, 92:10, 92:13, 93:4, 93:13, 94:14, 94:19, 95:6, 95:12, 95:17, 96:2 <u>Kennedy</u> [2] - 84:6, 84:11 <u>kind</u> [5] - 101:19, 107:12, 111:7, 120:18, 141:9 <u>kind've</u> [3] - 74:19, 78:6, 134:6 <u>kinda</u> [1] - 74:9 <u>kinds</u> [1] - 48:6 <u>King</u> [2] - 100:19, 101:4 <u>Kinnaird</u> [2] - 60:13, 61:9 <u>KINNAIRD</u>	[2] - 3:9, 60:9 <u>Kleinfelde</u> <u>r</u> [1] - 42:9 <u>knowing</u> [1] - 75:17 <u>knowledge</u> [1] - 97:11 <u>known</u> [10] - 140:6, 147:18, 149:12, 158:1, 160:9, 163:9, 166:5, 167:16, 169:14, 170:10 <u>KOSTA</u> [67] - 28:11, 117:5, 117:6, 117:12, 118:4, 118:13, 119:4, 120:2, 120:11, 120:15, 121:1, 121:6, 121:17, 122:11, 122:18, 123:7,	123:10, 123:14, 124:1, 124:8, 124:14, 127:8, 129:8, 129:16, 130:2, 131:7, 131:15, 133:17, 134:19, 135:13, 136:16, 137:1, 137:15, 139:6, 140:11, 141:1, 141:8, 141:15, 142:1, 142:5, 142:11, 143:11, 143:15, 144:4, 145:3, 146:4, 146:9, 147:1, 149:13, 150:13, 152:17, 153:7, 154:16, 155:3, 156:5, 156:15,	158:4, 158:10, 159:1, 159:5, 160:18, 162:3, 162:8, 163:12, 166:6, 167:17, 168:12 <u>Kosta</u> [2] - 117:5, 148:12 <u>Kourafas</u> [2] - 173:6, 173:14 <u>L</u> <u>laid</u> [1] - 29:14 <u>Lakeview</u> [3] - 40:3, 41:6, 41:7 <u>lane</u> [1] - 57:11 <u>large</u> [1] - 74:9 <u>larger</u> [1] - 124:10 <u>last</u> [28] - 7:18, 7:19, 8:11, 9:5, 16:4, 31:12, 37:8,
--	--	--	--	--

38:14, 47:6, 58:19, 59:13, 72:8, 84:10, 96:18, 97:5, 97:9, 97:13, 97:19, 107:7, 111:1, 117:3, 117:8, 130:3, 145:7, 147:13, 151:8, 160:4, 160:13	<u>leased</u> [2] - 49:9, 49:10 <u>least</u> [4] - 15:18, 100:2, 118:7, 156:16 <u>leaves</u> [1] - 133:18 <u>Lechmere</u> [1] - 107:3 <u>Lenkauskas</u> [1] - 7:13 <u>LENKAUSKAS</u> [342] - 1:9, 8:2, 8:19, 10:14, 11:1, 11:6, 11:9, 12:17, 13:2, 13:6, 13:17, 14:10, 15:14, 18:2, 18:5, 18:10, 18:13, 18:17, 19:4, 19:11, 19:16, 20:1, 20:18,	21:6, 21:11, 21:17, 22:6, 23:4, 24:2, 24:6, 24:10, 24:17, 26:6, 26:13, 27:3, 27:15, 27:19, 28:5, 28:8, 28:15, 28:18, 30:5, 30:9, 30:15, 31:4, 32:2, 32:8, 32:13, 33:1, 33:13, 33:18, 34:5, 34:16, 36:10, 36:14, 37:1, 37:7, 38:5, 39:5, 39:13, 40:1, 40:15, 41:4,	42:15, 43:1, 43:4, 43:8, 43:15, 44:7, 44:13, 44:17, 45:8, 45:15, 46:4, 47:2, 47:5, 47:15, 47:19, 48:3, 48:9, 48:13, 48:19, 49:12, 49:17, 50:11, 51:3, 51:9, 52:1, 52:7, 52:15, 53:8, 53:16, 54:4, 56:3, 56:10, 57:3, 58:5, 58:10, 58:15, 58:19, 59:11, 60:5, 60:12,	60:19, 61:5, 61:11, 61:18, 62:5, 62:11, 63:1, 63:6, 63:15, 64:1, 64:5, 64:9, 64:18, 65:5, 65:15, 65:19, 66:6, 66:13, 67:18, 69:11, 69:18, 70:16, 71:5, 71:7, 71:18, 72:4, 72:18, 73:19, 74:7, 74:13, 75:6, 75:13, 76:3, 76:7, 76:11, 76:18, 77:3, 77:10, 77:18, 78:10,
<u>Last</u> [1] - 130:8 <u>last-</u> <u>minute</u> [1] - 111:1 <u>LATE</u> [2] - 4:12, 114:1 <u>late</u> [3] - 52:8, 52:9, 114:4 <u>lateral</u> [2] - 46:18, 56:17 <u>league</u> [1] - 25:4				

78:18,	101:6,	124:10,	141:12,	158:6,
79:7,	101:14,	124:16,	141:17,	158:12,
80:2,	102:3,	125:6,	142:3,	159:3,
80:7,	102:10,	125:12,	142:8,	159:7,
80:14,	103:6,	125:19,	142:14,	159:16,
81:3,	103:14,	126:4,	143:5,	160:4,
82:6,	104:2,	126:12,	143:17,	161:15,
82:14,	104:12,	126:19,	144:9,	162:1,
82:17,	105:8,	129:6,	144:18,	162:7,
83:2,	106:2,	129:10,	145:6,	162:11,
83:5,	106:10,	129:18,	146:1,	162:18,
83:12,	106:14,	131:5,	146:8,	163:6,
84:4,	107:5,	131:10,	146:13,	164:2,
84:17,	107:17,	131:13,	147:4,	164:6,
85:1,	108:7,	131:19,	147:12,	164:9,
85:14,	109:7,	132:4,	148:6,	164:14,
86:3,	109:14,	132:11,	148:10,	165:1,
87:10,	109:18,	132:18,	149:6,	165:4,
87:13,	110:7,	133:15,	150:1,	165:7,
88:1,	110:12,	134:1,	150:7,	165:13,
88:14,	111:17,	134:12,	150:10,	165:18,
88:19,	112:2,	134:15,	150:19,	166:9,
91:17,	113:3,	135:5,	151:8,	166:17,
92:8,	113:9,	135:19,	151:17,	167:2,
92:12,	114:4,	136:6,	152:4,	167:7,
92:16,	114:17,	136:13,	152:8,	167:14,
93:10,	115:3,	136:18,	152:12,	168:9,
94:3,	115:14,	137:3,	152:16,	168:14,
94:7,	116:5,	137:7,	153:3,	168:18,
94:11,	116:12,	137:13,	153:9,	169:5,
94:17,	116:17,	137:17,	154:11,	169:12,
95:10,	117:10,	138:8,	154:15,	170:1,
95:16,	119:2,	138:12,	154:19,	170:8,
96:8,	119:9,	138:19,	155:5,	170:19,
97:16,	122:7,	139:8,	156:1,	171:9,
98:5,	122:15,	139:14,	156:10,	171:14,
98:18,	123:2,	140:2,	156:19,	171:18,
99:10,	123:12,	140:9,	157:7,	172:5,
100:5,	123:18,	140:14,	157:14,	172:9
100:10,	124:4,	141:3,	158:3,	<u>less</u> [2] -

68:8, 150:11 <u>letter</u> [3] - 14:17, 23:11, 23:14 <u>letters</u> [2] - 57:1, 86:9 <u>Level</u> [16] - 9:2, 10:1, 56:13, 56:18, 56:19, 85:1, 86:10, 88:17, 92:12, 127:2, 130:12, 133:1, 135:11, 135:14, 139:1 <u>license</u> [1] - 142:12 <u>License</u> [1] - 173:15 <u>licenses</u> [1] - 163:15 <u>licensing</u> [9] - 14:11, 14:12, 15:15,	18:18, 19:16, 27:4, 163:10, 163:12, 163:18 <u>LIGHTTOWER</u> [14] - 2:5, 2:7, 2:8, 2:19, 3:3, 3:5, 3:6, 13:14, 22:3, 23:1, 46:1, 52:12, 54:1, 56:7 <u>Lighttower</u> [10] - 14:8, 17:11, 46:4, 46:6, 46:16, 46:19, 49:18, 54:10, 56:10, 56:17 <u>likely</u> [1] - 88:15 <u>limited</u> [1] - 109:3 <u>line</u> [18] - 9:14, 9:18, 11:3,	11:4, 15:6, 17:15, 27:10, 29:4, 31:8, 35:3, 37:12, 43:18, 57:13, 87:4, 93:7, 119:18, 134:7, 146:14 <u>linear</u> [1] - 114:6 <u>lines</u> [2] - 90:13, 90:15 <u>LINNANE</u> [3] - 65:10, 66:18, 67:4 <u>LINT</u> [47] - 1:10, 33:3, 33:9, 33:14, 36:17, 57:17, 58:2, 62:14, 86:15, 94:4, 99:6, 99:11, 101:9,	103:3, 104:18, 106:4, 108:12, 110:9, 110:13, 110:17, 111:3, 111:11, 111:14, 112:7, 113:16, 115:5, 125:2, 125:16, 126:5, 132:1, 138:1, 144:6, 144:13, 151:5, 151:13, 152:1, 152:6, 152:10, 152:14, 153:11, 153:17, 154:7, 156:13, 161:4, 164:7, 166:18, 169:2 <u>list</u> [1] - 151:2 <u>LLC</u> [2] - 2:5, 13:14 <u>located</u>	[4] - 22:10, 104:5, 107:15, 114:8 <u>location</u> [22] - 83:3, 90:15, 97:14, 117:14, 118:9, 118:10, 118:14, 120:12, 127:16, 127:17, 128:3, 129:2, 129:3, 129:4, 131:10, 131:13, 131:14, 143:8, 143:17, 150:11, 155:10, 158:17 <u>locations</u> [5] - 87:14, 116:13, 131:2, 143:1, 145:2 <u>logs</u> [1] - 99:19 <u>Lombardi</u>
---	--	--	--	---

<p>[2] - 1:12, 7:10 <u>look</u> [22] - 38:18, 42:3, 79:17, 86:3, 89:9, 91:9, 91:13, 118:1, 118:2, 118:6, 118:15, 120:3, 128:5, 128:16, 134:3, 142:16, 148:14, 149:16, 153:12, 156:1, 160:17 <u>looked</u> [4] - 18:13, 25:18, 38:5, 50:2 <u>looking</u> [6] - 15:14, 48:16, 54:12, 108:8, 112:18, 127:7 <u>looks</u> [1] - 158:6 <u>loop</u> [1] -</p>	<p>73:10 <u>lose</u> [1] - 73:15 <u>losing</u> [1] - 105:18 <u>Lou</u> [1] - 36:2 <u>low</u> [1] - 135:1 <u>lower</u> [1] - 41:6 <u>lowered</u> [2] - 41:8, 41:13</p> <p><u>M</u></p> <p><u>M-C-A-D-O-</u> <u>O</u> [1] - 8:13 <u>MAGAZINE</u> [2] - 2:5, 13:15 <u>Magazine</u> [2] - 13:18, 15:8 <u>major</u> [6] - 27:10, 92:1, 98:10, 99:15, 109:5 <u>majority</u> [1] - 154:16 <u>Manhole</u> [16] - 9:3,</p>	<p>46:11, 46:17, 54:11, 56:14, 59:15, 63:8, 65:6, 96:12, 99:5, 114:7, 135:11, 139:1, 147:14, 157:16 <u>manhole</u> [47] - 10:2, 11:10, 22:10, 25:3, 31:5, 34:19, 43:16, 44:10, 44:19, 54:5, 54:8, 54:13, 55:3, 56:18, 57:10, 81:15, 81:16, 82:11, 82:12, 85:1, 85:4, 85:6, 85:15, 85:16,</p>	<p>85:17, 86:10, 88:4, 92:4, 92:5, 92:9, 92:12, 93:2, 100:6, 100:7, 102:4, 102:5, 104:4, 110:1, 127:2, 130:5, 130:11, 130:12, 133:1, 149:8, 160:5, 165:19 <u>Manholes</u> [1] - 66:14 <u>manholes</u> [4] - 40:7, 44:11, 78:15 <u>March</u> [2] - 171:5, 171:11 <u>Mass</u> [8] - 7:11, 46:16, 50:4, 52:16, 53:3,</p>	<p>112:12, 112:13, 116:8 <u>MASS</u> [2] - 4:15, 116:2 <u>Massachuse</u> <u>tts</u> [4] - 1:13, 1:14, 173:4, 173:7 <u>MASSACHUSE</u> <u>TTS</u> [2] - 3:3, 52:12 <u>matt</u> [1] - 100:19 <u>Matt</u> [2] - 101:1, 101:4 <u>MATTERS</u> [5] - 2:2, 3:2, 4:2, 5:2, 6:2 <u>MCADOO</u> [15] - 8:12, 8:16, 9:4, 9:10, 9:16, 9:19, 10:7, 10:16, 11:2, 11:7, 11:12, 11:17, 12:3, 12:19,</p>
---	---	---	---	--

13:10 <u>Mcadoo</u> [1] - 8:12 <u>Mcimetro</u> [1] - 8:17 <u>mean</u> [3] - 33:10, 49:19, 78:14 <u>meaning</u> [1] - 122:15 <u>Medeiros</u> [1] - 135:10 <u>median</u> [9] - 25:19, 26:1, 73:1, 73:7, 73:9, 74:1, 75:4, 75:10, 75:15 <u>meet</u> [4] - 10:4, 31:15, 118:7, 128:4 <u>MEETING</u> [2] - 1:4, 7:3 <u>meeting</u> [15] - 7:7, 12:14, 27:9, 27:10,	31:16, 32:2, 32:14, 38:8, 52:7, 52:8, 52:9, 52:10, 68:1, 113:7, 172:14 <u>meetings</u> [2] - 39:6, 45:9 <u>meets</u> [3] - 118:2, 118:9, 118:10 <u>megahertz</u> [2] - 134:17 <u>MEMBERS</u> [1] - 1:6 <u>Memorial</u> [5] - 17:7, 22:7, 22:10, 23:5, 23:8 <u>MEMORIAL</u> [4] - 2:7, 2:8, 22:3, 23:1 <u>mentioned</u> [1] - 160:14 <u>metered</u> [1] - 82:14	<u>metering</u> [1] - 83:7 <u>meters</u> [1] - 82:18 <u>method</u> [1] - 130:4 <u>MHC</u> [1] - 63:8 <u>Michael</u> [2] - 1:12, 7:10 <u>Middlesex</u> [2] - 59:16, 65:7 <u>might</u> [3] - 75:18, 86:12, 123:12 <u>might've</u> [1] - 86:13 <u>Mile</u> [1] - 130:8 <u>minimum</u> [2] - 155:14, 155:15 <u>minute</u> [3] - 16:4, 38:14, 111:1 <u>minutes</u> [3] - 8:1, 171:5, 171:11 <u>mistaken</u> [2] - 105:4,	149:17 <u>MIT</u> [2] - 66:19, 69:1 <u>MLK</u> [1] - 61:12 <u>modified</u> [1] - 155:12 <u>money</u> [2] - 73:16, 90:5 <u>monitor</u> [2] - 74:10, 98:13 <u>month</u> [10] - 20:6, 31:12, 37:8, 52:8, 52:10, 59:13, 68:16, 94:15, 110:8, 115:8 <u>month's</u> [3] - 7:18, 7:19, 94:18 <u>months</u> [1] - 154:5 <u>moratorium</u> [1] - 16:1 <u>morning</u> [9] - 7:6, 13:11,	14:3, 14:4, 28:16, 28:18, 72:6, 84:8, 158:9 <u>most</u> [2] - 128:8, 163:14 <u>motion</u> [54] - 27:15, 30:5, 30:7, 33:18, 36:10, 39:5, 42:15, 43:4, 45:8, 45:11, 50:12, 58:11, 62:5, 64:12, 65:15, 68:11, 71:7, 76:13, 80:2, 82:6, 82:8, 83:5, 93:19, 94:1, 101:15, 101:17, 106:2,
--	--	--	---	---

106:10, 115:4, 116:14, 124:17, 126:4, 126:7, 132:5, 133:9, 135:19, 136:14, 137:3, 137:14, 137:17, 139:8, 156:10, 157:3, 159:12, 162:12, 164:6, 165:2, 165:7, 166:17, 167:3, 168:14, 169:16, 171:10, 172:2 <u>motion's</u> [19] - 20:15, 30:10, 33:19, 39:8, 50:15, 55:18, 68:11, 69:6, 71:14, 76:15, 80:3,	83:8, 93:14, 102:6, 132:7, 138:5, 145:16, 157:1, 161:10 <u>Mount</u> [3] - 34:18, 35:1, 35:3 <u>mounted</u> [1] - 125:6 <u>move</u> [40] - 12:8, 20:13, 22:6, 22:12, 23:4, 26:10, 26:13, 27:3, 32:8, 34:17, 41:18, 49:12, 50:8, 53:10, 55:12, 58:5, 60:1, 60:12, 64:1, 76:13, 79:14, 79:18, 91:7, 92:19,	95:7, 95:13, 107:11, 123:12, 123:15, 131:5, 133:4, 139:5, 142:14, 142:18, 143:1, 145:9, 156:19, 159:7, 161:7, 170:13 <u>moving</u> [6] - 17:19, 21:18, 42:12, 51:14, 93:2, 103:2 <u>MT</u> [6] - 2:13, 4:11, 4:14, 34:13, 103:18, 116:2 <u>Mt</u> [4] - 35:12, 104:2, 104:5, 116:7 <u>multiple</u> [1] - 47:10 <u>municipal</u>	[1] - 114:18 <u>Municipal</u> [1] - 1:12 <u>must</u> [2] - 124:8, 128:18 <u>N</u> <u>N016</u> [4] - 6:3, 163:3, 163:9, 164:9 <u>N029</u> [3] - 6:9, 170:5, 170:10 <u>N033</u> [2] - 140:2, 140:7 <u>N034</u> [3] - 6:8, 169:9, 169:14 <u>N038</u> [3] - 5:10, 144:11, 145:12 <u>N039</u> [7] - 5:13, 149:3, 149:7, 149:12, 156:17, 156:19, 157:2 <u>N040</u> [3] - 5:10,	144:11, 145:13 <u>N041</u> [4] - 6:5, 165:15, 166:5, 167:2 <u>N042</u> [5] - 5:14, 157:11, 157:15, 157:16, 158:1 <u>N043</u> [5] - 5:16, 5:17, 157:15, 160:1, 160:9 <u>N047</u> [3] - 6:6, 167:11, 167:16 <u>N048</u> [4] - 5:19, 161:17, 162:2, 162:11 <u>N059</u> [5] - 5:10, 5:11, 144:11, 145:13, 147:9 <u>N061</u> [6] - 4:17, 126:16, 126:19, 131:6,
--	---	--	---	---

132:4, 132:6 <u>N063</u> [3] - 4:18, 132:15, 132:18 <u>N074</u> [3] - 5:3, 136:10, 136:13 <u>N075</u> [2] - 5:5, 137:13 <u>name</u> [16] - 8:10, 8:11, 13:12, 14:6, 72:7, 72:8, 84:5, 84:9, 84:10, 96:17, 96:19, 97:5, 117:2, 117:8 <u>names</u> [2] - 117:3 <u>near</u> [4] - 25:3, 25:4, 80:15, 80:17 <u>necessaril</u> <u>y</u> [1] - 75:7 <u>necessary</u>	[2] - 60:16, 104:7 <u>need</u> [31] - 9:8, 11:9, 12:6, 16:9, 17:17, 18:6, 27:10, 33:8, 55:10, 57:18, 58:3, 73:16, 86:12, 86:16, 89:4, 89:18, 90:4, 99:18, 100:3, 100:5, 103:7, 105:13, 107:2, 110:18, 112:6, 113:9, 114:10, 118:1, 148:14, 149:16, 166:15 <u>needed</u> [1] - 114:18 <u>needs</u> [5] - 74:1,	76:3, 108:1, 113:18, 164:16 <u>neighborho</u> <u>od</u> [1] - 153:15 <u>Network</u> [1] - 17:11 <u>network</u> [2] - 46:19, 54:11 <u>NETWORKS</u> [6] - 2:5, 2:7, 2:8, 13:14, 22:3, 23:1 <u>never</u> [1] - 112:19 <u>new</u> [47] - 29:16, 33:8, 34:18, 35:9, 40:6, 41:18, 43:15, 44:3, 46:18, 54:14, 56:16, 57:18, 58:3, 67:8, 68:9, 73:1, 77:12,	80:16, 96:13, 107:19, 108:2, 108:8, 124:6, 127:1, 127:17, 128:3, 128:6, 130:12, 130:16, 132:19, 135:8, 139:1, 140:4, 147:16, 148:8, 149:9, 157:18, 160:7, 160:16, 163:9, 164:11, 165:18, 166:4, 167:14, 169:12, 170:8 <u>New</u> [1] - 97:3 <u>NEW</u> [44] - 2:12, 2:14, 2:15, 2:17, 2:18, 3:3, 3:4, 3:6, 3:9, 3:10,	3:12, 3:13, 3:15, 3:16, 3:18, 4:3, 4:5, 4:7, 4:9, 4:10, 4:12, 4:13, 34:13, 37:4, 39:17, 43:12, 46:1, 52:12, 54:1, 56:7, 60:9, 63:3, 65:2, 66:10, 69:15, 72:14, 77:7, 80:11, 83:16, 85:11, 96:5, 103:18, 114:1, 116:1 <u>newly</u> [3] - 30:1, 35:11 <u>Newport</u> [2] - 10:7, 10:11 <u>next</u> [15]
---	--	--	---	--

<p>- 20:5, 52:8, 52:10, 52:15, 94:14, 94:18, 108:16, 110:8, 115:8, 144:14, 151:1, 151:17, 153:9, 159:5</p> <p><u>nicely</u> [1] - 75:2</p> <p><u>NO59</u> [1] - 147:19</p> <p><u>NO75</u> [1] - 137:10</p> <p><u>NODE</u> [28] - 4:17, 4:18, 5:3, 5:5, 5:11, 5:13, 5:14, 5:16, 5:17, 5:19, 6:3, 6:5, 6:6, 6:8, 6:9, 132:15, 136:10, 137:10, 147:9, 149:3, 157:11, 160:1, 161:17,</p>	<p>163:3, 165:15, 167:11, 169:9, 170:5</p> <p><u>node</u> [1] - 135:8</p> <p><u>Node</u> [32] - 124:1, 126:16, 126:19, 131:6, 132:4, 132:6, 132:18, 136:13, 137:13, 140:2, 140:7, 145:12, 145:13, 146:4, 146:8, 149:7, 149:12, 157:2, 157:14, 157:15, 158:1, 160:9, 162:2, 162:11, 163:9, 163:18, 166:5, 167:16, 169:14, 170:10</p> <p><u>NODES</u> [2]</p>	<p>- 5:10, 144:11</p> <p><u>Norfolk</u> [7] - 127:4, 127:5, 128:14, 140:3, 143:17, 144:2, 173:5</p> <p><u>NORFOLK</u> [2] - 5:8, 139:18</p> <p><u>north</u> [3] - 81:4, 81:8, 150:4</p> <p><u>northeast</u> [4] - 69:19, 70:5, 70:9, 92:2</p> <p><u>northeaste</u> <u>rly</u> [1] - 66:13</p> <p><u>northerly</u> [6] - 35:2, 37:11, 70:11, 85:7, 166:1, 166:3</p> <p><u>NOT</u> [1] - 173:18</p> <p><u>Notary</u> [2] - 173:6, 173:16</p>	<p><u>notation</u> [1] - 124:4</p> <p><u>note</u> [2] - 21:11, 146:4</p> <p><u>Note</u> [1] - 124:6</p> <p><u>noted</u> [1] - 140:18</p> <p><u>nothing</u> [3] - 25:17, 141:9, 158:14</p> <p><u>notice</u> [2] - 108:16, 115:8</p> <p><u>noticed</u> [1] - 158:8</p> <p><u>notices</u> [1] - 150:15</p> <p><u>notificati</u> <u>on</u> [1] - 109:2</p> <p><u>notified</u> [5] - 109:4, 150:10, 152:12, 153:6, 153:10</p> <p><u>NSTAR</u> [20] - 3:8, 3:9, 3:11, 3:12, 3:14,</p>	<p>3:15, 14:13, 17:18, 18:2, 21:9, 59:8, 59:12, 60:9, 63:3, 65:2, 66:10, 69:15, 78:15, 105:12, 119:5</p> <p><u>numbers</u> [1] - 27:5</p> <p><u>o</u></p> <p><u>objection</u> [2] - 51:12, 93:5</p> <p><u>objective</u> [1] - 128:4</p> <p><u>obviously</u> [1] - 87:8</p> <p><u>OF</u> [217] - 1:1, 1:8, 2:1, 3:1, 4:1, 4:14, 5:1, 6:1, 7:17, 9:7, 9:13, 9:17, 10:3, 11:14, 11:19,</p>
--	--	---	---	---

12:5,	42:17,	68:2,	101:11,	139:9,
13:7,	43:9,	68:15,	101:16,	139:15,
15:3,	44:18,	68:19,	102:11,	143:6,
15:11,	45:4,	69:12,	102:17,	143:12,
16:5,	45:16,	70:18,	104:13,	145:10,
16:13,	46:12,	71:8,	105:1,	145:14,
16:19,	48:4,	71:12,	105:11,	146:2,
17:13,	48:10,	71:19,	106:6,	148:3,
20:3,	49:14,	73:4,	106:15,	148:7,
20:11,	50:17,	73:12,	107:9,	148:11,
21:2,	51:4,	76:12,	108:18,	148:19,
22:13,	52:2,	77:4,	111:5,	149:15,
22:17,	53:13,	79:10,	113:5,	150:2,
24:7,	54:19,	80:8,	115:9,	151:3,
24:14,	55:5,	81:10,	115:15,	152:19,
24:18,	55:9,	82:2,	116:1,	153:13,
25:7,	55:15,	82:7,	116:9,	153:19,
25:15,	56:4,	83:6,	116:18,	154:12,
26:7,	57:5,	83:13,	120:8,	155:1,
26:14,	57:19,	86:4,	120:13,	155:9,
26:19,	58:7,	86:17,	120:17,	156:2,
27:8,	58:16,	87:2,	121:2,	156:11,
28:2,	59:4,	87:17,	121:8,	157:8,
29:13,	60:6,	88:2,	121:11,	159:17,
29:17,	61:8,	88:8,	122:1,	160:12,
30:2,	61:14,	89:3,	126:1,	160:19,
30:6,	62:2,	89:16,	126:13,	161:6,
30:16,	62:6,	90:2,	128:9,	162:13,
32:5,	62:16,	90:10,	128:13,	162:19,
34:6,	63:16,	91:4,	128:17,	164:3,
34:9,	64:2,	91:12,	129:12,	165:10,
35:15,	64:6,	92:3,	129:19,	166:14,
35:19,	64:13,	92:18,	132:12,	167:8,
36:4,	64:19,	93:6,	133:10,	168:19,
36:15,	65:12,	93:16,	134:9,	170:2,
38:9,	66:1,	94:12,	136:1,	170:14,
38:19,	66:7,	98:2,	136:7,	171:1,
39:2,	67:1,	98:6,	137:8,	171:19,
39:14,	67:6,	99:13,	137:18,	172:10,
42:10,	67:11,	101:2,	138:13,	173:17,

173:18, 173:19 <u>office</u> [1] - 112:12 <u>OFFICIAL</u> [1] - 1:18 <u>often</u> [1] - 103:4 <u>old</u> [3] - 24:17, 48:15, 129:2 <u>on-site</u> [1] - 12:10 <u>once</u> [2] - 16:7, 28:10 <u>oncoming</u> [1] - 75:7 <u>one</u> [73] - 9:1, 14:1, 15:8, 18:8, 18:10, 20:5, 21:6, 21:17, 22:1, 24:2, 29:5, 29:7, 31:9, 34:18, 35:4, 37:13, 40:4, 41:10, 43:15,	43:19, 44:10, 51:6, 51:7, 53:8, 54:6, 58:3, 60:15, 61:1, 61:15, 65:10, 68:16, 70:2, 78:2, 81:11, 82:9, 86:3, 103:9, 103:12, 103:14, 103:15, 104:8, 117:12, 129:6, 129:8, 129:10, 133:5, 134:5, 135:7, 138:2, 138:4, 140:9, 142:5, 144:14, 145:7, 148:4, 154:8, 154:9, 160:4, 162:2,	162:3, 162:9, 164:2, 164:10, 164:14, 164:15, 166:6, 166:12, 166:15, 167:17, 168:2, 168:3, 168:5 <u>one-foot</u> [1] - 82:9 <u>ones</u> [4] - 10:12, 25:11, 119:19, 163:11 <u>ongoing</u> [4] - 37:2, 43:2, 48:6, 115:7 <u>operating</u> [1] - 150:13 <u>operations</u> [1] - 150:16 <u>opportunit</u> <u>y</u> [2] - 35:13, 42:6 <u>opposed</u> [3] - 57:15,	88:4, 122:10 <u>opposite</u> [1] - 121:13 <u>optic</u> [5] - 127:1, 132:19, 167:15, 169:13, 170:9 <u>option</u> [2] - 75:4, 119:2 <u>options</u> [1] - 118:18 <u>or..</u> [1] - 32:11 <u>Orchard</u> [1] - 31:6 <u>order</u> [3] - 7:15, 21:18, 23:18 <u>orders</u> [1] - 83:2 <u>original</u> [6] - 37:16, 38:11, 124:5, 127:15, 128:2, 129:4 <u>otherwise</u> [2] - 16:10, 100:15	<u>output</u> [1] - 134:12 <u>outs</u> [2] - 86:19, 100:10 <u>outside</u> [2] - 124:12, 167:18 <u>overhang</u> [2] - 121:18, 122:12 <u>overhanging</u> <u>g</u> [1] - 123:5 <u>overhead</u> [4] - 65:13, 77:13, 78:4, 146:16 <u>overlying</u> [1] - 98:16 <u>owe</u> [1] - 31:16 <u>own</u> [2] - 44:10, 94:1 <u>owned</u> [4] - 60:15, 70:3, 70:4, 70:6 <u>owner</u> [1] - 37:15 <u>owners</u> [1] - 38:13 <u>ownership</u>
---	--	--	---	--

[1] - 54:16	129:4, 135:5, 138:4, 144:15, 162:1	56:15, 56:17, 59:18	32:17, 40:9, 73:6, 108:17, 108:19	107:2, 108:9
<u>P</u>				
<u>p.m</u> [2] - 1:16, 172:15	<u>page</u> [4] - 33:15, 118:13, 128:18, 149:13	<u>PARK</u> [2] - 2:10, 28:12	<u>partial</u> [1] - 49:9	<u>paved</u> [10] - 29:12, 30:1, 35:9, 35:11, 35:12, 68:5, 97:9, 98:5, 98:9
<u>package</u> [3] - 109:1, 131:17	<u>PAGE</u> [5] - 2:2, 3:2, 4:2, 5:2, 6:2	<u>PARK/</u> <u>CAMBRIDGE</u> [2] - 3:6, 56:7	<u>particular</u> [5] - 20:13, 119:19, 140:9, 146:14, 152:16	<u>pavement</u> [2] - 29:15, 29:16
<u>packages</u> [1] - 134:2	<u>pages</u> [1] - 33:10	<u>parking</u> [9] - 88:19, 89:9, 89:11, 89:19, 90:12, 91:7, 93:2, 95:7, 169:5	<u>passes</u> [1] - 143:19	<u>paver's</u> [1] - 107:13
<u>packet</u> [6] - 121:9, 124:5, 127:14, 157:1, 157:14	<u>paid</u> [1] - 19:13	<u>Parking</u> [4] - 72:4, 72:19, 77:10, 80:14	<u>passing</u> [1] - 45:3	<u>paving</u> [8] - 67:8, 97:13, 97:18, 98:11, 98:12, 99:15, 100:18, 108:2
<u>Page</u> [24] - 21:19, 22:7, 23:4, 28:18, 28:19, 34:17, 46:5, 59:11, 60:12, 72:12, 84:1, 84:2, 116:5, 120:2, 127:15, 128:16, 128:19, 129:1,	<u>panel</u> [2] - 29:7, 82:12	<u>PARKING</u> [6] - 3:17, 3:19, 4:3, 72:14, 77:7, 80:11	<u>past</u> [2] - 119:7, 141:15	<u>pay</u> [1] - 152:4
	<u>panels</u> [2] - 44:2, 81:4		<u>PATH</u> [2] - 4:15, 116:2	<u>pedestrian</u> <u>s</u> [1] - 74:16
	<u>paperwork</u> [5] - 18:18, 21:9, 27:4, 105:14, 107:5		<u>path</u> [3] - 31:14, 42:4, 81:16	<u>pending</u> [7] - 27:3, 32:8, 39:5, 45:8, 58:5,
	<u>parallel</u> [2] - 120:4, 160:16	<u>Parkway</u> [1] - 40:3	<u>pathway</u> [2] - 42:5, 167:15	
	<u>Park</u> [6] - 29:2, 29:5, 56:10,	<u>part</u> [7] - 15:6, 17:4,	<u>pathways</u> [2] - 169:13, 170:9	
			<u>pave</u> [2] -	

83:5, 106:2 <u>people</u> [1] - 75:10 <u>per</u> [1] - 47:6 <u>percent</u> [1] - 90:8 <u>percentage</u> [1] - 49:3 <u>permission</u> [1] - 17:14 <u>permit</u> [6] - 12:1, 12:4, 12:7, 99:17, 101:19, 111:7 <u>permits</u> [3] - 12:14, 27:7, 100:1 <u>permitting</u> [1] - 113:4 <u>personal</u> [1] - 111:9 <u>perspectiv</u> <u>e</u> [1] - 117:17 <u>pertains</u> [1] - 32:14 <u>petition</u> [37] -	8:3, 8:19, 12:8, 12:13, 13:17, 15:10, 15:12, 20:13, 23:16, 29:2, 37:8, 51:11, 52:15, 53:5, 59:12, 59:13, 97:13, 100:16, 105:10, 109:7, 110:7, 114:4, 117:10, 117:11, 125:14, 130:3, 130:17, 131:6, 132:4, 133:6, 140:2, 146:15, 147:13, 153:5, 157:2, 159:8, 160:13 <u>PETITION</u> [92] - 2:3, 2:4, 2:6, 2:8,	2:9, 2:11, 2:12, 2:14, 2:15, 2:17, 2:18, 3:3, 3:4, 3:6, 3:7, 3:9, 3:10, 3:12, 3:13, 3:15, 3:16, 3:18, 4:3, 4:5, 4:7, 4:9, 4:10, 4:12, 4:13, 4:16, 4:18, 5:3, 5:4, 5:6, 5:7, 5:11, 5:12, 5:14, 5:15, 5:17, 5:18, 6:3, 6:4, 6:6, 6:7, 6:9, 8:8, 13:14, 22:3, 23:1, 28:12, 31:1, 34:13, 37:4, 39:17, 43:12, 46:1,	52:12, 54:1, 56:7, 59:8, 60:9, 63:3, 65:2, 66:10, 69:15, 72:14, 77:7, 80:11, 83:16, 85:11, 96:5, 103:18, 114:1, 116:1, 126:16, 132:15, 135:2, 136:10, 137:10, 138:16, 139:18, 147:9, 149:3, 157:11, 160:1, 161:17, 163:3, 165:15, 167:11, 169:9, 170:5 <u>petitioned</u> [1] - 151:8 <u>petitioner</u>	[1] - 102:19 <u>petitions</u> [2] - 28:9, 144:19 <u>PETITIONS</u> [2] - 5:9, 144:11 <u>PHOENIX</u> [2] - 2:3, 8:8 <u>Phoenix</u> [2] - 8:6, 8:16 <u>phonetic</u> [1] - 32:4 <u>photo</u> [1] - 167:19 <u>photograph</u> [1] - 120:9 <u>physically</u> [2] - 141:1, 141:3 <u>picking</u> [1] - 118:9 <u>picture</u> [2] - 131:16, 159:3 <u>pipe</u> [3] - 35:14, 41:13, 130:13 <u>place</u> [19] - 13:19,
--	---	---	--	--

22:8, 23:6, 34:18, 40:18, 41:18, 42:4, 43:15, 54:5, 73:6, 74:2, 75:1, 88:16, 96:10, 103:6, 104:2, 105:16, 107:3, 109:5 <u>placed</u> [6] - 48:17, 97:10, 97:11, 99:3, 100:7, 103:11 <u>placement</u> [2] - 40:6, 85:4 <u>placing</u> [1] - 17:19 <u>plan</u> [12] - 9:8, 15:4, 25:9, 37:16, 38:11, 73:9, 124:4,	129:14, 129:16, 129:18, 149:14, 162:8 <u>plans</u> [2] - 9:10, 130:19 <u>plat</u> [1] - 48:15 <u>plats</u> [2] - 47:9, 50:2 <u>Pleasant</u> [3] - 15:9, 21:14, 22:11 <u>plus</u> [1] - 41:19 <u>point</u> [4] - 95:16, 98:13, 101:12, 118:1 <u>pointed</u> [1] - 162:4 <u>pole</u> [59] - 15:6, 17:17, 25:5, 25:8, 26:17, 27:4, 60:15, 61:19, 63:1, 70:4,	70:6, 70:12, 117:14, 118:12, 119:3, 119:17, 120:14, 120:15, 121:4, 121:5, 123:18, 124:1, 124:6, 124:10, 125:10, 128:2, 128:6, 128:7, 128:10, 129:18, 131:8, 131:10, 131:14, 141:13, 141:17, 142:4, 142:10, 142:19, 143:8, 144:2, 146:5, 146:6, 146:13, 146:17, 158:3, 158:7, 158:12, 158:13, 159:9, 159:10,	162:4, 167:18, 168:2, 168:7, 168:10, 168:11, 170:11 <u>POLE</u> [4] - 1:2, 1:4, 1:6, 7:3 <u>Pole</u> [44] - 7:7, 13:19, 14:2, 22:8, 23:5, 29:3, 37:9, 40:11, 40:12, 46:7, 52:16, 63:11, 69:19, 70:8, 112:6, 127:3, 127:6, 133:2, 133:4, 139:2, 139:3, 140:3, 140:4, 140:5, 140:6, 147:15, 147:17, 147:18,	149:10, 149:11, 157:17, 157:19, 160:7, 160:9, 163:7, 163:8, 163:9, 166:2, 166:4, 167:16, 169:14, 170:10, 172:13 <u>poles</u> [17] - 18:5, 18:8, 18:10, 18:14, 18:18, 19:17, 21:12, 23:10, 24:3, 27:5, 70:14, 77:14, 127:7, 127:18, 140:17, 141:5 <u>police</u> [2] - 89:10 <u>POLICE</u> [1] - 62:12 <u>Pond</u> [1] - 40:3 <u>pop</u> [2] -
---	---	--	---	---

92:1, 92:2 <u>portion</u> [2] - 10:17, 11:3 <u>Portland</u> [6] - 37:12, 38:3, 38:17, 66:15, 77:12, 78:3 <u>possible</u> [2] - 76:5, 125:8 <u>potentiall</u> <u>y</u> [1] - 89:7 <u>power</u> [1] - 134:12 <u>prefer</u> [1] - 57:14 <u>prepared</u> [1] - 107:6 <u>Prescott</u> [4] - 160:4, 160:8, 160:11, 161:1 <u>presented</u> [1] - 67:3 <u>pretty</u> [3] - 52:3, 67:12, 103:6	<u>previous</u> [6] - 24:13, 53:5, 105:10, 109:7, 128:6, 133:6 <u>previously</u> [1] - 129:1 <u>primary</u> [3] - 119:3, 141:5, 141:13 <u>print</u> [1] - 125:13 <u>prints</u> [1] - 116:12 <u>private</u> [7] - 26:10, 31:8, 35:3, 43:18, 54:7, 54:13, 114:9 <u>problem</u> [3] - 105:6, 112:10, 153:14 <u>problemati</u> <u>c</u> [1] - 155:6 <u>procedure</u> [1] -	105:17 <u>proceeding</u> [1] - 51:13 <u>proceeding</u> <u>s</u> [1] - 173:10 <u>PROCEEDING</u> <u>s</u> [5] - 2:1, 3:1, 4:1, 5:1, 6:1 <u>process</u> [3] - 115:6, 163:11, 163:13 <u>project</u> [19] - 10:15, 41:1, 42:2, 42:12, 46:13, 61:6, 70:19, 78:7, 79:15, 98:11, 98:12, 99:15, 107:11, 108:17, 113:12, 113:17, 115:7, 116:10, 116:12 <u>projects</u>	[1] - 48:6 <u>propagate</u> [1] - 127:18 <u>propagated</u> [1] - 127:11 <u>proper</u> [2] - 83:2, 105:17 <u>properties</u> [1] - 154:9 <u>Properties</u> [2] - 44:15, 44:17 <u>property</u> [18] - 26:10, 29:4, 31:8, 35:3, 37:12, 37:15, 37:19, 43:18, 54:7, 54:13, 85:3, 85:9, 89:2, 93:12, 98:10, 114:9, 119:17, 134:6 <u>proposed</u> [10] -	9:19, 52:19, 81:6, 88:3, 127:17, 128:10, 129:3, 131:13, 160:16, 161:9 <u>proposing</u> [4] - 87:13, 141:4, 141:18, 142:3 <u>protecting</u> [4] - 46:10, 52:19, 53:2, 56:13 <u>provide</u> [3] - 59:18, 60:16, 65:9 <u>provided</u> [1] - 86:11 <u>provides</u> [1] - 118:14 <u>provisions</u> [1] - 39:7 <u>proximity</u> [1] - 134:5 <u>PUBLIC</u> [2]
---	--	--	--	---

<p>- 4:14, 116:1 <u>public</u> [13] - 29:4, 31:7, 35:2, 37:10, 43:18, 45:5, 62:1, 79:16, 90:19, 107:18, 109:19, 122:17, 122:19 <u>Public</u> [7] - 36:5, 100:1, 116:6, 169:6, 173:6, 173:16 <u>pull</u> [3] - 41:17, 82:12, 147:12 <u>pulled</u> [2] - 41:9, 100:1 <u>pulling</u> [1] - 41:17 <u>punch</u> [2] - 98:18, 100:10 <u>punch-outs</u> [1] -</p>	<p>100:10 <u>purpose</u> [5] - 86:5, 86:6, 88:14, 89:14, 142:15 <u>purposes</u> [2] - 108:16, 115:8 <u>push</u> [2] - 61:2, 88:19 <u>pushed</u> [3] - 14:14, 19:7, 28:8 <u>put</u> [17] - 27:11, 69:5, 73:10, 75:1, 77:12, 78:5, 89:1, 90:8, 98:8, 105:14, 108:15, 111:4, 115:8, 122:9, 123:8, 124:10, 153:14 <u>putting</u> [2] - 130:11,</p>	<p>155:17 <u>PVC</u> [12] - 9:1, 46:9, 52:18, 53:1, 56:12, 85:2, 85:8, 85:16, 96:11, 104:4, 104:12, 114:7 <u>q</u> <u>quad</u> [1] - 143:19 <u>quantities</u> [1] - 145:2 <u>questionin</u> <u>g</u> [1] - 75:16 <u>questions</u> [3] - 133:18, 134:8, 148:15 <u>R</u> <u>radiofrequ</u> <u>ency</u> [2] - 118:4, 118:5 <u>Rapid</u> [1] - 80:17 <u>rather</u> [3] - 16:16, 16:18,</p>	<p>21:18 <u>RE</u> [1] - 1:4 <u>reach</u> [1] - 82:11 <u>reached</u> [1] - 47:6 <u>read</u> [1] - 55:1 <u>ready</u> [9] - 14:13, 15:16, 19:11, 19:12, 23:11, 23:12, 23:17, 24:8, 125:12 <u>really</u> [4] - 49:6, 57:7, 88:9, 119:18 <u>Realty</u> [1] - 54:15 <u>rear</u> [2] - 23:7, 61:11 <u>reason</u> [9] - 59:17, 65:8, 66:16, 73:19, 90:7, 90:11, 91:10, 95:1, 160:14</p>	<p><u>reasoning</u> [1] - 122:9 <u>reasons</u> [1] - 119:5 <u>receive</u> [2] - 110:12, 111:4 <u>received</u> [1] - 23:14 <u>recently</u> [1] - 20:6 <u>recess</u> [1] - 115:18 <u>recommenda</u> <u>tion</u> [2] - 93:1, 144:3 <u>reconstruc</u> <u>tion</u> [1] - 70:19 <u>record</u> [14] - 8:11, 13:12, 14:6, 17:9, 23:13, 69:4, 72:7, 84:9, 96:18, 97:5, 117:3, 124:19, 155:17,</p>
---	--	--	---	---

173:10 <u>RECORD</u> [1] - 1:18 <u>records</u> [2] - 102:1, 153:12 <u>redundant</u> [1] - 35:8 <u>reflect</u> [1] - 23:14 <u>reflected</u> [3] - 33:6, 33:13, 33:15 <u>regarding</u> [1] - 23:12 <u>regardless</u> [3] - 101:6, 103:14, 152:5 <u>regards</u> [4] - 8:6, 8:19, 49:18, 149:6 <u>regs</u> [1] - 12:15 <u>regulation</u> <u>s</u> [2] - 12:12, 12:13 <u>reimbursed</u> [1] - 111:10	<u>reinforce</u> [1] - 86:7 <u>related</u> [3] - 53:4, 133:18, 134:8 <u>relocate</u> [10] - 60:15, 61:19, 66:17, 69:18, 70:2, 70:3, 70:6, 70:8, 70:11, 93:12 <u>relocated</u> [1] - 70:16 <u>remain</u> [1] - 34:16 <u>remember</u> [4] - 40:9, 87:3, 88:1, 168:6 <u>Remington</u> [8] - 46:6, 46:8, 47:10, 49:1, 50:3, 52:17, 160:6,	160:11 <u>REMINGTON</u> [2] - 2:19, 46:1 <u>remote</u> [1] - 158:16 <u>removal</u> [5] - 29:6, 31:10, 35:5, 44:1, 82:9 <u>remove</u> [2] - 81:9, 81:14 <u>removed</u> [1] - 162:5 <u>removing</u> [1] - 81:3 <u>renting</u> [1] - 130:9 <u>repair</u> [1] - 104:6 <u>replace</u> [2] - 85:14, 124:6 <u>replaced</u> [8] - 18:6, 18:14, 27:6, 123:19, 124:2, 125:14, 146:10, 146:17	<u>replacemen</u> <u>t</u> [5] - 29:7, 44:1, 125:10, 146:5, 146:6 <u>Reporter</u> [1] - 173:15 <u>REPORTER</u> [1] - 173:19 <u>REPORTERS</u> [1] - 1:18 <u>representi</u> <u>ng</u> [2] - 8:17, 97:2 <u>REPRODUCTI</u> <u>ON</u> [1] - 173:18 <u>repulled</u> [1] - 40:18 <u>request</u> [5] - 92:8, 117:13, 127:9, 135:16, 162:9 <u>requesters</u> [1] - 108:8 <u>requests</u> [1] - 117:16 <u>require</u> [1] -	114:13 <u>required</u> [3] - 151:10, 151:12, 154:8 <u>requiremen</u> <u>t</u> [1] - 114:13 <u>rescind</u> [2] - 147:7, 148:2 <u>RESCINDED</u> [2] - 5:11, 147:9 <u>research</u> [10] - 79:15, 79:19, 93:1, 99:19, 101:7, 101:18, 101:19, 159:8, 160:15, 161:8 <u>reseeded</u> [1] - 75:14 <u>residence</u> [1] - 134:5 <u>resident</u> [2] - 119:13, 167:18
---	---	--	---	---

<u>residentialia</u>	32:8, 37:8	140:17,	160:15	15:19,
<u>l</u> [1] -	<u>revision</u>	141:6,	<u>rushed</u> [1]	16:17,
108:14	[1] -	141:13,	- 111:2	35:12,
<u>residents</u>	162:9	141:19,	<u>s</u>	97:9
[1] -	<u>RF</u> [6] -	142:4,	<u>sadly</u> [1]	<u>scheduling</u>
153:15	118:2,	146:18	- 103:3	[2] -
<u>RESPECT</u>	122:2,	<u>roads</u> [1]	<u>safety</u> [4]	10:6,
[1] -	122:3,	- 128:8	- 119:5,	60:19
173:18	128:4,	<u>roadway</u>	122:12,	<u>scheme</u> [1]
<u>respond</u>	133:18,	[1] -	122:15,	- 135:17
[2] -	134:8	74:19	123:3	<u>School</u> [3]
52:4,	<u>RF-related</u>	<u>ROBERT</u> [1]	<u>SAME</u> [1] -	- 61:12,
150:16	[1] -	- 62:12	173:18	80:18,
<u>restoratio</u>	134:8	<u>Room</u> [2] -	<u>Sanofi</u> [2]	81:1
<u>n</u> [2] -	<u>rid</u> [1] -	1:13, 7:11	- 17:4,	<u>school</u> [1]
31:10,	77:13	<u>room</u> [2] -	54:14	- 90:19
35:5	<u>Rindge</u> [3]	47:5,	<u>save</u> [1] -	<u>schools</u>
<u>restrictio</u>	- 59:14,	161:3	89:18	[1] -
<u>ns</u> [1] -	65:5, 65:9	<u>route</u> [2]	<u>saw</u> [4] -	60:17
12:9	<u>RINDGE</u> [4]	- 57:14,	62:3,	<u>scope</u> [1]
<u>results</u>	- 3:8,	68:9	73:9,	- 25:19
[1] - 49:5	3:12,	<u>run</u> [9] -	74:10,	<u>score</u> [3]
<u>retaining</u>	59:8, 65:2	17:15,	76:8	- 81:12,
[1] -	<u>rise</u> [1] -	21:14,	<u>saw-cut</u>	81:15,
88:11	162:5	26:18,	[2] -	82:9
<u>review</u> [4]	<u>riser</u> [11]	57:13,	73:9, 76:8	<u>score-cut</u>
- 38:12,	- 25:6,	76:8,	<u>scale</u> [1]	[1] -
118:1,	25:8,	78:1,	- 25:18	81:12
155:15,	140:16,	149:18,	<u>scenario</u>	<u>scrambling</u>
161:8	141:13,	150:1,	[1] -	[1] - 16:4
<u>reviewed</u>	142:17,	151:9	90:17	<u>season</u> [2]
[1] -	142:19,	<u>running</u>	<u>schedule</u>	- 16:15,
171:5	143:7,	[4] -	[3] -	35:13
<u>reviewing</u>	143:8,	27:11,	11:15,	<u>SECOND</u> [2]
[1] -	143:18,	67:18,	97:13,	- 3:5,
140:19	145:1,	78:4,	107:13	54:1
<u>revised</u>	146:13	146:15	<u>scheduled</u>	<u>Second</u> [3]
[3] -	<u>risers</u> [7]	<u>runs</u> [2] -	[4] -	- 54:4,
31:17,	- 118:17,	55:2,		54:11,

54:17 <u>second</u> [49] - 12:17, 13:2, 20:16, 20:18, 27:16, 30:12, 34:2, 36:11, 39:10, 43:5, 45:12, 47:15, 50:16, 51:11, 51:15, 53:11, 55:19, 58:12, 60:2, 69:8, 76:16, 76:18, 93:15, 94:1, 94:3, 94:7, 102:7, 106:11, 118:13, 126:9, 132:8, 137:4, 138:4, 138:6, 138:8, 139:10, 142:16,	143:2, 148:4, 157:4, 159:13, 161:12, 165:8, 167:4, 168:15, 169:17, 171:12, 171:14, 172:5 <u>secondary</u> [1] - 141:5 <u>seconded</u> [18] - 22:14, 62:7, 64:3, 64:14, 66:2, 71:9, 71:15, 80:4, 83:9, 115:10, 116:15, 133:11, 136:2, 137:19, 145:11, 145:17, 162:14, 170:15 <u>section</u> [5] - 76:8, 82:9,	98:14, 98:16, 155:6 <u>sections</u> [1] - 163:17 <u>see</u> [22] - 17:6, 20:7, 21:17, 32:16, 51:13, 51:16, 57:8, 57:9, 68:17, 74:4, 74:16, 75:2, 87:18, 90:11, 99:19, 108:10, 117:13, 127:15, 128:7, 145:8, 156:6, 160:15 <u>seeing</u> [4] - 48:19, 50:1, 103:1, 166:10 <u>select</u> [1] - 118:12 <u>selected</u> [1] - 128:7	<u>sending</u> [1] - 112:5 <u>separate</u> [2] - 10:17, 131:2 <u>Servado</u> [1] - 17:1 <u>service</u> [10] - 44:4, 54:14, 56:17, 59:18, 65:9, 66:17, 66:18, 96:13, 104:6, 114:8 <u>services</u> [3] - 46:17, 56:18, 114:18 <u>set</u> [4] - 13:9, 45:5, 173:9, 173:11 <u>sets</u> [1] - 17:17 <u>seven</u> [2] - 142:4, 142:9 <u>severe</u> [1] - 23:19 <u>sewer</u> [1]	- 27:10 <u>shadow</u> [1] - 40:5 <u>share</u> [1] - 117:18 <u>SHAWN</u> [41] - 17:10, 17:16, 18:3, 18:8, 18:11, 18:15, 18:19, 19:5, 19:13, 19:18, 20:2, 21:7, 21:13, 21:19, 23:9, 24:3, 25:5, 25:13, 26:16, 27:13, 28:6, 46:15, 47:3, 47:17, 48:1, 48:14, 49:5, 50:5, 50:14, 51:6, 51:10, 52:5, 53:6,
---	---	--	---	--

54:10, 55:4, 55:8, 56:16, 57:16, 59:2, 59:6 <u>Shawn</u> [1] - 17:10 <u>Short</u> [1] - 115:18 <u>shortened</u> [1] - 155:12 <u>Shorthand</u> [1] - 173:15 <u>show</u> [3] - 120:9, 159:1, 159:3 <u>showed</u> [2] - 25:9, 167:18 <u>showing</u> [3] - 68:6, 163:14, 166:12 <u>shows</u> [2] - 118:13, 120:3 <u>side</u> [27] - 25:3, 38:2, 44:4, 50:4, 60:13, 69:18, 70:3,	70:5, 70:8, 70:11, 81:4, 81:5, 81:8, 85:7, 114:8, 119:16, 121:5, 121:13, 122:10, 125:7, 150:4, 150:8, 164:17, 164:18, 165:1 <u>sides</u> [1] - 11:11 <u>sidewalk</u> [24] - 29:7, 29:10, 31:11, 35:6, 37:18, 44:2, 44:7, 62:1, 81:4, 81:19, 82:10, 85:5, 88:4, 89:1, 89:5, 89:13, 89:15,	93:3, 104:5, 104:7, 120:4, 120:6, 123:4, 150:8 <u>SIDHU</u> [13] - 117:7, 117:8, 117:19, 118:5, 122:3, 123:9, 123:15, 128:1, 128:12, 128:15, 129:1, 134:13, 134:16 <u>Sidhu</u> [1] - 117:14 <u>signal</u> [4] - 77:12, 80:16, 127:11, 127:13 <u>signify</u> [47] - 13:4, 21:1, 22:16, 27:17, 30:13, 34:3, 36:12, 39:11, 43:6,	45:13, 51:1, 53:12, 56:1, 58:13, 60:3, 62:9, 64:16, 66:4, 69:9, 71:16, 77:1, 80:5, 83:10, 94:9, 102:8, 106:12, 115:12, 126:10, 132:9, 133:13, 136:4, 137:5, 138:10, 139:12, 143:3, 145:17, 157:5, 159:14, 161:13, 162:16, 165:9, 167:5, 168:16, 169:18, 170:17, 171:16, 172:7 <u>similar</u> [2] -	106:19, 149:18 <u>site</u> [21] - 10:5, 12:10, 12:14, 27:9, 27:10, 31:16, 32:2, 38:7, 39:6, 43:1, 45:9, 55:3, 57:12, 68:1, 74:3, 87:5, 97:17, 106:8, 113:6, 134:4, 155:15 <u>sits</u> [1] - 121:7 <u>situation</u> [4] - 103:1, 107:1, 108:13, 123:8 <u>six</u> [5] - 40:6, 67:18, 85:2, 85:8, 85:16 <u>six-inch</u>
---	--	--	---	--

<p>[1] - 67:18</p> <p><u>Sixth</u> [3] - 85:14, 85:17, 92:5</p> <p><u>SIXTH</u> [2] - 4:8, 85:12</p> <p><u>sketched</u> [1] - 67:10</p> <p><u>skip</u> [1] - 8:5</p> <p><u>slated</u> [1] - 123:18</p> <p><u>slow</u> [1] - 148:4</p> <p><u>small</u> [3] - 15:9, 25:17, 158:13</p> <p><u>so..</u> [3] - 78:16, 105:10, 148:16</p> <p><u>solid</u> [1] - 9:14</p> <p><u>Solutions</u> [2] - 97:2, 130:8</p> <p><u>someone</u> [1] - 52:4</p> <p><u>sometimes</u> [2] - 117:15, 117:16</p> <p><u>somewhere</u></p>	<p>[1] - 74:18</p> <p><u>sooner</u> [1] - 16:18</p> <p><u>sorry</u> [8] - 26:15, 44:14, 64:7, 82:14, 96:16, 121:10, 147:4, 151:6</p> <p><u>sort</u> [1] - 150:15</p> <p><u>sort've</u> [1] - 120:3</p> <p><u>sound</u> [1] - 168:6</p> <p><u>sounds</u> [2] - 68:12, 129:13</p> <p><u>south</u> [4] - 60:13, 81:5, 81:8, 139:2</p> <p><u>southbound</u> [1] - 57:10</p> <p><u>southerly</u> [5] - 63:7, 63:10, 85:5, 140:3, 149:10</p> <p><u>southwest</u></p>	<p>[1] - 66:15</p> <p><u>southweste</u> <u>rly</u> [3] - 31:7, 59:15, 65:5</p> <p><u>space</u> [8] - 18:2, 49:19, 53:9, 124:11, 134:1, 140:10, 164:14, 164:16</p> <p><u>spaces</u> [1] - 119:9</p> <p><u>speed</u> [1] - 111:10</p> <p><u>spell</u> [2] - 8:11, 97:5</p> <p><u>spelling</u> [4] - 72:8, 84:10, 96:18, 117:3</p> <p><u>Spinelli</u> [1] - 80:15</p> <p><u>split</u> [1] - 90:14</p> <p><u>SPOF</u> [3] - 12:12, 12:15, 27:7</p> <p><u>spoken</u> [1]</p>	<p>- 106:18</p> <p><u>spur</u> [1] - 52:4</p> <p><u>SQUARE</u> [2] - 2:14, 37:4</p> <p><u>Square</u> [3] - 37:7, 37:13, 54:14</p> <p><u>ss</u> [1] - 173:5</p> <p><u>STAFF</u> [1] - 1:10</p> <p><u>stand</u> [2] - 121:6, 148:18</p> <p><u>stand-off</u> [1] - 121:6</p> <p><u>started</u> [1] - 115:7</p> <p><u>starting</u> [7] - 13:19, 22:7, 23:5, 46:7, 52:16, 54:5, 143:14</p> <p><u>starts</u> [1] - 54:16</p> <p><u>state</u> [7] - 13:12, 14:6, 72:7, 84:9,</p>	<p>96:17, 117:2, 150:16</p> <p><u>State</u> [1] - 8:10</p> <p><u>stating</u> [1] - 23:16</p> <p><u>station</u> [2] - 108:3, 109:10</p> <p><u>stay</u> [1] - 81:16</p> <p><u>STEPHEN</u> [342] - 1:9, 8:2, 8:18, 10:13, 10:19, 11:5, 11:8, 12:16, 13:1, 13:5, 13:16, 14:9, 15:13, 18:1, 18:4, 18:9, 18:12, 18:16, 19:3, 19:10, 19:15, 19:19, 20:17, 21:5,</p>
--	--	--	--	---

21:10,	42:19,	61:4,	79:6,	101:13,
21:16,	43:3,	61:10,	80:1,	102:2,
22:5,	43:7,	61:17,	80:6,	102:9,
23:3,	43:14,	62:4,	80:13,	103:5,
24:1,	44:6,	62:10,	81:2,	103:13,
24:5,	44:12,	62:19,	82:5,	104:1,
24:9,	44:16,	63:5,	82:13,	104:11,
24:16,	45:7,	63:14,	82:16,	105:7,
26:5,	45:14,	63:19,	83:1,	106:1,
26:12,	46:3,	64:4,	83:4,	106:9,
27:2,	47:1,	64:8,	83:11,	106:13,
27:14,	47:4,	64:17,	84:3,	107:4,
27:18,	47:14,	65:4,	84:16,	107:16,
28:4,	47:18,	65:14,	84:19,	108:6,
28:7,	48:2,	65:18,	85:13,	109:6,
28:14,	48:8,	66:5,	86:2,	109:13,
28:17,	48:12,	66:12,	87:9,	109:17,
30:4,	48:18,	67:17,	87:12,	110:6,
30:8,	49:11,	69:10,	87:19,	110:11,
30:14,	49:16,	69:17,	88:13,	111:16,
31:3,	50:10,	70:15,	88:18,	112:1,
32:1,	51:2,	71:4,	91:16,	113:2,
32:7,	51:8,	71:6,	92:7,	113:8,
32:12,	51:19,	71:17,	92:11,	114:3,
32:19,	52:6,	72:3,	92:15,	114:16,
33:12,	52:14,	72:17,	93:9,	115:2,
33:17,	53:7,	73:18,	94:2,	115:13,
34:4,	53:15,	74:6,	94:6,	116:4,
34:15,	54:3,	74:12,	94:10,	116:11,
36:9,	56:2,	75:5,	94:16,	116:16,
36:13,	56:9,	75:12,	95:9,	117:9,
36:19,	57:2,	76:2,	95:15,	119:1,
37:6,	58:4,	76:6,	96:7,	119:8,
38:4,	58:9,	76:10,	97:15,	122:6,
39:4,	58:14,	76:17,	98:4,	122:14,
39:12,	58:18,	77:2,	98:17,	123:1,
39:19,	59:10,	77:9,	99:9,	123:11,
40:14,	60:4,	77:17,	100:4,	123:17,
41:3,	60:11,	78:9,	100:9,	124:3,
42:14,	60:18,	78:17,	101:5,	124:9,

124:15, 125:5, 125:11, 125:18, 126:3, 126:11, 126:18, 129:5, 129:9, 129:17, 131:4, 131:9, 131:12, 131:18, 132:3, 132:10, 132:17, 133:14, 133:19, 134:11, 134:14, 135:4, 135:18, 136:5, 136:12, 136:17, 137:2, 137:6, 137:12, 137:16, 138:7, 138:11, 138:18, 139:7, 139:13, 140:1, 140:8, 140:13, 141:2, 141:11,	141:16, 142:2, 142:7, 142:13, 143:4, 143:16, 144:8, 144:17, 145:5, 145:19, 146:7, 146:12, 147:3, 147:11, 148:5, 148:9, 149:5, 149:19, 150:6, 150:9, 150:18, 151:7, 151:16, 152:3, 152:7, 152:11, 152:15, 153:2, 153:8, 154:10, 154:14, 154:18, 155:4, 155:19, 156:9, 156:18, 157:6, 157:13, 158:2, 158:5,	158:11, 159:2, 159:6, 159:15, 160:3, 161:14, 161:19, 162:6, 162:10, 162:17, 163:5, 164:1, 164:5, 164:8, 164:13, 164:19, 165:3, 165:6, 165:12, 165:17, 166:8, 166:16, 167:1, 167:6, 167:13, 168:8, 168:13, 168:17, 169:4, 169:11, 169:19, 170:7, 170:18, 171:8, 171:13, 171:17, 172:4, 172:8 <u>Stephen</u> [2] -	7:13, 106:18 <u>Steve</u> [2] - 45:6, 121:14 <u>sticking</u> [1] - 120:5 <u>still</u> [14] - 11:3, 11:9, 12:6, 23:10, 29:19, 41:14, 90:18, 95:3, 98:9, 102:14, 102:15, 119:15, 135:5, 142:9 <u>stop</u> [1] - 122:8 <u>stopped</u> [1] - 29:14 <u>straight</u> [2] - 38:10, 38:12 <u>Street</u> [134] - 8:7, 9:2, 13:18, 15:9, 21:15, 22:11,	24:11, 31:4, 31:6, 31:7, 31:9, 34:18, 35:1, 35:4, 37:9, 37:12, 46:6, 46:7, 46:8, 46:11, 46:18, 46:19, 47:10, 49:1, 52:17, 54:4, 54:9, 54:12, 54:13, 54:18, 56:11, 56:14, 56:19, 57:9, 59:16, 60:13, 60:14, 61:9, 63:6, 63:7, 63:9, 63:11, 65:7, 66:13, 66:15, 66:17,
--	--	---	--	---

68:4, 69:18, 70:2, 70:7, 70:13, 77:11, 77:12, 78:2, 80:16, 80:18, 80:19, 84:17, 85:2, 85:3, 85:7, 85:14, 85:17, 85:18, 86:8, 88:5, 88:6, 91:18, 104:2, 104:5, 106:18, 107:1, 107:3, 107:17, 107:18, 114:5, 114:9, 116:7, 127:3, 127:4, 127:5, 130:16, 131:1, 133:1, 133:2, 133:3,	135:6, 135:10, 135:11, 138:19, 139:2, 140:3, 141:18, 144:2, 145:4, 145:6, 145:7, 146:5, 146:6, 146:15, 147:4, 147:13, 147:14, 147:15, 147:17, 148:8, 149:7, 149:9, 149:10, 151:9, 154:17, 155:2, 155:5, 155:7, 157:18, 160:5, 160:6, 160:8, 160:11, 160:18, 161:2, 163:6, 163:8, 166:1, 167:14, 167:16,	169:12, 169:14, 170:10 <u>street</u> [36] - 25:3, 26:1, 30:1, 31:18, 35:9, 49:19, 78:5, 90:3, 91:1, 98:16, 107:2, 108:9, 118:15, 120:5, 120:7, 121:18, 122:5, 122:8, 122:10, 122:12, 123:5, 123:8, 123:13, 125:7, 128:11, 128:14, 134:4, 136:19, 140:11, 150:4, 164:17, 164:18, 165:1, 168:4, 170:8	<u>STREET</u> [42] - 2:3, 2:5, 2:11, 2:13, 3:6, 3:9, 3:14, 3:15, 3:17, 3:19, 4:6, 4:8, 4:11, 4:12, 4:14, 4:15, 5:6, 5:8, 5:8, 8:8, 13:15, 31:1, 34:13, 56:7, 60:9, 66:10, 69:15, 72:15, 77:8, 83:17, 85:12, 103:18, 114:1, 116:2, 116:2, 135:2, 138:16, 139:18, 139:19 <u>streetligh</u> <u>t</u> [1] - 121:12 <u>Streets</u> [1] - 15:8	<u>STREETS</u> [210] - 1:8, 2:19, 3:5, 7:17, 9:7, 9:13, 9:17, 10:3, 11:14, 11:19, 12:5, 13:7, 15:3, 15:11, 16:5, 16:13, 16:19, 17:13, 20:3, 20:11, 21:2, 22:13, 22:17, 24:7, 24:14, 24:18, 25:7, 25:15, 26:7, 26:14, 26:19, 27:8, 28:2, 29:13, 29:17, 30:2, 30:6, 30:16, 32:5, 34:6, 34:9,
--	--	--	--	---

35:15, 35:19, 36:4, 36:15, 38:9, 38:19, 39:2, 39:14, 42:10, 42:17, 43:9, 44:18, 45:4, 45:16, 46:1, 46:12, 48:4, 48:10, 49:14, 50:17, 51:4, 52:2, 53:13, 54:1, 54:19, 55:5, 55:9, 55:15, 56:4, 57:5, 57:19, 58:7, 58:16, 59:4, 60:6, 61:8, 61:14, 62:2, 62:6, 62:16,	63:16, 64:2, 64:6, 64:13, 64:19, 65:12, 66:1, 66:7, 67:1, 67:6, 67:11, 68:2, 68:15, 68:19, 69:12, 70:18, 71:8, 71:12, 71:19, 73:4, 73:12, 76:12, 77:4, 79:10, 80:8, 81:10, 82:2, 82:7, 83:6, 83:13, 86:4, 86:17, 87:2, 87:17, 88:2, 88:8, 89:3, 89:16, 90:2, 90:10,	91:4, 91:12, 92:3, 92:18, 93:6, 93:16, 94:12, 98:2, 98:6, 99:13, 101:2, 101:11, 101:16, 102:11, 102:17, 104:13, 105:1, 105:11, 106:6, 106:15, 107:9, 108:18, 111:5, 113:5, 115:9, 115:15, 116:9, 116:18, 120:8, 120:13, 120:17, 121:2, 121:8, 121:11, 122:1, 126:1, 126:13, 128:9, 128:13, 128:17,	129:12, 129:19, 132:12, 133:10, 134:9, 136:1, 136:7, 137:8, 137:18, 138:13, 139:9, 139:15, 143:6, 143:12, 145:10, 145:14, 146:2, 148:3, 148:7, 148:11, 148:19, 149:15, 150:2, 151:3, 152:19, 153:13, 153:19, 154:12, 155:1, 155:9, 156:2, 156:11, 157:8, 159:17, 160:12, 160:19, 161:6, 162:13, 162:19, 164:3,	165:10, 166:14, 167:8, 168:19, 170:2, 170:14, 171:1, 171:19, 172:10 <u>strip</u> [5] - 25:19, 26:1, 73:7, 73:9, 88:5 <u>structure</u> [2] - 17:2, 26:2 <u>stubbed</u> [3] - 11:6, 142:5, 142:8 <u>stuff</u> [1] - 88:12 <u>submission</u> [2] - 58:5, 109:1 <u>submit</u> [3] - 20:1, 107:7, 110:8 <u>submitted</u> [6] - 19:5, 25:14, 32:9, 107:5, 116:13,
--	--	---	---	--

116:14	24:18,	55:9,	82:2,	116:9,
<u>substantia</u>	25:7,	55:15,	82:7,	116:18,
<u>1</u> [1] -	25:15,	56:4,	83:6,	120:8,
50:3	26:7,	57:5,	83:13,	120:13,
<u>sudden</u> [1]	26:14,	57:19,	86:4,	120:17,
- 15:19	26:19,	58:7,	86:17,	121:2,
<u>suggested</u>	27:8,	58:16,	87:2,	121:8,
[1] -	28:2,	59:4,	87:17,	121:11,
57:15	29:13,	60:6,	88:2,	122:1,
<u>suggestion</u>	29:17,	61:8,	88:8,	126:1,
[2] -	30:2,	61:14,	89:3,	126:13,
152:17,	30:6,	62:2,	89:16,	128:9,
153:3	30:16,	62:6,	90:2,	128:13,
<u>summer</u> [1]	32:5,	62:16,	90:10,	128:17,
- 16:1	34:6,	63:16,	91:4,	129:12,
<u>SUPERINTEN</u>	34:9,	64:2,	91:12,	129:19,
<u>DENT</u> [206]	35:15,	64:6,	92:3,	132:12,
- 1:8,	35:19,	64:13,	92:18,	133:10,
7:17, 9:7,	36:4,	64:19,	93:6,	134:9,
9:13,	36:15,	65:12,	93:16,	136:1,
9:17,	38:9,	66:1,	94:12,	136:7,
10:3,	38:19,	66:7,	98:2,	137:8,
11:14,	39:2,	67:1,	98:6,	137:18,
11:19,	39:14,	67:6,	99:13,	138:13,
12:5,	42:10,	67:11,	101:2,	139:9,
13:7,	42:17,	68:2,	101:11,	139:15,
15:3,	43:9,	68:15,	101:16,	143:6,
15:11,	44:18,	68:19,	102:11,	143:12,
16:5,	45:4,	69:12,	102:17,	145:10,
16:13,	45:16,	70:18,	104:13,	145:14,
16:19,	46:12,	71:8,	105:1,	146:2,
17:13,	48:4,	71:12,	105:11,	148:3,
20:3,	48:10,	71:19,	106:6,	148:7,
20:11,	49:14,	73:4,	106:15,	148:11,
21:2,	50:17,	73:12,	107:9,	148:19,
22:13,	51:4,	76:12,	108:18,	149:15,
22:17,	52:2,	77:4,	111:5,	150:2,
24:7,	53:13,	79:10,	113:5,	151:3,
24:14,	54:19,	80:8,	115:9,	152:19,
	55:5,	81:10,	115:15,	153:13,

153:19, 154:12, 155:1, 155:9, 156:2, 156:11, 157:8, 159:17, 160:12, 160:19, 161:6, 162:13, 162:19, 164:3, 165:10, 166:14, 167:8, 168:19, 170:2, 170:14, 171:1, 171:19, 172:10 <u>supporting</u> [4] - 46:10, 52:18, 53:2, 56:13 <u>supposed</u> [2] - 19:6, 125:3 <u>survey</u> [6] - 47:2, 47:3, 47:13, 140:15, 144:19,	166:10 <u>surveyed</u> [1] - 19:12 <u>surveying</u> [1] - 166:11 <u>surveys</u> [1] - 142:16 <u>swing</u> [3] - 119:15, 121:14, 124:12 <u>switching</u> [2] - 158:15, 158:16 <u>swung</u> [2] - 119:14, 164:17 <u>system</u> [5] - 44:10, 60:16, 88:17, 135:15, 135:16 <u>T</u> <u>tagged</u> [1] - 22:8 <u>TECHNOLOGY</u> [2] - 2:14, 37:4 <u>Technology</u> [2] - 37:7, 37:13 <u>telecommun</u>	<u>ication</u> [1] - 22:10 <u>telephone</u> [1] - 54:8 <u>TELEPORT</u> [4] - 4:5, 4:7, 83:16, 85:11 <u>Teleport</u> [5] - 84:1, 84:6, 84:14, 85:15, 92:5 <u>test</u> [2] - 127:10 <u>that's..</u> [1] - 26:6 <u>THE</u> [5] - 1:18, 173:17, 173:18, 173:18, 173:19 <u>they've</u> [1] - 125:12 <u>thinking</u> [1] - 81:18 <u>THIRD</u> [2] - 2:3, 8:8 <u>Third</u> [4] - 8:7, 8:19, 9:2, 139:2	<u>THIS</u> [1] - 173:17 <u>three</u> [11] - 70:13, 86:18, 87:4, 96:2, 114:11, 123:4, 144:15, 144:19, 145:1, 166:12 <u>throughout</u> [1] - 26:8 <u>throw</u> [1] - 89:17 <u>Thursday</u> [2] - 1:15, 7:8 <u>THURSDAY</u> [1] - 7:2 <u>tie</u> [1] - 82:12 <u>TIME</u> [1] - 1:16 <u>TO</u> [3] - 2:16, 39:17, 173:18 <u>today</u> [5] - 10:8, 35:17, 93:5, 95:8, 103:1 <u>today's</u> [1] - 127:14	<u>together</u> [1] - 28:9 <u>took</u> [1] - 41:10 <u>top</u> [8] - 28:19, 119:3, 131:14, 158:3, 158:12, 164:12, 168:11, 170:11 <u>total</u> [1] - 70:14 <u>totem</u> [1] - 74:18 <u>touch</u> [1] - 81:19 <u>towards</u> [2] - 122:5, 123:13 <u>TRAFFIC</u> [6] - 3:17, 3:19, 4:3, 72:14, 77:7, 80:11 <u>traffic</u> [6] - 75:7, 77:12, 77:14, 80:16, 91:5, 169:5 <u>Traffic</u>
--	--	---	---	---

[5] - 72:4, 72:18, 77:10, 79:13, 80:14 <u>TRANSCRIPT</u> [1] - 173:17 <u>transforme</u> <u>r</u> [1] - 167:19 <u>transforme</u> <u>rs</u> [1] - 118:17 <u>TRANSPORTA</u> <u>TION</u> [6] - 3:17, 3:19, 4:3, 72:14, 77:7, 80:11 <u>tree</u> [2] - 31:14, 31:19 <u>trees</u> [1] - 168:2 <u>Tremont</u> [3] - 146:15, 147:15, 148:8 <u>trench</u> [19] - 9:11, 10:11, 11:1, 11:10, 27:12,	29:3, 31:6, 33:5, 35:2, 37:9, 40:1, 40:10, 43:17, 54:12, 150:7, 150:12, 151:1, 151:10, 166:7 <u>trenches</u> [1] - 154:17 <u>trenching</u> [5] - 9:5, 31:18, 81:7, 130:16, 131:1 <u>Tricia</u> [1] - 112:16 <u>tried</u> [1] - 41:17 <u>Trowbridge</u> [4] - 149:8, 150:3, 151:9, 155:8 <u>trucks</u> [1] - 123:16 <u>true</u> [2] - 90:6, 173:10 <u>try</u> [4] -	29:8, 40:13, 94:5, 141:8 <u>trying</u> [3] - 29:9, 40:10, 75:9 <u>turning</u> [1] - 37:11 <u>TV</u> [1] - 160:15 <u>two</u> [23] - 15:7, 23:10, 24:3, 35:10, 40:9, 44:1, 56:10, 87:14, 90:13, 92:16, 96:11, 103:9, 103:15, 104:4, 108:1, 127:7, 127:18, 135:1, 142:3, 144:15, 149:13, 166:13 <u>two-inch</u> [1] - 35:10	<u>two-page</u> [1] - 149:13 <u>tying</u> [2] - 25:2, 25:5 <u>type</u> [2] - 158:7, 158:14 <u>typical</u> [24] - 12:12, 27:6, 30:9, 39:6, 42:16, 45:9, 55:10, 55:16, 58:10, 62:17, 64:5, 64:10, 65:16, 65:19, 71:10, 76:14, 83:7, 106:3, 113:6, 141:6, 164:15, 169:5, 169:6 <u>typically</u> [3] - 108:13, 110:10, 112:15	<u>typo</u> [1] - 80:18 <u>u</u> <u>UNDER</u> [1] - 173:18 <u>under</u> [3] - 51:11, 98:7, 141:14 <u>undergroun</u> <u>d</u> [3] - 96:10, 104:3, 114:6 <u>unfortunat</u> <u>ely</u> [1] - 49:6 <u>unique</u> [1] - 134:6 <u>unless</u> [1] - 124:5 <u>UNLESS</u> [1] - 173:18 <u>up</u> [25] - 23:16, 61:6, 73:11, 74:4, 75:3, 75:8, 75:10, 79:2, 100:12, 111:10, 111:12, 118:9, 119:3, 119:10,
--	--	---	--	--

119:12, 121:15, 141:4, 141:12, 141:18, 144:2, 146:15, 150:1, 155:7, 157:15 <u>upcoming</u> [1] - 48:7 <u>updated</u> [2] - 58:8, 58:10 <u>upgrade</u> [3] - 40:10, 46:14, 66:18 <u>upwards</u> [1] - 49:1 <u>utilities</u> [2] - 114:14, 161:2 <u>utility</u> [3] - 25:2, 114:14, 159:10 <u>Utility</u> [6] - 13:19, 14:2, 22:8, 23:5, 46:7,	52:16 <u>v</u> <u>VATALARO</u> [25] - 28:16, 29:11, 29:16, 29:19, 31:13, 32:3, 32:10, 32:15, 33:7, 33:16, 34:12, 35:7, 35:18, 36:2, 37:15, 38:7, 38:11, 40:8, 40:16, 41:5, 44:3, 44:9, 44:14, 45:2, 45:18 <u>Vault</u> [1] - 135:9 <u>vehicles</u> [1] - 89:12 <u>verificati</u> <u>on</u> [1] - 102:3 <u>verified</u>	[2] - 99:1, 103:16 <u>verify</u> [4] - 47:16, 100:5, 103:8, 142:19 <u>Verizon</u> [37] - 9:3, 10:1, 17:15, 17:18, 44:8, 46:10, 46:17, 47:2, 47:6, 47:11, 48:7, 48:9, 52:4, 85:6, 86:10, 92:9, 96:8, 96:9, 96:11, 97:3, 104:4, 108:1, 112:2, 114:4, 114:7, 144:9, 147:14, 149:18, 150:4, 150:10,	151:8, 154:1, 154:5, 154:8, 155:17, 157:16, 165:19 <u>VERIZON</u> [6] - 4:9, 4:11, 4:12, 96:5, 103:18, 114:1 <u>video</u> [1] - 78:3 <u>view</u> [1] - 120:4 <u>visible</u> [1] - 76:5 <u>visibly</u> [1] - 74:2 <u>visit</u> [1] - 43:1 <u>visual</u> [2] - 75:19, 76:1 <u>voice</u> [1] - 105:18 <u>vote</u> [4] - 113:9, 113:15, 148:2, 148:18 <u>voted</u> [2] - 51:18, 95:10	<u>w</u> <u>wait</u> [3] - 16:14, 51:15, 111:6 <u>waited</u> [1] - 20:5 <u>waiting</u> [8] - 14:11, 14:12, 17:14, 17:16, 19:1, 19:14, 23:10, 47:7 <u>walk</u> [1] - 75:10 <u>walked</u> [1] - 74:3 <u>walking</u> [1] - 75:8 <u>wall</u> [1] - 88:11 <u>wants</u> [1] - 107:2 <u>Washington</u> [2] - 37:9, 38:18 <u>Water</u> [7] - 106:18, 107:1, 107:3, 107:17, 107:18, 114:5, 114:9
--	---	---	---	---

<u>WATER</u> [2] - 4:12, 114:1	70:2 <u>westerly</u> [6] - 43:17, 69:18, 70:3, 70:5, 70:8, 160:7	1:8, 7:18, 9:8, 9:14, 9:18, 10:4, 11:15, 12:1, 12:6, 13:8, 15:4, 15:12, 16:6, 16:14, 17:1, 17:14, 20:4, 20:12, 21:3, 22:14, 24:8, 24:15, 24:19, 25:8, 25:16, 26:8, 26:15, 27:1, 27:9, 28:3, 29:14, 29:18, 30:3, 30:7, 30:17, 32:6, 34:7, 34:10, 35:16, 36:1, 36:5, 36:16,	38:10, 39:1, 39:3, 39:15, 42:11, 42:18, 43:10, 44:19, 45:5, 45:17, 46:13, 48:5, 48:11, 49:15, 50:18, 51:5, 52:3, 53:14, 55:1, 55:6, 55:10, 55:16, 56:5, 57:6, 58:1, 58:8, 58:17, 59:5, 60:7, 61:9, 61:15, 62:3, 62:7, 62:17, 63:17, 64:3, 64:7, 64:14, 65:1, 65:13,	66:2, 66:8, 67:2, 67:7, 67:12, 68:3, 68:16, 69:1, 69:13, 70:19, 71:9, 71:13, 72:1, 73:5, 73:13, 76:13, 77:5, 79:11, 80:9, 81:11, 82:3, 82:8, 83:7, 83:14, 86:5, 86:18, 87:3, 87:18, 88:3, 88:9, 89:4, 89:17, 90:3, 90:11, 91:5, 91:13, 92:4, 92:19, 93:7, 93:17,
<u>watt</u> [3] - 134:13, 134:17, 134:18				
<u>Waverly</u> [1] - 116:8	<u>Western</u> [3] - 63:6, 63:18, 64:11			
<u>WAVERLY</u> [2] - 4:15, 116:2				
<u>Wayne</u> [2] - 78:7, 99:3	<u>WESTERN</u> [2] - 3:11, 63:3			
<u>weather</u> [3] - 14:15, 19:7, 23:19	<u>WHEREOF</u> [1] - 173:11			
<u>Wednesday</u> [1] - 107:8	<u>whichever</u> [1] - 118:9			
<u>week</u> [6] - 20:7, 47:7, 50:6, 55:2, 107:7, 111:1	<u>Whittemore</u> [2] - 29:3, 29:12			
<u>Wendell</u> [1] - 99:3	<u>whole</u> [7] - 17:5, 26:17, 33:8, 33:11, 67:13, 68:7, 82:12			
<u>west</u> [5] - 25:3, 44:4, 54:17, 60:14,	<u>wide</u> [1] - 68:6 <u>WILLIAM</u> [205] -			

94:13, 98:3, 98:7, 99:14, 101:3, 101:12, 101:17, 102:12, 102:18, 104:14, 105:2, 105:12, 106:7, 106:16, 107:10, 108:19, 111:6, 113:6, 115:10, 115:16, 116:10, 116:19, 120:9, 120:14, 120:18, 121:3, 121:9, 121:12, 122:2, 126:2, 126:14, 128:10, 128:14, 128:18, 129:13, 130:1, 132:13, 133:11, 134:10, 136:2,	136:8, 137:9, 137:19, 138:14, 139:10, 139:16, 143:7, 143:13, 145:11, 145:15, 146:3, 148:4, 148:8, 148:12, 149:1, 149:16, 150:3, 151:4, 153:1, 153:14, 154:1, 154:13, 155:2, 155:10, 156:3, 156:12, 157:9, 159:18, 160:13, 161:1, 161:7, 162:14, 163:1, 164:4, 165:11, 166:15, 167:9, 169:1, 170:3, 170:15,	171:2, 172:1, 172:11 <u>window</u> [3] - 16:7, 42:6, 119:11 <u>with..</u> [1] - 8:15 <u>WITNESS</u> [1] - 173:11 <u>wondering</u> [1] - 119:12 <u>wooden</u> [1] - 17:1 <u>wording</u> [4] - 32:11, 33:4, 65:11, 71:2 <u>words</u> [2] - 75:13, 100:11 <u>WORKS</u> [2] - 4:14, 116:2 <u>Works</u> [6] - 36:5, 45:5, 100:2, 116:6, 169:6 <u>worse</u> [1] - 90:16 <u>worse-case</u> [1] -	90:16 <u>worth</u> [1] - 160:17 <u>write</u> [2] - 144:5, 156:5 <u>y</u> <u>year</u> [7] - 68:8, 97:13, 149:17, 150:11, 150:14, 151:8, 154:2 <u>yearly</u> [1] - 152:4 <u>years</u> [4] - 40:9, 87:3, 87:5, 90:17 <u>yellow</u> [1] - 127:16 <u>yesterday</u> [1] - 10:9 <u>yourself</u> [1] - 17:9 <u>z</u> <u>zero</u> [2] - 134:15, 134:16
--	---	---	--