77 Massachusetts Avenue Cambridge, Massachusetts 02139–4307

campusplanning.mit.edu

Proposed Demolition of MIT Building 44 (51 Vassar Street)



Submitted to the Cambridge Historical Commission by the MIT Office of Campus Planning

December 10, 2019

RECEIVED

DEC 1 0 2019

CAMBRIDGE HISTORICAL COMMISSION


2. Description of Existing Building 44


Existing MIT Building 44 (51 Vassar Street) was built in 1938 for research in Nuclear Physics. It is a brick faced concrete block structure with additions and alterations dating from 1946 and 1962.

The building is listed as being of moderate significance on the MIT Historic Inventory and Assessment. The notable aspects of the existing building are related to the historical significance of the research that took place in the building. The MIT Historic Inventory and Assessment forms are included in the Appendix to this document.

Physical artifacts from notable research projects have been removed from the building and relocated to relevant departments and the MIT museum for preservation and continued access by the MIT community. The new building that is proposed for this site will also include a space to recognize the contributions to research that took place in Building 44.

The remaining occupants of Building 44 were relocated to other spaces on campus in the summer 2019; the building is currently unoccupied.





SCALE: 1'=20'

UTILITY INFORMATION STATEMENT

1. THE SUB-SURFACE UTILITY INFORMATION SHOWN HEREON IS COMPILED BASED ON FIELD SURVEY INFORMATION, RECORD INFORMATION AS SUPPLIED BY THE APPROPRIATE UTILITY COMPANIES, AND PLAN INFORMATION SUPPLIED BY THE CUENT, IF ANY, THEREFORE WE CANNOT GUARANTEE THE ACCURACY OF SAID COMPILED SUB-SURFACE INFORMATION TO ANY CERTAIN DEGREE OF STATED TOLERANCE. ONLY PHYSICALLY LOCATED SUB-SURFACE UTILITY FEATURES FALL MITHIN NORMAL STANDARD OF CARE ACCURACIES.

THE LOCATIONS OF UNDERGROUND PIPES, CONDUITS, AND STRUCTURES HAVE BEEN DETERMINED FROM SAID INFORMATION, AND ARE APPROXIMATE ONLY COMPILED LOCATIONS OF ANY UNDERGROUND STRUCTURES, NOT VISIBLY OBSERVED AND LOCATED, CAN VARY FROM THEIR ACTUAL LOCATIONS.

ADDITIONAL BURIED UTILITIES/STRUCTURES MAY BE ENCOUNTERED.

THE STATUS OF UTILITIES, WHETHER ACTIVE, ABANDONED, OR REMOVED, IS AN UNKNOWN CONDITION AS FAR AS OUR COMPILATION OF THIS INFORMATION.

6. THE ACCURACY OF MEASURED UTILITY INVERTS AND PIPE SIZES IS SUBJECT TO FIELD CONDITIONS, THE ABILITY TO MAKE VISUAL OBSERVATIONS, DIRECT ACCESS TO THE VARIOUS ELEMENTS AND OTHER MATTERS.

7. THE PROPER UTILITY ENGINEERING/COMPANY SHOULD BE CONSULTED AND THE ACTUAL LOCATIONS OF SUBSURFACE STRUCTURES SHOULD BE VERIFIED IN THE FIELD (V.I.F.) BEFORE PLANNING FUTURE CONNECTIONS. CONTACT THE DIG SAFE CALL CENTER AT 1—808—344—7233, SEVENTY—TWO HOURS PRIOR TO EXCAVATION, BLASTING, GRADING, AND/OR

8. AS OF THE DATE OF THIS PLAN RECORD INFORMATION HAS NOT BEEN RECEIVED BY NITSCH ENGINEERING FOR THE FOLLOWING UILDITIES: TOWN (CAMBRIDGE ELEC. DEPT. & STREET LIGHTING), OTHER (VERIZON BUSINESS), RAILPOAD (CSX)

NOTES

1. HIS DOCUMENT IS AN INSTRUMENT OF SERVICE OF NITSCH ENGINEERING. THE ISSUED ITO
MASSACHUSETS INSTITUTE OF TECHNOLOGY FOR PURPOSES RELATED DIRECTLY AND SOLELY TO INTSCH
ENGINEERING SCOPE OF SERVICES INDER CONTINUED. THE TECHNOLOGY
FOR EXISTING CONDITION OF PROPERTY OF PURPOSES UNFOLKED FOR EACH SEG OF RELIES OF THIS DOCUMENT
AND PROJECT SHALL BE AT THE USER'S SIGE AND EXCLUSIVE RISK AND LIABILITY, INCLUDING DIABILITY
FOR WOLATION OF COPYRIGHT LAWS, UNLESS WRITTEN AUTHORIZATION IS GIVEN THEREFOR BY NITSCH
ENGINEERING.

THE PURPOSE OF THIS PLAN IS TO SHOW EXISTING CONDITIONS AS THE RESULT OF AN ON-THE-GROUND INSTRUMENT SURVEY WHICH OCCURRED BETWEEN OCTOBER 21 & 31, 2019.

3. HORIZONTAL AND VERTICAL CONTROL REFER TO MIT CAMPUS CONTROL AS PROVIDED BY THE CLIENT 4. THIS SURVEY WAS PERFORMED WITHOUT THE BENEFIT OF A TITLE REPORT. OWNERSHIP INFORMATION IS SHOWN BASED ON CITY OF CAMBRIDGE RECORDS. NO CERTIFICATION OF ACTUAL OWNERSHIP OF THE LAND SHOWN IS HERBEY MADE. ONLY THOSE EASEMENTS REFERENCED IN THE LOCUS EDO OR SHOWN ON THE LOCUS PLAN ARE SHOWN. OTHER EASEMENTS, RESTRICTIONS, OR MATTERS OF TITLE MAY EXIST.

5. THE INFORMATION CONTAINED ON THE DISK OR ELECTRONIC DRAWNS FILE ACCOMPANYING THIS PLAN MUST BE COMPARED TO THE SEALED AND SIGNED HARD COPY OF THE PLAN TO ENSURE THE ACCURACY OF ALL INFORMATION AND TO BUSILER NO HORDER, ALTERATIONS, OR MODIFICATIONS HAVE BEEN MADE. RELANCE SHALL NOT BE MADE ON A DOCUMENT TRANSMITTED BY COMPUTER OR OTHER ELECTRONIC MEANS UNILESS FIRST COMPARED TO THE ORIGINAL SEALED DOCUMENT ISSUED AT THE TIME OF THE SURVEY, DUE TO THE CRITICAL NATURE OF SURVEY AND ALTO AND AUTOCAD PLAN DEVELOPMENT, IF CRITICAL DISHOOLAL SHORT ACQUISITION, AND AUTOCAD PLAN DEVELOPMENT, IF CRITICAL DISHOOLAL PROFILES AND AND IS NOT SPECIFICALLY SHOWN ON THE ELECTRONIC DRAWING FILE, PLEASE CONTACT NITSCH ENGINEERING.

LEGEND

LEGI	END
	CATCH BASIN CARE TIELSTON MANHOLE ORAN MANHOLE ORAN MANHOLE HECTRIC MANHOLE MISCELLARGOUS MANHOLE SEVER MANHOLE TELEPHOLE MANHOLE WATER MANHOLE WATER MANHOLE WATER MANHOLE WATER MANHOLE WATER MANHOLE SAS GARE HIGHER MANHOLE WATER GATE HIGHORITON CONTROL VALVE STANDPIE BOSTON WATER WORKS FIRE HITMERANT UILITY POLE JULITY POLE J
" ×	LIGHT POLE
LL + HH = TC O EBX = B = TBX = PM = S =	LANDSCAPE LIGHT HAND HOLE TRASH CAN ELECTRIC BOX BOLLARD TELEPHONE CALL BOX PARKING METER SIGN POST
12" 👸	DECIDUOUS TREE WITH TRUNK DIAMETER
ZOH6 CLF CC VIGC WICR M/L R- I- TH- NPV	HANDICAP PARKING SPOT ELEVATION CHAIN LIMIC FENCE CONGRETE CURB WHEELCHAIR RAMP WHEELCHAIR RAMP WHEELCHAIR RAMP WHEELCHAIR RAMP HOUGH MYRE LANGSCAPE WHEET ELEVATION COULAS TOP OF HODO ELEVATION EQUALS NO PIPES MISBLE TOP OF WOR
TOW= TP BOT= FOO TOR= REC.CONN. DWP	TOP OF WALER TOP OF PICTOM OF CHAMBER FULL OF DIRT/DEBRIS TOP OF ROOF/CEILING RECORD CONNECTION DETECTABLE WARNING PANEL TOP OF WALL ELEVATION
	UNDERGROUND CABLE TELEMISION LINE UNDERGROUND DRAIN LINE UNDERGROUND ELECTRIC LINE UNDERGROUND FIBER OPTIC LINE UNDERGROUND GAS LINE UNDERGROUND SEWER LINE UNDERGROUND SEWER LINE UNDERGROUND STEAM LINE
// st //	UNDERGROUND STEAM LINE (ABANDONED



BENCH MARK



Nitsch Engineering

2 Center Plaza, Suite 430 Boston MA 02108


- T: (617) 338-0063 F: (617) 338-6472
- ► Civil Engineering
 ► Land Surveying
- Transportation Engine
- ➤ Structural Engineering
 ➤ Green Infrastructure
- ► Planning

MASSACHUSETTS INSTITUTE OF TECHNOL 77 MASSACHUSETTS AVENUE, CAMBRIDGE, MA 021 CONDITIONS
TREET (BUILDING 44)
MASSACHUSETTS EXISTING 51 VASSAR STR CAMBRIDGE,

.OGY 139

A UTILITIES FROM BSI PLAN 11/8/2019
REV. COMMENTS DATE
REVISIONS PROJECT # 13856
FILE: 13856 TOPO1.dwg
SCALE: 1*=20'
DATE: NOVEMBER 1, 2019
DES./COPP: JCC
FIELD BOOK: 737
DRAFTED BY: CPH
CHECKED BY:

SHEET:



3. Proposed Replacement Project MIT Stephen A. Schwarzman College of Computing

The proposed replacement project for the site is the MIT Stephen A. Schwarzman College of Computing.


The MIT Stephen A. Schwarzman College of Computing Building will be an interdisciplinary hub for work in computer science, Artificial Intelligence (AI), data science, and related fields that contribute to the design and use of computing. It will span MIT's five schools with complementary expertise in arts, humanities and social sciences, architecture and urban planning, business management, and data acquisition hardware and physics.

The site was selected for its physical proximity to related departments in Buildings 46 and 32, as well as in the Main Group. The development of this site is an opportunity to activate this portion of Vassar Street with welcoming entries to public ground floor program and improved site and landscape conditions.

The building is planned to include approximately 165,000 GSF of office, lab and collaborative study space. Fifty faculty and their research groups will be housed in the building.

The design firm of Skidmore, Owings & Merrill (SOM) was selected by way of a design competition. The project is currently in conceptual design. The target construction start date is Q1 2021, with project completion in Q1 2023.

SITE PLAN



ELEVATION



Office of Campus Planning Building NW23-100

77 Massachusetts Avenue Cambridge, Massachusetts 02139–4307

campusplanning.mit.edu

4. Appendix


MIT Historic Inventory and Assessment Building 44



Inventory Form - Building

77 Massachusetts Avenue
Cambridge, Massachusetts

Assessor # | MIT Bldg# | Significance Level / Designation | No current designation | No current designation |



Historic NameCyclotron BldgAddress51 Vassar Street

Uses: Present academic

Uses: Original industrial


Owner MIT

MIT Occupied yes

Date of Construction 1938; additions 1946

Source Christopher Hail List

Architect/Builder McCreery & Theriault (1938 builder) Perry, Shaw, Hepburn & Dean (1962 alteration)



Organization Massachusetts Institute of Technology

1/2002

Recorded By

Preservation Consultants

Jate (month/year)

Wendy Frontiero and Candace Jenkins,

Style/Building Type Modern

Primary Exterior Materials light yellow brick

General Condition good

Major Alterations/Historic Integrity Perry, Shaw, Hepburn & Dean (1962 alteration)

Approximate Lot Size n/a

Key Site/Setting Features

north side of Vassar Street between Main Street and Mass. Ave., adjacent to Power Plant to west (see form); railroad tracks to rear with modern parking garage beyond Property Name
Property Address

Cyclotron Building 51 Vassar Street

DESCRIPTION

- Building Construction Systems & Source: Concrete block, brick faced (Sanborn map)
- 3 x 10 bay rectangular plan
- Rises three stories from concrete foundation to flat roof
- · Pale yellow brick exterior walls
- · Single soldier course at base, four courses at top taking place of a cornice
- Window bays deeply recessed in narrow surrounds that continue through all floors; openings canted on top and bottom with metal lintels and sills
- Main entrance with flat, metal-clad canopy between bays three and four from east;
- · Loading bay between bays nine and ten at west end
- One story wing at west end surmounted by pipe railing and mechanical equipment
- Design similar to Parsons laboratory (9-15 Vassar Street; see form)

ISTORICAL NARRATIVE

The Cyclotron laboratory at 51 Vassar Street was built by MIT in 1938 for research in nuclear physics.

McCreery & Theriault were the original builders. Unknown additions were made in 1946; alterations made in 1962 were designed by Perry Shaw Hepburn & Dean, architects also of the Parsons Laboratory (1949 and 1968), the Sloan Metals Processing Laboratory at 88 Vassar Street (1950), and four other buildings in Cambridge from 1955-61.

BIBLIOGRAPHY and/or REFERENCES

Sanborn map, 1997

City directories, 1941, 1953/54, 1961.

CHC survey file for 51 Vassar Street.

Cambridge Historical Commission. Survey of Architectural History in Cambridge: Cambridgeport. 1971.

Photo: rear elevation along railroad tracks



MIT - HISTORIC INVENTORY AND ASSESSMENT PROJECT EVALUATION MATRIX: MODERATE LEVEL SIGNIFICANCE

Wendy Frontiero and Candace Jenkins – 19 December 2002

31 Individual Buildings and 3 Complexes

Building or Complex	Architecture	Rarity	Condition	Integrity	History	Setting	Overall	
4 Blanche Street; Gordon House	moderate	moderate+ survey area; low citywide	moderate	moderate+	high survey area low+ citywide	low+	moderate	M
11-15 Green Street; Moxon's Block	moderate	high survey area; mod. citywide	moderate+	moderate+	moderate	moderate	moderate	M
85 Hamilton Street; Myerson Tooth	moderate+	moderate+; single owner	moderate	high	moderate	moderate	moderate	M
26-36 Landsdowne Street	moderate+	moderate	high	moderate	moderate+	moderate	moderate	M
782-798 Main Street	moderate	moderate	moderate	moderate	moderate	moderate+	moderate	M
872-874 Main Street, Union Baptist Church	moderate	high (survey area) mod. (citywide)	moderate	moderate-	high	moderate	moderate	M
298-302 Mass. Ave.	moderate	moderate	moderate	low+	moderate	moderate	moderate	M
332-336 Mass. Ave.	moderate+	moderate	moderate	moderate	moderate	moderate	moderate	M
15 Tudor Street	moderate	moderate	high	moderate	moderate+	moderate+	moderate.	$]_{M}$
9-15 Vassar Street; Parsons Laboratory	moderate	moderate	moderate	moderate	moderate	moderate	moderate	M
51 Vassar Street; Cyclotron	low	high	moderate	moderate	high	moderate	moderate	M