



CAMBRIDGE HISTORICAL COMMISSION

831 Massachusetts Avenue, 2nd Fl., Cambridge, Massachusetts 02139
Telephone: 617 349 4683 Fax: 617 349 3116 TTY: 617 349 6112
E-mail: histcomm@cambridgema.gov URL: http://www.cambridgema.gov/Historic

RECEIVED

AUG 16 2016

CAMBRIDGE HISTORICAL COMMISSION

APPLICATION FOR CERTIFICATE

1. The undersigned hereby applies to the Cambridge Historical Commission for a Certificate of (check one box): Appropriateness, Nonapplicability, or Hardship, in accordance with Chapter 40C of the Massachusetts General Laws and/or Chapter 2.78 of the Municipal Code.

2. Address of property: , Cambridge, Massachusetts

3. Describe the proposed alteration(s), construction or demolition in the space provided below:
(An additional page can be attached, if necessary).

Remove and replace 6 double hung, 2 over 2 sash, windows with new Marvin product, Marvin spec available (sent to Sarah already).
During exterior renovation of building, which includes clapboard, house and window trim replacement, we are planning to remove non-matching details at the rear porch entryway and replacing the trim with detail that matches existing conditions in both size and style drawing from the frieze, fascia and soffit of front porch on Highland Street. We also plan to match gable side detail with flying gable and crown moulding to match existing conditions on the rear of the house at gable. All mouldings are to match exactly, we have had cutters made and we are planning to mill mouldings ourselves.

I certify that the information contained herein is true and accurate to the best of my knowledge and belief. The undersigned also attests that he/she has read the statements printed on the reverse.

Name of Property Owner of Record: <input type="text" value="Amy Woods"/>	
Mailing Address: <input type="text" value="2 Highland Street, Cambridge, MA. 02138"/>	
Telephone/Fax: <input type="text" value="6178761232"/>	E-mail: <input type="text" value="awoods1978@comcast.net"/>
Signature of Property Owner of Record:	
(Required field; application will not be considered complete without property owner's signature)	
Name of proponent, if not record owner: <input type="text" value="Bryan Long"/>	
Mailing Address: <input type="text" value="64 Briggs St. Orange, MA. 01364"/>	
Telephone/Fax: <input type="text" value="6172515555"/>	E-mail: <input type="text" value="b.saxifrage@gmail.com"/>

(for office use only):		
Date Application Received: <input type="text" value="8/16/16"/>	Case Number: <input type="text" value="3676"/>	Hearing Date: <input type="text" value="9/8/16"/>
Type of Certificate Issued: <input type="text"/>	Date Issued: <input type="text"/>	

Application #: 3676
 Applicant Name: BRYAN LONG/AMY WOODS

Address: 2 HIGHLAND ST.
 Date Received: _____

Window Survey Form


Have?

Basic Requirements

- Photographs or drawings of each elevation of the structure, with all window openings on each elevation numbered
- Photographs of each numbered window opening proposed for replacement
- Condition evaluation of each windows (see reverse)
- Proposed window design (sash, casement, fixed, etc.), pattern (1-over-1, 2-over-1, etc.), materials (wood, vinyl, clad, etc.), etc. *Specify if different for certain openings.*
- Proposed product information that includes company's depiction or photograph of actual proposed product
- Other _____

IF REPAIRING WINDOWS, YOU DO NOT NEED TO COMPLETE THIS FORM.

- Using photographs or elevation drawings, assign a number to **ALL WINDOW OPENINGS** on the structure. If using photos, they need to show the **ENTIRE** elevation. Windows in pairs or groupings should be assigned *separate* numbers. Windows in dormers and small fixed windows should also be included, but not door sidelights or transoms associated with a door.
- Describe condition of window under the same number on the back of this sheet. Describe the specific issues and conditions of **EACH** window in detail, referring to the specific parts (see diagram below). Additional close-up photographs showing evidence of the window condition **MUST** be provided to better document problem areas.



The Commission's evaluation and recommendation is based on deterioration/damage to the window unit, and associated trim.


PLEASE NOTE: Broken glass, windows with broken sash cords, windows that do not open, energy efficiency, draftiness, noise intrusion, and windows that are painted or screwed shut are **NOT** grounds for approving replacement. These can all be addressed through repair and/or the addition of a storm window.

Total number of window openings on the structure	50
Number of historic windows on the structure	+ 25
Number of existing replacement/non-historic windows	+ 25
Number of windows completely missing	0
Totally number of windows proposed for replacement	50 7





5





6

7



①



2



3



4

10 of 31



5





13 of 31

OMS Ver. 0002.09.05 (Current)
Product availability and pricing subject to change.

Brian 2
2 Highland Ave.
Quote Number: VE35TED
Architectural Project Number:

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 1		TOTAL UNIT QTY: 6		EXT NET PRICE: USD		5,710.32
LINE	MARK UNIT	BRAND	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	3rd Floor	Marvin	Clad Ultimate Insert Double Hung IO 33 1/2" X 53 3/4" Entered as Inside Opening 33 1/2" X 53 3/4"	951.72	6	5,710.32

14 of 31


OMS Ver. 0002.09.05 (Current)
 Product availability and pricing subject to change.

Brian Z
 2 Highland Ave.
 Quote Number: VE35TED
 Architectural Project Number:

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: 3rd Floor	Net Price:		951.72
Qty: 6		Ext. Net Price:	USD	5,710.32



As Viewed From The Exterior

Entered As: IO
 FS 33 1/8" X 54 1/16"
 IO 33 1/2" X 53 3/4"
Egress Information
 Width: 29 7/8" Height: 21 19/32"
 Net Clear Opening: 4.48 SqFt
Performance Information
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.27
 Visible Light Transmittance: 0.46
 Condensation Resistance: 56
 CPD Number: MAR-N-73-01433-00001
 ENERGY STAR: NC

Stone White Clad Exterior
 Painted Interior Finish - White - Pine Interior
 Clad Ultimate Insert Double Hung
 Inside Opening 33 1/2" X 53 3/4"
 8 Degree Frame Bevel
 Top Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 2W1H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 Bottom Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 2W1H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 White Sash Lock
 White Jamb Hardware
 Half Screen
 Charcoal Fiberglass Mesh
 Stone White Surround
 3 1/4" Jamb

Project Subtotal Net Price: USD	5,710.32
6.250% Sales Tax: USD	356.90
Project Total Net Price: USD	6,067.22

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 3 TOTAL UNIT QTY: 4 EXT NET PRICE: USD 28,521.36


LINE	MARK UNIT	BRAND	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1		Marvin	Wood Ultimate Double Hung Magnum Picture Round Top 1" IG RO 69 3/4" X 83 7/32" 1/2" Entered as BF 68 3/4" X 81 5/8"	4,063.92	1	4,063.92
	NIC	Marvin	Wood Ultimate Outswing French Door RO 67" X 81 1/2" Entered as FS 66" X 81"	5,446.56	X	5,446.56
	NIC	Marvin	Wood Ultimate Inswing French Door RO 115" X 96" Entered as FS 114" X 95 1/2"	9,505.44	X	19,010.88

INT DM
68 3/8" X 81 5/8"

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit:	Net Price:	4,063.92
Qty: 1		Ext. Net Price:	4,063.92
		USD	



As Viewed From The Exterior

Pattern not drawn because of comment

Entered As: BF
MO 69 1/4" X 82 31/32"
FS 68 3/4" X 82 23/32"
RO 69 3/4" X 83 7/32"


Egress Information
No Egress Information available.

Performance Information
Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Primed Pine Exterior
Bare Pine Interior
Wood Ultimate Double Hung Magnum Picture Round Top 1" IG - RT2
Basic Frame 68 3/4" X 81 5/8"
Basic Frame Springline from bottom: 47 1/4"
Rough Opening w/ Subsill
69 3/4" X 83 7/32"
Rough Opening Springline w/ Subsill
from bottom: 48 11/32"
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 in
Low E2 w/Argon
Stainless Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Stainless
Sunburst With Rectangular 2W1H
2 Rect Lites
3 Radius Lites
Primed Pine Ext - Bare Pine Int
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
#LITE TO BE VERIFIED BEFORE ORDER
#REFER TO PHOTO FOR LITE CUT

4 9/16" Jamb
Exterior Casing - None
Primed Pine Standard Subsill
No Installation Method
Non system generated Pricing
***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.

Line #2	Mark Unit:	Net Price:	5,446.56
Qty: 1		Ext. Net Price:	5,446.56
		USD	



As Viewed From The Exterior


Entered As: FS

Primed Pine Exterior
Primed Pine Interior
Wood Ultimate Outswing French Door - XX Left Hand
Frame Size 66" X 81"
Rough Opening 67" X 81 1/2"
Traditional Panels
Left Panel
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Stainless Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Stainless
Rectangular - Special Cut 2W4H
Primed Pine Ext - Primed Pine Int
Ogee Interior Glazing Profile
Right Panel
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Stainless Perimeter and Spacer Bar

CLAD ULTIMATE DOUBLE HUNG

SECTION DETAILS: DIVIDED LITE OPTIONS NOT TO SCALE


Divided Lite Options




CLAD ULTIMATE DOUBLE HUNG

SECTION DETAILS: OPERATING ONLY

SCALE: 3" = 1' 0" (76 = 305)




Head Jamb and Sill




Head Jamb and Sill

Double Hung




Double Hung Jamb and Sill
Lower and upper sash



DP50 Sill Liner

Single Hung



Single Hung Jamb and Sill
Lower and upper sash


NOTE:
Optional half screen shown.

CLAD ULTIMATE DOUBLE HUNG


SECTION DETAILS: TRANSOM / PICTURE

SCALE: 3" = 1' 0" (76 = 305)

Transom




Head Jamb and Sill




Jambs

2" Picture



Head Jamb and Sill




Jambs

20 of 31






27 of 31



shingles




(A)



24 of 31



25 .F 31

B ref.






(B)

27 of 31

C




28 of 31

CLAPBOARD →


C-1

PLAN VIEW
OF
new Pilaster




A

C-1



049 05 51





01 01

